

Town of Orange, Vermont

2024 Local Hazard Mitigation Plan



Provencher Road, July 2023 Flood Damage (Photo Credit: John Barnes)

Date of Town Adoption: May 11, 2024 Date of Final Approval
by FEMA: April 16, 2025
Plan Expires 5 years from FEMA Approval: April 16, 2030

Prepared by
Orange Hazard Mitigation Planning Team

Angela Eastman, Town Clerk 2019-2023
Lee Cattaneo, Planning Commission Chair, Regional Planning Commissioner,
Transportation Advisory Committee, Solid Waste Management District Representative,
John Barnes, Road Foreman, Tree Warden
Sheila Stone, prior Selectboard, Road Commissioner, and Highway Liaison; Resident
Eric Holmgren, Emergency Management Director, Planning Commission, Recreation
Committee

Technical Assistance: Central Vermont Regional Planning Commission



Table of Contents

<i>GLOSSARY/ACRONYM LIST</i>	
1. EXECUTIVE SUMMARY	1
2. INTRODUCTION	2
2.1 PURPOSE	2
3. COMMUNITY PROFILE	3
3.1 GEOGRAPHY & ENVIRONMENT	3
3.2 DEMOGRAPHIC AND DEVELOPMENT PATTERNS	7
<i>Population</i>	7
<i>Utilities, Water, and Sewer</i>	10
<i>Transportation, Emergency Services</i>	14
<i>Municipal Governance- Local Ordinances, Plans, and Regulations</i>	14
<i>National Flood Insurance Program</i>	15
<i>Emergency Relief & Assistance Funding (ERAF)</i>	16
4. PLANNING PROCESS	18
4.1 PLANNING PROCESS	19
4.2 STATUS OF PRIOR PLAN'S MITIGATION ACTIONS	26
4.3 TOWN CAPABILITIES	30
<i>Existing Hazard Mitigation Programs , Projects, & Activities</i>	31
5. HAZARD IDENTIFICATION AND RISK ASSESSMENT	35
5.1 LOCAL VULNERABILITIES AND RISK ASSESSMENT	35
6 HAZARD PROFILES	42
<i>Summary: Historic Events & Federal Disaster Declarations Orange County</i>	43
6.1 FLOODING AND EROSION	46
6.2 SEVERE WEATHER (THUNDERSTORMS, LIGHTNING, HIGH WINDS, HAIL)	54
6.3 INFECTIOUS DISEASE	67
6.4 DAM FAILURE	71
6.5 HURRICANE/TROPICAL STORMS	74
6.6 EXTREME COLD/WINTER STORM/ICE STORM	78
6.7 STRUCTURE FIRE	88
6.8 WILD FIRE/FOREST FIRE	90
7. MITIGATION	94
7.1 HAZARD MITIGATION GOALS	94
7.2 PROPOSED HAZARD MITIGATION PROGRAMS, PROJECTS, & ACTIVITIES	94
7.3 ORANGE TOWN PLAN GOALS & RECOMMENDATIONS THAT SUPPORT LOCAL HAZARD MITIGATION	100
7.4 PROCESS FOR INCORPORATING PLAN REQUIREMENTS INTO OTHER PLANNING MECHANISMS	103
8. PLAN MAINTENANCE	104
ATTACHMENTS:	108
<i>Hazard Analysis Map: Areas of Concern</i>	109
<i>Town of Orange Culvert Inventory Map 2023</i>	110
<i>Transportation Vulnerability Assessment Map 2016</i>	111
<i>Dam Inundation Area Map – Thurman W. Dix Reservoir Dam</i>	112
<i>Emergency Relief & Assistance Fund Eligibility Criteria</i>	114
<i>Further Documentation of Public Input Opportunities (examples)</i>	115
CERTIFICATE OF ADOPTION	118

Glossary/Acronym List

Base Flood: A flood having a one percent chance of being equaled or exceeded in any given year. This is the regulatory standard also referred to as the "100-year flood."

Base Flood Elevation (BFE): The elevation of surface water resulting from a flood that has a 1% chance of equaling or exceeding that level in any given year.

Best Manage Practice (BMP): BMPs are practices that manage stormwater runoff to improve water quality and reduce stormwater volume and velocity. Examples of BMPs include gravel wetlands, infiltration basins, and bioretention practices.

Buffer: an undisturbed area consisting of trees, shrubs, ground cover plants, duff layer, and generally uneven ground surface that extends a specified distance horizontally across the surface of the land from the mean water level of an adjacent lake or from the top of the bank of an adjacent river or stream, as determined by the Secretary of Natural Resources.

BIPOC: this acronym stands for Black, Indigenous, and people of color; this term is used generally to refer to a range of communities and identities as an umbrella term while acknowledging the unique relationship to whiteness and colonial systems that Black and Indigenous people have (and to combat indigenous erasure and anti-blackness). This term should not be used in specific contexts and scenarios where the use may conflate or erase the needs, identities, and experiences of specific peoples.

Community Rating System (CRS): A program developed by FEMA to provide incentives for those communities in the Regular Program that have gone beyond the minimum floodplain management requirements to develop extra measures to provide protection from flooding.

Declaration: Presidential finding that a jurisdiction of the United States may receive Federal aid as a result of damages from a major disaster or emergency.

Flood Insurance Rate Maps (FIRMS): The official map of a community prepared by FEMA, showing base flood elevations along with the special hazard areas and the risk premium zones applicable to the community.

Floodplain: Any land area susceptible to being inundated by floodwaters from any source.

Fluvial Erosion: streambed and streambank erosion associated with physical adjustment of stream channel depth and width

Frontline Community: Are those who are disproportionately negatively affected by a policy, project or event and systematically lack access to its benefits- this can be due to geographic proximity and/or to identity-based discrimination they encounter additional barriers to accessing resources (e.g. intersectioning identities including racial, ethnic, gender, sexual orientation, economic, cultural, ability, and/or linguistic). It is best to define these communities in relation to a specific issue, action, or policy (e.g. Vermont Climate Council work towards defining Frontline/Impacted Communities). Different funding bodies may refer to demographic subsets defined along their own criteria for targeted assistance; these terms and definitions vary including also historically or systematically disadvantaged/underserved populations (e.g. Climate & Economic Justice Screen Tool identifies communities as disadvantaged if they are in census tracts

that are at or above the 90th percentile for energy cost OR PM 2.5 in the air AND are at or above the 65th percentile for low income); vulnerable communities: this term carries negative connotations of intrinsic weakness or deficit of certain people instead of the additional barriers faced due to systemic biases. In Central Vermont, frontline communities include but are not limited to BIPOC, LGBTQ+, New Americans, elderly residents, residents with disabilities, those experiencing or facing homelessness, single care givers, individuals with low-income, recently or currently incarcerated individuals.

Inundation Flooding: the overflowing of rivers, streams, ponds and lakes due to excessive rain, rapid snow melt or ice.

LGBTQ+: An acronym for lesbian, gay, bisexual, transgender, queer or questioning; there are variations on the acronym including commonly asexual (A), intersex (I), and Two-spirit (2), we use the + to hold space for these and others along the spectrums of gender identity and sexual orientation. Use the acronym/identifiers specific community/organization/individuals use for themselves first and foremost.

National Flood Insurance Program (NFIP): a program managed by FEMA that makes federally-backed flood insurance available in those states and communities that agree to adopt and enforce floodplain management ordinances to reduce future flood damage.

Pre-FIRM Building: A building for which construction or substantial improvement occurred on or before December 31, 1974 or before the effective date of an initial Flood Insurance Rate Map (FIRM).

Repetitive Loss Structure: An NFIP-insured structure that has had at least 2 paid flood losses of more than \$1,000 each in any 10-year period since 1978

Resilience: the capacity of individuals, communities, and natural and built systems to withstand and recover from climatic events, trends, and disruptions.

River corridor: the area of land surrounding a river that provides for the meandering, floodplain, and the riparian functions necessary to restore and maintain the naturally stable or least erosive form of a river thereby minimizing erosion hazards over time

Special Flood Hazard Area (SFHA): the land in the floodplain within a community subject to a one percent or greater chance of flooding in any given year. This area is where the NFIP's floodplain management regulations must be enforced and the area where the mandatory purchase of flood insurance applies. This area is usually labeled Zone A, AO, AH, AE, or A1-30 on the maps published by FEMA

1. Executive Summary

The purpose of this Local Hazard Mitigation Plan is to recognize hazards facing the community of Orange and identify strategies to avoid or reduce risks of damage or loss from those hazards. The Plan was developed by a team of local municipal officials in partnership with the Central Vermont Regional Planning Commission. The Plan also incorporates input from key community organizations, state agency stakeholders, and the public.

By researching the history of hazard occurrences and convening local and expert knowledge, the following hazards were prioritized as the worst threats to Orange and the most important for the community to plan for:

- Flood/Erosion
- Ice
- Severe Storms (including Heavy Rain and High Winds)
- Infectious Disease

Furthermore, climate change was identified as major overarching hazard, exacerbating vulnerabilities, amplifying risks, and increasing the frequency, severity, and unpredictability of most of the hazards discussed. Changes noted since the last Hazard and Risk Assessment included increased high wind events, severity and variety of invasive species, increased number and severity of hot and dry days, increased microbursts, the COVID-19 pandemic, and increased threat regarding civil disturbances, cyber security, and terrorism.

In order to avoid damage and loss from these, the community has identified hazard mitigation projects and strategies. The following are highlights of those projects. The complete listing of projects can be found on pages 100-105:

- Develop a Road Inventory Plan; utilize Gravel Rd Spreadsheet Tool to establish tracking changes in unpaved road needs, mud seasons, etc. to inform procurement and labor strategy, explore alternative strategies, etc..
- Upgrade undersized culverts and improve roadside ditching (e.g. stone lined) including but not limited to Provencher Road, Emery Road, Richardson Rd; implement Riddel Pond Bridge and Lord Rd projects.
- Establish better communication and a comprehensive actionable strategy with stakeholders (state and others) regarding Thurman Dix Reservoir Dam and East Barre Dam.
- Update and expand effort to support vulnerable residents including hosting existing resources, an annual review of community needs, and coordination with community partners.
- Consider creating an extreme temperature preparedness plan and establishing a cooling/warming center.

The mitigation projects will be pursued over the five-year course of this Hazard Mitigation Plan. Orange's hazard mitigation program is a continuous effort by the community that also includes the ongoing land use planning, infrastructure and emergency management programs. The projects in this plan will be integrated into those processes as the community continues to grow its hazard mitigation capacity.

2. Introduction


In accordance with the Stafford Act, municipalities may perform mitigation planning and be eligible to receive increased federal funding for hazard mitigation measures. (42 U.S.C. 5165).

The impact of expected, but unpredictable natural and human-caused events can be reduced through community planning. The goal of this Plan is to provide an all-hazards local mitigation strategy that makes the community of Orange more disaster resistant.

Hazard mitigation is any sustained action that reduces or eliminates long-term risk to people and property from natural and human-caused hazards and their effects. Based on the results of previous Project Impact efforts, FEMA and State agencies have come to recognize that it is less expensive to prevent disasters than to repeatedly repair damage after a disaster has struck.

This Plan recognizes that communities have opportunities to identify mitigation strategies and measures during all of the other phases of emergency management – preparedness, response, and recovery. Hazards cannot be eliminated, but it is possible to determine what the hazards are, where the hazards are most severe and identify local actions that can be taken to reduce the severity of the hazard.

Hazard mitigation strategies and measures:




ALTER the hazard by eliminating or reducing the frequency of occurrence,
AVERT the hazard by redirecting the impact by means of a structure or land treatment,
ADAPT to the hazard by modifying structures or standards, or
AVOID the hazard by preventing or limiting development.

2.1 Purpose

The 2023 Orange Local Hazard Mitigation Plan is an update of the town's 2017 plan. The purpose of this Plan is to assist Orange in recognizing hazards facing the community, ranking them according to local vulnerabilities, and identify strategies to reduce risks from acknowledged hazards of highest concern based on current information. The town reviewed, evaluated, and revised the 2017 plan to reflect changes in development, progress in local mitigation efforts and changes in priorities. New information has been incorporated into this Plan making it up to date, stronger and more useful for the Orange town officials and residents who will implement the actions and measures going forward. Implementation of this Plan will make Orange more resistant to harm and damages in the future, and will reduce public costs.

The benefits of mitigation planning include:



Source: FEMA LHMP Skill Share Workshop 2021

Orange strives to be in accordance with the strategies, goals and objectives of the Vermont State Hazard Mitigation Plan including an emphasis on proactive pre-disaster flood mitigation for public infrastructure, good floodplain and river management practices, and fluvial erosion risk assessment initiatives (latest State update at the time of writing was 2018, although 2023 plan was reviewed during revisions of this plan).

The 2023 Orange Local Hazard Mitigation Plan includes (but is not limited to) the following updates:

- Update Information from the 2017 plan.
- The Plan Update Process was updated.
- Plan Maintenance activities were updated.
- Risk and Vulnerability Assessments: the hazards were reanalyzed and updated to reflect community priorities and developments; additionally the impacts of climate change and considerations of vulnerable populations were discussed for each hazard.
- The Local Areas of Concern Map was updated to reflect new information.
- Status update of 2017 mitigation strategies was reviewed and documented.
- The new mitigation strategies section was updated and enhanced to reflect current priorities and intended actions of the community over the next five years.
- Addition of a new Transportation Vulnerability Analysis Map (Vulnerability Assessment).
- A copy of the Thurman Dix Reservoir Dam Inundation Area Map has been added to this Plan attachment section. The Inundation Area Maps for the East Barre Dam and the Thurman Dix Reservoir Dam along with each dams EAP (Emergency Action Plan) are now on file at the Orange Town Clerk Office.

3. Community Profile

3.1 Geography & Environment

The rural Town of Orange is located within the northeast corner of Orange County. It is bordered to the north by the Washington County Town of Plainfield and the Caledonia County Town of Groton. To the east and south are the Orange County towns of Topsham, Corinth, and Washington; and to the west is Barre Town of Washington County. Orange is located at the southern boundary of the 25,645 acre Groton State Forest, of which 1,934 acres are in Orange, and is adjacent to Central Vermont's largest job centers. Two village centers exist in Orange. East Orange is located at the southeastern corner and Orange Center is at the west and central edge of town. Orange Center is bisected by Route 302 and hosts a number of residential and few commercial buildings. East Orange Village is less developed and comprised of mostly residential buildings.

Comprising of rural mountainous terrain, the Town of Orange covers 38.77 square miles. The Orange Town Forest located near the center of the Town on the North side of Route 302 is comprised of 306.4 contiguous acres. The Town has a Forest Management Plan dated 1999 and manages the forest primarily for the harvest of timber. The town is split on its north-south axis by a major watershed boundary and is predominantly located within the Winooski Watershed. The eastern portion of the town drains into the Steven, Wells, Waits and Ompompanoosuc Watershed. Tributaries along the eastern slopes flow into the Waits River and Wells River leading to the Connecticut River. Tributaries along the western slopes flow into the Jail Branch River and then into the Winooski River. The northeastern quadrant is heavily forested with little development or human habitation. Mountains in this area reach elevations of over 3,000 ft. The southeastern quadrant is predominantly rolling hills, river valleys, and forest land. The most intensely inhabited areas and most suitable for development lie on the western reaches of Orange. The Nate Smith Brook and the Nelson Brook both flow westward into the Thurman W. Dix Reservoir. According to the Town Plan, "this reservoir drains south into Orange Brook and then on to the Lower Orange Reservoir, also a drinking water source for Barre City residents." And "Baker Brook originates on the western slope of the Town, joining Orange Brook below lower Orange Reservoir before its confluence with the Jail Branch."




Figure 1 Town of Orange General Highway Map including public and national forests highlighted (Town Plan, VTRANS Update)

All-Hazards Mitigation Plan: Future Land Use




Figure 2 Future Land Use




Figure 3 Winooski River and Major Sub-basins, note Steven's branch sub-basin in the southwest of basin includes approx. 2/3 of the Town of Orange (2018 Tactical Basin Plan, Watershed Planning Story Map)

In addition to the many watercourses, Orange has significant bodies of water, both natural and man-made. Riddel Pond is a source of exceptional wildlife habitat and provides quality aesthetic value. Numerous small ponds, many created by beaver, dot the landscape. These bodies of water act as storage areas during heavy rains and snowmelt creating flood control and preventing erosion. Associated wetland areas also act to control flooding, prevent erosion, and filter sediments.

3.2 Demographic and Development Patterns

Population

Orange is a bedroom community that strives to maintain its rural character. It feels the development pressure of the neighboring Washington County towns. The majority of working residents commute to neighboring towns for work. The Town does not have zoning regulations and relies on the state's ACT 250 rules and state on-site sewage disposal regulations to guide development. The goal of the town plan is to maintain the rural character of Orange. Commercial and industrial development is to take place in areas where existing business or industry occur and where town water and sewer are available or will become available. Economic growth is encouraged in the areas of Orange Center and East Orange. Housing development is scattered

throughout the rural countryside. The objective of the Town Plan is to develop rural areas in a way that does not negatively impact the natural, cultural, and aesthetic resources and be consistent with the existing density patterns and a “reasoned pace of growth.”

Table 1 Housing Types and Vacancy, American Community Survey 5-year Average 2021

Housing Type	Number of Units	% of Total
Total		100.00%
Occupied	422	87.37%
Owner	384	79.50%
Renter	38	7.87%
Vacant	61	12.63%
For rent	0	0.00%
Rented, not occupied	0	0.00%
For sale only	0	0.00%
Sold, not occupied	9	1.86%
For seasonal, recreational, occasional use	36	7.45%
For migrant workers	0	0.00%
Other vacant	16	87.37%

Source: ACS 2022 5-Year Estimates DP04, B25004




Figure 4: All-Hazards: Residential Development

According to US Census data the population of Orange in 2010 was 1,072 with 425 households, the population increased by 11% from 2000 to 2010, and in 2020 was back down to 1,048 with 422 occupied primary housing units and 36 seasonal/vacation housing units. This reflects a relatively flat overall trend in total population, and, like many towns in Vermont, an overall aging demographic. According to the Annual Town Report of the past three years, there have been more deaths than births in town. While some may interpret this as little to no change in the community

and thus their vulnerability, older Vermonters are more vulnerable to many hazards with intersecting challenges with other community members who may have mobility challenges, existing health conditions that can be exacerbated by extreme weather or require treatment that could be interrupted, etc., furthermore those on fixed income, including many elderly residents, are frequently less able to prepare and engage in individual mitigation actions as well as rebound in recovery after a disaster.

Utilities, Water, and Sewer

The Town Plan states “Orange is within the service area of two electrical utilities. The Washington Electric Cooperative serves the majority of Town, while The Green Mountain Power Corporation serves a small area in the southwestern corner of Town along Route 110 and a portion of Route 302.” Velco runs two transmission lines through town as well. Regarding other utilities, the town of Orange depends on groundwater as its potable’s water source and all building have drilled wells, dug wells or natural springs. Disposal of wastewater is treated via individual sub-surface sewage disposal systems. The town of Orange relies on the State of Vermont Regional Office to issue water/waste water permits for soil based wastewater systems with flows less than 6500 gallons per day, for potable water supplies (water supplies that are ot public), and for municipal water and sewer connections.




Figure 5 Distributed Electric Utility Territory (Washington Electric Cooperative, WEC in orange and Green Mountain Power, GMP in blue)

Table 3 Renewable Energy Generation Projects Orange (as of 2019)

Type	Solar Roof-Mounted PV		Solar Ground-Mounted PV		Solar Hot Water	Community-Scale Advanced Wood Heat	Small Wind	
	Projects	Capacity kW	Projects	Capacity kW	Projects	Projects	Projects	Capacity
Residential	7	49	4	45	4	0	0	0
Business	0	0	2	1000	0	0	0	0
Institution	0	0	1	18	0	0	0	0

The Thurman W. Dix Reservoir and the Lower Orange Reservoir serve as drinking water sources for Barre City. Barre City owns the dams and the approximately 1,200 acre tract of adjacent lands (aka Barre City Forest) surrounding the reservoirs. The Thurman W. Dix Reservoir Dam was built in 1950, drains 9.1 square miles and is classified by the State of Vermont as a High Hazard dam (potential for loss of life - more than a few, and potential economic loss - excessive) ([Department of Environmental Conservation's Dam Safety Program: Some High Hazards Dams, 2020 Report of the Vermont State Auditor](#)). The Emergency Action Plan (EAP) was updated in 2009 by DuBois & King, Inc; it was classified as poor again in 2022 by the Department of Environmental Conservation's inspection for the 9th year in a row¹. The East Barre Dam is a flood control structure owned and managed by the State of Vermont which has a significant portion of its flood reservoir located in the southeastern quadrant of Orange and incorporates a significant portion of the Jail Branch floodplain. The flood reservoir is under both state ownership and private ownership. The dam itself is located in East Barre, a village of Barre Town. The East Barre Dam drains an area 38.7 square miles. It too is categorized by the State of Vermont as a high hazard dam. The EAP for East Barre Dam was last updated in 2012 by DuBois & King, Inc. According to the [Department of Environmental Conservation's Dam Safety Program: Some High Hazards Dams, 2020 Report of the Vermont State Auditor](#), in most cases, "subsequent inspections found that dam owners had taken little to no action to improve the overall conditions of the dams", and DEC was unlikely to meet the July 2022 due date for adoption of additional rules that outline timeframes for repairs and enforcement procedures laid out in the August 2020 updated rules granting DEC the necessary regulatory authority to enforce the recommendations. The DEC last inspected the dam in October of 2023 giving it a condition rating of fair for the 13th year in a row. Both are classified as high hazard potential according to the Agency of Natural Resources' Dams Inventory.

¹ <https://anrweb.vt.gov/DEC/DamsInventory/UpdateDams.aspx?D=703&option=view>

All-Hazards Mitigation Plan: Critical Facilities




Figure 6: Critical facilities

All-Hazards Mitigation Plan: Transportation Infrastructure




Figure 7: Transportation Infrastructure

Transportation

The major transportation route through Orange is Vermont Route 302. Route 302 bisects the Town on an east-west axis with a number of commercial and residential structures located along it, including the Town Hall and the Orange Center School. The Orange Town Plan states that Route 302, also called the William Scott Memorial Highway, “is a high volume transportation corridor of regional significance.” It provides access to Montpelier and Barre in the west and to the Connecticut River Valley and Interstate 91 in the east. Other significant roads include Route 110 that cuts across the south western corner of the town from north to south providing access from Barre Town to Washington. Lastly, Reservoir Road runs from Plainfield in the north past the Thurman W. Dix and Lower Orange Reservoir before intersecting with Route 302.

In April 2014, the Selectboard adopted The Orange Town Highway Consolidated Ordinance that incorporated the preexisting ordinances of Street Naming, Snow Clearing Clearing Restrictions, Obstruction of Highway, and Overhead Wires. Upon the adoption of the consolidated highway ordinance, the four Speed Limit ordinances expired. The purpose of the consolidated ordinance, “is to establish and to clarify the standards of construction and the authority of the Selectboard and their agents with regard the Town Highways.” The consolidated ordinance further directs the Selectboard to institute and periodically review and update the town road management plan in making decisions about preventative maintenance and road improvements...” The Town follows the Vermont Agency of Transportation minimum standards A-76 for roads and B-71 for drives.

Emergency Services

The Town of Orange does not maintain a fire department. It relies on the Barre Town Fire Department, the Washington Fire Department and the Tri-Village Fire Department to provide “as-needed” service to residents. The Forest Fire Warden for the town is Fred Byrd with John Barnes as an assistant. F. Byrd regulates open burning in the town by issuing burning permits (“Permits to Kindle Fire”), educating town residents about safe open burning practices, and maintains relationships with the area fire departments and the Vermont Department of Forest, Parks, and Recreation. As the Forest Fire Warden, F. Byrd is responsible for wildland fire suppression in the town and may ask the state for technical assistance and specialized equipment.

The Vermont State Police provide local routine patrols and law enforcement. The nearest HazMat response truck is located approximately 47 miles away at the IBM Facility in Essex Junction. The nearest HazMat decontamination, rescue and mass care trailer is located at Barre City and Berlin Fire Departments. In accordance with 20 V.S.A. §6, Local organization for emergency management, the Orange Selectboard appoints an Emergency Management Director who “shall have direct responsibility for the organization, administration, and coordination of the local organization for emergency management, subject to the direction and control of the executive officer or legislative branch. Eric Holmgren serves as the Emergency Management Director.

Municipal Governance - Local Ordinances, Plans and Regulations

The 2018 Orange Town Plan, includes a description, discussion, and goals in regards to development on steep slopes, site design, floodplains, emergency services, and public infrastructure. The 2018 Orange Town Plan specifically calls out and states by title heading, “The Orange Local Hazard Mitigation Plan Update” noting all subsequent adopted hazard mitigation

plans are and shall be incorporated by reference and shall become part of the Orange Town Plan." Under the Floodplains section of the Town Plan, policies call for the development of lands to be in compliance with local, state and federal flood hazard regulations in order to protect life property, and the environment. Further, it recommends the continual update and re-adoption of the Orange Local Hazard Mitigation Plan. The Planning Commission is still working on updating the 2018 Town Plan (expired 2023). The goals and objectives of this Orange Hazard Mitigation Plan will be incorporated into the municipal plan update.

The Town does not have Zoning By-Laws or a Subdivision Ordinance. On July 14, 2014, the Town of Orange adopted Inundation Hazard Area Regulations. The Town of Orange has an approved Local Emergency Management Plan (LEMP), (formerly known as the Local Emergency Operations Plan (LEOP), and before that the Rapid Response Plan), that is updated and adopted annually, after Town Meeting Day and before May 1st. The current LEMP was adopted on August 7th 2023. The town coordinates with the Central Vermont Regional Planning Commission who provides technical support and guidance with the LEMP plan updates annually. The town requires the certifying officer to be trained in ICS 402 or ICS 100 at a minimum. It is the policy of the town to have a minimum of one Selectboard member trained in ICS (Incident Command System). Eric Holmgren, Planning Commission and Emergency Management Director and Dustin Comstock, former Selectboard Chair and EMD, received their ICS certification in April of 2016. The Board of Selectboard appoint an Emergency Management Director (EMD). Eric Holmgren was appointed to the position again in 2024 and continues to serve in this capacity. In conjunction with the LEMP, on April 14, 2014, the town adopted the use of the National Incident Management System (NIMS) as the standard for management and systematic approach involving all threats and hazards, regardless of cause, size, location, or complexity, in order to reduce loss of life, property, and harm to the environment.

The Town of Orange, like most Vermont municipalities, does not have local building codes. Vermont has adopted statewide codes for building fire safety as well as commercial and energy standards. The Vermont Division of Fire Safety enforces the 2015 National Fire Protection Association (NFPA) 1 Fire Cod; 2015 NFPA 101 Safety Code; the 2015 International Building Code (IBC); 2017 NFPA 70 National Electrical Code; 2021 International Code Council (ICC), Internal Plumbing Code; and the 2015 National Board Inspection Code from the National Board of Boiler and Pressure Vessel Inspectors. Vermont's Residential (RBES) and Commercial (CBES) Building Energy Standards set a minimum efficiency requirement for all new and renovated buildings, including additions and repairs. Under Act 89 (2013), the Department of Public Service developed a more stringent residential stretch code, which applies to all Act 250 projects and priority housing projects as defined in 10 V.S.A § 6001 (30 V.S.A § 55) and which municipalities are granted the authority to adopt and enforce at the local level. These are updated every three years and are inclusive but not limited to International Energy Conservation Code requirements. Per statute, compliance with all building energy standards is currently self-certified after construction is completed.

There is currently no requirement for review of the design of the building or inspection of the construction for compliance with the energy standards. Municipalities may elect to have their own code officials (pp 178, 2022 CEP; 30 V.S.A. § 51 and 30 V.S.A. § 53.). VT does not have licensing

requirements for builders of residential or commercial buildings. As noted in the 2022 CEP, statewide building code officials are common in other states however those code officials are often focused narrowly on health and safety and not yet with a focus on energy standards (pp 179). [Act 89 H.520, 2014](#) mandated the municipal permitting process as a mechanism for enforcing compliance with RBES and CBES. Municipalities must provide land use permit applicants that seek approval of a structure with information on the energy standards, however Orange does not have zoning and thus does not issue permits except as required in regards to the Inundation Hazard Area Regulations (above). Additionally, if the municipality requires a certificate of occupancy (COO) then receiving a Building Energy Standard certificate is a condition precedent to issuance of a COO. However, state statute does not dictate that a municipality have a COO requirement (footnote 205, pp78 2022 VT Comprehensive Energy Plan).

National Flood Insurance Program

The Town has been enrolled in the NFIP since September 1985. The adopted 2010 flood hazard regulations regulate development in the NFIP floodplain according to Digital Flood Insurance Rate Maps (FIRM) that became official in 2013 (previously community panel 500239B, sheets 1-11). As noted in the Town Plan, “the most significant floodplains occur along portions of the Jail Branch, Orange Brook, Nate Smith Brook, East Orange Branch, Nelson Brook, and Baker Brook.” Snowmelt and heavy rain are the major contributing factors to flooding in Orange. In 2014, the Orange Planning Commission prepared an update to the flood hazard regulations. On July 14, 2014 the Selectboard adopted the Town of Orange Inundation Hazard Area Regulations². These are in line with the national flood hazard and state river corridor regulations which prevent new development in Special Flood Hazard Areas and the Floodway, institute setbacks, regulate uses, establish minimum standards for building and flood proofing, and regulate improvements to existing structures. The Administrative Floodplain Officer for the town is the Road Foreman, currently John Barnes, assisted by the Town Clerk, Selectboard, and Planning Commission as needed.

The 2014 Town of Orange Inundation Hazard Area Regulations enforce NFIP compliance. The regulations outlined detailed minimum standards for development in flood hazard areas defined as FEMA Special Flood Hazard Areas and Floodway Areas. The regulations also require administering Substantial Improvement and Substantial Damage (SI/SD) requirements in accordance with FEMA P-758 SI?/SD Desk Reference, May 2010. Substantial improvement has been defined to include substantial damage, therefore the process is the same after a disaster. The town is awaiting new flood insurance maps that are being compiled by FEMA and will be reviewed and accepted to maintain the town’s NFIP status once the process has been completed.

To maintain compliance with the NFIP, Orange will continue to follow NFIP requirements for close coordination with the Floodplain Management Section of the Vermont Department of Environmental Conservation. All applications will be submitted to the Floodplain Manager assigned to Orange. Elevation Certificates will be required of structures to be substantially improved in the Zones specified by the Flood Hazard Regulations. Projects alleged or found to be

² <https://orangevt.org/wp-content/uploads/2021/08/Town-of-Orange-Inundation-Hazard-Area-Regulations.pdf>

in violation of the FHO regulations will be reported to the State NFIP Coordinator. This established channel of communication allows Orange to stay aware of changes in state or federal standards to which it must respond, and maintain communication with the Vermont Floodplain Management Section to monitor local program status.

There are 21 structures and 13,090 acres in the floodplain. There are no repetitive loss properties in Orange and no BCX claims. B, C, and X are zones from the older FEMA floodplain maps and are areas outside of the Special Flood Hazard zone A. There are 23 policies. There has been 3 Letter of Map Changes to date.

RE: Thank you for LHMP training and follow-up

Smith, Stephanie A <Stephanie.A.Smith@vermont.gov>
Sent: Friday, August 19, 2022 1:47 PM
To: Sam Lash <slash@vermont.gov>
Hi Sam

Apologies for the delay!

Yes, I know – there are no repetitive loss properties in either Orange or Ledyard!

Thanks,
Stephanie

Stephanie A. Smith
State Hazard Mitigation Officer
Vermont Emergency Management
Cell: (802) 969-6791
Stephanie.A.Smith@vermont.gov

 Flood Resilient Communities Fund
Building watershed resilience in the face of climate change

From: Sam Lash <slash@vermont.gov>
Sent: Monday, August 20, 2022 8:47 AM
To: Smith, Stephanie A <Stephanie.A.Smith@vermont.gov>
Subject: Thank you for LHMP training and follow up

Figure 8 Confirmation No Repetitive Loss Properties (Outreach to State Hazard Mitigation Officer)

Orange will also coordinate directly with the Vermont Department of Environmental Conservation, and the Central Vermont Regional Planning Commission, to stay apprised of pending floodplain mapping and any updates or revisions that may be subsequently necessary to Orange's Flood Hazard Overlay District maps and standards.

Lacking current land use regulations for zoning and subdivision and a history of no repetitive loss properties in the community, it is likely that Orange cannot meet the eligibility criteria to enroll in the NFIP Community Rating System (CRS). The administrative resources necessary for enrollment and ongoing program maintenance are likely to be a significant challenge for Orange and a deterrent for participation and thus Orange does not intent to enroll in the CRS at this time.

Emergency Relief & Assistance Funding (ERAF)

Vermont's Emergency Relief & Assistance Fund (ERAF) provides State funding to match FEMA Public Assistance grants following a federally declared disaster. Eligible public costs are generally reimbursed by FEMA at 75% with the State matching 7.5%. The State will increase its match to

12.5% or 17.5% of the total cost if communities take steps to reduce flood risk as described below:

12.5% funding for eligible communities that have adopted four (4) mitigation measures:

- NFIP participation
- Town Road and Bridge Standards that meet or exceed the VTrans 2013 template
- Local Emergency Plan
- Local Hazard Mitigation Plan

17.5% funding for eligible communities that also participate in FEMA's Community Rating System³ whereby the community must earn credit under Activity 430,⁴ OR adopt Fluvial Erosion Hazard or other river corridor protection bylaw that meets or exceeds the Vermont ANR model regulations.

Orange is eligible under the Vermont Emergency Relief and Assistance Fund (ERAF) to receive state funding to match Federal Public Assistance funds after a federally declared disaster. Communities that take specific steps to reduce flood damage can increase the percentage of state funding they receive from 7.5% up to a maximum of 17.5%. At the time of this Plan development, Orange has an ERAF rating of 17.5%. Orange has taken the specific steps to reduce flood damage by 1) participating in the National Flood Insurance Program, 2) adopting standards that meet or exceed the current Vermont Roads and Bridge Standards 2013, 3) adopting a Local Emergency Operations Plan which is renewed and adopted annually, 4) adopting a Local Hazard Mitigation Plan approved by FEMA, and 5) adopting Interim River Corridor protection standards (River Corridor Plan criteria). Maintaining these measures ensures Orange the maximum state contribution rating.

Orange is one of numerous communities that has adopted regulations for a subset of their watercourses (buffer setbacks, Phase 2 data-generated FEH overlays, or avoidance-based Flood Hazard Areas) prior to the ERAF Amendments that took effect on October 2014. When Orange adopted their *Inundation Hazard Area Regulations* on July 14, 2014 they satisfied the river corridor plan requirement as well. Orange was given approval for Interim River Corridor standards. In order to retain eligibility under the River Corridor Plan criteria of the ERAF and qualify for the maximum 17.5% rate, Orange does intend to update interim river corridor standards to meet the Agency of Natural Resources (ANR) criteria as the state program progresses (a statewide river corridor map updated to include existing Phase 2 Stream Geomorphic Assessment (SGA) data was significantly delayed). The other option to qualify for the maximum ERAF rate is for Orange to enroll in the NFIP Community Rating System (CRS) and adopt a bylaw that prohibits new structures in the Flood Hazard Area. However, Orange has elected not to pursue enrollment in the CRS. The CVRPC is posed to assist the community in drafting a river corridor plan with the release of the Phase II data, in the context of still developing updates to the State approach to River Corridors and ongoing FEMA mapping updates.

³ The NFIP Community Rating System (CRS) was implemented in 1990 as a voluntary program for recognizing and encouraging community floodplain management activities exceeding the minimum NFIP standards. Any community in full compliance with the minimum NFIP floodplain management requirements may apply to join the CRS.

⁴ Activity 430 (Higher Regulatory Standards) is the primary CRS activity for crediting floodplain development regulations that are more restrictive than the NFIP requirements.

Expanded Community Report for Orange

8/14/2023
8:27:43 AM

Emergency Relief and Assistance Fund (ERAF) - State Post-Disaster Funding

Flood Hazard Mitigation Actions	Action Dates	Responsible	ERAF Status
1. Road and Bridge Standards	07/08/2019	Orange	Yes
2. Local Emergency Management Plan	07/24/2023	Orange	Yes
3. National Flood Insurance Program	09/18/1985	Orange	Yes
4. Local Hazard Mitigation Plan	In Process	Interim	Orange
5. River Corridor Protection		Interim	Yes
ERAF Rate for Actions 1 - 4:12.5%,	Actions 1 - 5: 17.5%	ERAF Rate for: Orange	17.5%
21	Buildings in the Special Flood Hazard Area (SFHA) (estimated from e911 sites).		
2	Flood Insurance Policies in SFHA (Zone A, AE, AO, A 1- 30)		
10%	Percent of buildings in the SFHA with flood insurance in force.		
0	Critical or public structures in SFHA or 0.2% flood hazard area (est. from e911 sites.)		
4%	Percent of buildings in the SFHA.		
09/18/1985	National Flood Insurance Program (NFIP) (Enrollment Date)		
Vector	Flood Insurance Rate Map Standard (Digital FIRM (DFIRM), Rough Digital, Paper)		
Orange	NFIP Status: Regular Program		
0	Community Rating System (CRS) Class		
Yes	Local Emergency Management Plan (LEMP) ERAF Status valid for Orange?		
07/24/2023	LEMP - annual update after Town Meeting and before May 1.		
Yes	Local Hazard Mitigation Plan (LHMP) ERAF Status valid for Orange?		
11/17/2017	LHMP - Valid for 5 years from FEMA final approval date		
In State Review	LHMP - Status of review (Plans currently in review are valid for ERAF).		
Yes	River Corridor Protection in Orange?		
Interim	River Corridor Interim Protection Status for ERAF valid for Orange?		
09/07/2018	Municipal Plan - Valid for 8 years from adoption date		
	Zoning Adoption / Amendment Date		
07/14/2014	Hazard Area Regulation Adoption / Amendment Date		
Yes	Road and Bridge Standards		
38.250	Town Highway Mileage in Orange		
07/08/2019	Orange_Road and Bridge Standards and Adoption Date		
2/9/2021	Orange_Certificate of Compliance with Road and Bridge Standards and Date		
	Town Highway Network Inventory Date		
80%	Town Highway Structures Grant Rate (State match 80% or 90%)		
70%	Class 2 Roadways Grant Rate (State match 70% or 80%)		
District 6	Project Manager email for VTrans Maintenance District 6		

Note: if you have updated information - please let us know:

1. Road Standards and Certificates - contact your VTrans District Project Manager: District 6
2. Local Emergency Management Plans or Local Hazard Mitigation Plans contact your Regional Planner
3. For other questions please contact VT DEC Flood Ready Atlas- River Corridor and Flood Hazard Maps

Figure 9 Expanded Community Report from August 14th, 2023 showing Orange's 17.5% Emergency Relief and Assistance Fund Rate⁴

4. Planning and Update Process

⁴ Information on ERAF Eligibility Criteria can be found at floodready.vermont.gov/floodready.

4.1 Planning Process

The Orange Town Local Hazard Mitigation Plan was originally adopted by the Town as an Annex to the Central Vermont Regional Pre Disaster Mitigation Plan in November 2007 and received FEMA final approval in September of 2008. During 2011 and 2012 the Town updated the plan creating a single jurisdiction local mitigation plan which received FEMA approval on October 25, 2012; followed by a further update in 2017 plan. This Plan is an update of the 2017 Town of Orange Hazard Mitigation Plan and reflects changes in development, progress in local mitigation efforts and changes in the community's priorities.

The Central Vermont Regional Planning Commission (CVRPC) coordinated the Orange Local Hazard Mitigation Plan process in partnership with the Town of Orange. CVRPC Planner Sam Lash worked directly with town. The Town Clerk, Angela Eastman served as the primary points of contact for the planning process. The planning process was conducted primarily over the course of July 2022 – February 2023, a summary of the process taken to develop the 2023 update is provided in the Table 4 below. Primary guidance and oversight of the process was provided by a local hazard mitigation team comprised of the following local officials (Table 5 below). Significant turnover at the town and regional level throughout this planning process and the devastating floods of July 2023 at once significantly slowed the planning process and enriched community discussions about hazards, mitigation, response&recovery, and critically about how to plan for the impacts of future climate change especially for and with vulnerable community members. Orange has no solely commercial properties and has the town hall, offices, garage, the school and church, as the public buildings. Orange works regularly with community, health providers, social service agencies, and other partners to support vulnerable community members amplified by the 2020 COVID-19 Pandemic and July 2023 Flooding including Capstone Community Action, Vermont Department of Health, Barre Area Senior Center, Central Vermont Adult Basic Education, Central Vermont Council on Aging, Central Vermont Home Health & Hospice, Family Center of Washington County, Orange County Child Advocacy Center, People's Health & Wellness Clinic, Safeline, Vermont Association for the Blind and Visually Impaired, and Washington County Mental Health Services. Town staff and leadership host community dinners, monthly meetings and social spaces for elderly residents, a small food pantry, and regularly check-in with vulnerable community members on a 1:1 basis- feedback was collected via survey and dot voting materials in the office during these events and interactions to supplement the more formal public meeting process. These ongoing relationships underpin this plan, the planning process, and the community. These organizations and community members were updated on this planning process and invited to comment on the draft.

Table 4 Plan Development Process

August 15th, 2022 Initial Planning Team met and reviewed what LHMP is, the benefits of hazard mitigation planning, current plan status, the planning update process, and plan sections; identified key stakeholders and potential core member additions; began public outreach strategy ([Agenda, Minutes](#))

September 14th, 2022 Planning Team Kick-Off Meeting*: Reviewed tasks and milestones, reviewed 2016 plan and set the scope for update and confirmed plan purpose; discussed what has changed in past 5 years and

looked ahead to next 5, 10, 20+. Finalized outreach strategies, finalized stakeholders, and each Core Planning Team planned to update their respective Town entities Select board, Planning Commission, Conservation Commission, etc.) ([Agenda/Minutes](#))

October 4th 2022 Planning Team Meeting*: Reviewed hazards previously identified and determined inclusion/exclusion of hazards considered. Began work on the community hazard risk assessment, hazard event history, and identifying vulnerable residents and assets to each hazard ([Agenda/Prework](#))

July+: Notice posted on CVRP website, sent out via town email, updates provided in each town entity minutes, etc. that the Town is engaged in hazard mitigation planning and updating the LHMP. Notice included instructions to contact CVRPC for information on the planning process and about opportunities for public input. Created dot voting worksheet with top hazards and provided copies with draft areas of concern map for public engagement in Town Clerk's Office (see below).

- Update provided and dot voting utilized at September Community Potluck (see below)

October 24th, 2022 LHMP Public Update* on progress and top hazards reviewed at public meeting hosted by Select board to encourage public input on hazard identification and risk assessment.

November 10th, 2022 Reviewed Hazard Risk and Vulnerability Assessments, continued work on hazard mitigation strategy actions, draft updates, etc. ([Agenda](#))

Fall 2022/ Winter 2023: email coordination and communications 1:1 and as a group assigned/debriefed individual tasks including consulting and pulling out priority conservation commission projects, compiled summary of relevant LUR, updated 2017 mitigation action status; discussed the impacts of climate change on the severity and frequency of hazards, impacts of cascading hazards on resilience and vulnerability, etc.

November 2022-December 2022 Planning for Hazards in Orange Town Survey created and opened public to encourage public engagement including refining top hazards and brainstorming mitigation actions and key hazard locations and events since last plan

- Additional Dot Voting and Draft Areas of Concern Maps hung in Town Clerk's office for public feedback (see below)

February 2023 Draft LHMP sent to be posted to town website (as well as to be sent out to public via Town email list and Front Porch Forum (see attachment below page 115); shared with key stakeholders (see list below) for input based on expertise in target emails including neighboring towns. Instructions for comment period included links to previous public engagement opportunities (dot voting, survey, etc.) as well as option to email comments or call and leave them verbally.) due to a variety of barriers, not widely circulated, no comments received.

August, 2023: Submitted for Initial Review to Vermont Emergency Management. Core Team Members present draft to local officials ahead of joint meeting for approval August, 2023.

The July 2023 Flooding severely stressed capacity limits at the local, regional, and state levels delaying the review of this plan until December 2023 and revisions into 2024. As the town has experience significant

turnover, the revised draft was posted again for comment **April 24th, 2024** both by the town and [CVRPC](#)⁵. There was another public meeting at the Planning Commission on **May 8th, 2024**⁶ at which the plan was discussed including with members of the public to refresh awareness, and the plan was discussed and approved at the **May 13th, 2024** Selectboard meeting at which it was approved after discussion with community members⁷.

* all core planning team meetings warned in advance as open to the public (no members of the public attended and instead engaged via other opportunities (see below)

Table 5: LHMP Update Core Planning Team Members and Stakeholders

<i>LHMP Planning Team Members</i>
<ul style="list-style-type: none"> • Angela Eastman, Town Clerk 2019-2023; Ginny Raboin Town Clerk 2023-Summer 2024 • Lee Cattaneo, Planning Commission Chair, Regional Planning Commissioner, Transportation Advisory Committee, Solid Waste Management District Representative, • John Barnes, Road Foreman, Tree Warden • Sheila Stone, prior Selectboard, Road Commissioner, and Highway Liaison; Resident • Eric Holmgren, Emergency Management Director, Planning Commission, Recreation Committee

<i>Stakeholders and Experts</i>		
<i>Organization</i>	<i>Name, Position</i>	<i>Engagement</i>
Town of Orange	Appointed Town Officials (Selectboard, Planning Commission, Recreation Committee, etc) Lee Youngman, Previous Treasurer Emily Ruff, Energy Coordinator	Feedback solicited directly on draft and throughout planning process Updated throughout planning process via core planning team member; feedback solicited on draft including specific section review.
Adjacent Municipalities	Town Clerks and Emergency Management Directors: Barre Town, Barre City, Washington, Plainfield, Groton, Topsham, Corinth	Consulted on text updates as needed (details about events, past actions, etc.), coordinated as needed on mitigation action development; and invited to comment on draft.
School and School Districts	Susan Barnes, previously Orange Center School (Heather Fitzgibbons)	Alerted to opportunity to participate in local planning process, public meetings, and to comment on draft
Community/Interfaith	Food Shelf, Christ Community Alliance Church	
<i>Surrounding Towns/Communities</i>		
Fire Departments	Tri-Village Fire, Barre Town Fire, Washington	Consulted on text updates as

⁵ <https://centralvtplanning.org/orange-local-hazard-mitigation-plan-update-final-comment-period/>

⁶ <http://orangevt.org/wp-content/uploads/2024/05/Orange-PC-05-09-2024-Minutes.docx>

⁷ <https://orangevt.org/wp-content/uploads/2024/06>Selectboard-Minutes-2024-5-13-APPROVED.pdf>

Stakeholders and Experts		
Organization	Name, Position	Engagement
	Fire	needed (details about events, past actions, etc.), coordinated as needed on mitigation action development; and invited to comment on draft.
Ambulance Service	Barre Town	
Major Employers/Businesses	City of Barre Water Treatment Plant, State VT Highway Garage	
State/Regional		
Central Vt Regional Emergency Committee (REMC)	Stefan Pratt (Chair)	Consulted as subject matter experts as needed and regarding update process as needed
VT Emergency Management (VEM)	Caroline Paske, State Hazard Mitigation Planner; Stephanie Smith, State Hazard Mitigation Officer; Ben Rose, Recovery and Mitigation Section Chief; Josh Cox, Critical Infrastructure Planner	
Central Vermont Regional Planning Commission	Sam Lash, Climate & Energy Planner; Keith Cubbon Emergency Management Planner	
VT Agency of Natural Resources	Benjamin Green , Dam Safety Engineer Section Chief	
VT Department of Environmental Conservation (DEC)	Ned Swanberg, Regional Floodplain Manager, Gretchen Alexander, Regional Rivers Scientist, Eric Blatt, Division Director, Rob Evans, River Corridor and Floodplain Manager	
Police	Orange County Bill Bohnyak, Vermont State Police, Berlin Barracks, Lieutenant David White	
VT Department of Forests, Parks & Recreation (FPR)	Dave Paganelli , Orange County Forester	
VT Agency of Natural Resources	Benjamin Green, Dam Safety Engineer	
Hardwood Unified Union School District	Michael Leichliter, Superintendent	
Utilities	Dan Weston, Director Engineering & Operations, Washington Electric Cooperative; Topsham Telephone, Consolidated and Solar Farms, Brenda Spafford, Green Mountain Power;	

In addition to the local knowledge of Planning Team Members and other relevant parties (see above page 19), several existing plans, studies, reports, and technical resources were utilized in the preparation of this Plan (integrated by reference). A summary of these is provided in Table: 6:

Table 6 Existing Plans, Studies, Reports and Technical Resources Consulted for Plan Update
 (incorporated by reference throughout and informed development of mitigation actions
 particularly regarding likely funding and collaboration opportunities.

<p><u>2018 Town of Orange Town Plan:</u> cited throughout this plan, especially in community profile, town capabilities, in hazard profiles, integration with other planning efforts, and mitigation actions</p> <p><u>2017 Orange Local Hazard Mitigation Plan Update (and Final Review Tools):</u> served as base of this plan (reviewed at the kick-off and used as base of text)</p> <p><u>2022-2024 Orange Local Emergency Operations Plans</u> were coordinated and codeveloped throughout this planning process (inform eachother)</p> <p><u>2022-2017 Annual Orange Reports:</u> supported updated of Community Profile and some historic occurrence context in hazard profiles</p> <p><u>2019 Central Vt Stormwater Master Plan:</u> integrated into hazard profiles, used to identify potential mitigation actions, and considered in integration with other plans</p> <p><u>2020 Department of Environmental Conservation's Dam Safety Program: Some High Hazards Dams, 2020 Report of the Vermont State Auditor</u></p> <ul style="list-style-type: none"> • 2012 Emergency Action Plan, East Barre Dam State ID: 14.02 • 2009 Emergency Action Plan, Thurman W. Dix Dam, State ID: 147.01 • 2004 East Barre Dam and Reservoir-Break Flood Analysis Interim Inundation 	<p>Mapping</p> <ul style="list-style-type: none"> • Used in community profile, hazard profiles, and in consideration of potential mitigation actions <p><u>2014+ Inundation Hazard Area Regulations Highway Consolidated Ordinance:</u> incorporated by reference</p> <p><u>2018 and 2023 Vermont State Hazard Mitigation Plan:</u> reviewed and integrated by reference in hazard profiles, vulnerability and risk assessment, identification of stakeholders and mitigation actions, etc.</p> <p><u>2021 Vermont Climate Assessment:</u> reviewed and integrated by reference in hazard profiles, vulnerability and risk assessment, identification of stakeholders and mitigation actions, etc.</p> <p><u>2022 Vermont Initial Climate Action Plan:</u> reviewed and integrated by reference in hazard profiles, vulnerability and risk assessment, identification of stakeholders and mitigation actions, etc.</p> <p><u>VT Housing Data, American Community Survey Demographic Data:</u> used to update Community Profile</p> <p><u>VT Health Department (COVID-19):</u> used in Hazard Profile reviewed and integrated by reference into community and hazard profiles</p> <p><u>2017 Vermont Forest Action Plan:</u> reviewed and integrated by reference into community</p>
---	---

and hazard profiles

2018 Road Erosion Inventory Report:
supported risk assessment, mapping,
hazard profiles, identification of vulnerable
community members, and facilitated
community conversations.

FEMA LHMP Plan Review Guide and 2023
Update

FEMA Disaster Declarations for Vermont;
OpenFEMA Dataset: Public Assistance
Funded Project Summaries for Vermont;
FEMA Flood Insurance Rate Maps

National Oceanic and Atmospheric (NOAA)
National Climatic Data Center's Storm
Events Database; National Weather Service:
used in hazard profiles and risk assessments

VTrans: [Transportation Resilience Planning
Tool](#), [VT Culverts](#), Town Highway Flood
Vulnerability and Risk Map, Town Highway
Bridge Inspection Reports: supported risk
assessment, mapping, hazard profiles,
identification of vulnerable community
members, and facilitated community
conversations.

Feedback from stakeholders and community members (public) was ongoing throughout the process and was incorporated as it came in during Hazard Identification and Risk Assessment, before final mitigation actions were chosen, and before the draft was finalized. Furthermore, town entities were updated throughout the planning process via their representatives on the core planning team. In the future, beginning the planning process a year-18months prior to expiration will provide more opportunity to have materials on hand for town events and to coordinate local meetings with the public State and local officials to allow for more public comment and review. The most successful engagement was via leaving the dot exercise, hard copies of the surveys, and big draft maps in the town office, resulting in engagement particularly from frontline community members including elderly residents, residents with disabilities, residents using the food pantry, etc. who were not present at the formal public meeting. Community members also came to the planning commission on May 8th, 2024 to ask questions and engage with the plan, as well as at the Selectboard meeting on May 15th, 2024 at which it was approved (see Certificate of Adoption at the end of this document).

Natural Hazards: Results from September 16th, 2022 Community Potluck Which are the Most Important for Orange to Plan For?

Place 3
Dots



<p>Stream & Highway Drainage Flooding & Erosion</p>  <p>IIII= 5</p>	<p>Fluvial Erosion (Erosion of Stream & River Banks)</p>  <p>I = 1</p>	<p>Inundation Flooding High Water with Less Erosive Power</p>  <p>IIII= 5</p>	<p>Write In Is a different hazard more important? Please add it below!</p>
<p>Dam Failure</p>  <p>II= 2</p>	<p>Severe Storm Thunderstorms, High Winds, Lightening, Hail, etc.</p>  <p>II= 2</p>	<p>Severe Winter Weather Heavy Snow, Extreme Cold, Ice Storm</p>  <p>IIII= 5</p>	<p>Write In Is a different hazard more important? Please add it below!</p>

Figure 9 Results from September 16th, 2022 Community Potluck Engagement

Natural Hazards:

Winter and Spring 2023

Which are the Most Important for Orange to Plan For?

Place 3 Dots


<p>Flooding Road and Stream Drainage</p>  <p>Dots Placed: 12*</p> <p>*one responder put all three dots on this hazard</p>	<p>Severe Winter Weather Heavy Snow, Extreme Cold, Ice Storm</p>  <p>Dots Placed: 9</p>	<p>Infectious Disease Outbreak Residents dispersed, a lot of space—allows residents to keep distance</p>  <p>Dots Placed: 1</p>	<p>Write In Is a different hazard more important? Please add it below!</p> <p>None</p>
<p>Severe Storm Thunderstorms, High Winds, Lightning, Heavy Rain, Hail, etc.</p>  <p>Dots Placed: 9</p>	<p>Heat and Drought</p>  <p>Dots Placed: 1</p>	<p>Other Hazards: Invasive Species (Emerald Ash Borer, Dutch Elm Disease, others?)</p> <p>Wildfire (Historically not a concern, but with increasingly dry conditions a lot of fuel accumulation)</p> <p>Dots Placed: 1</p> <p>Dam Failure</p> <p>Hazardous Material Spills</p> <p>Structure Fires (chimney fires)</p>	<p>Write In Is a different hazard more important? Please add it below!</p> <p>Results: There were 11 respondents to this second round of surveys located in the town clerk's office for approximately 6 months</p>

Figure 10 Results from 1:1 and community conversations ongoing in the Town Offices Winter and Spring 2023

4.2 Status of Prior Plan's Mitigation Actions

The following chart provides an overview of the status of prior plan's mitigation actions proposed in the 2017 local hazard mitigation plan. The Planning Team reviewed these actions and reported on the status of each:

Table 7: Status of 2017 Local Hazard Mitigation Plan Proposed Mitigation Actions

<i>Mitigation Action</i>	<i>2022 Project Status</i>
PA -Ensure Local Emergency Operations Plan is maintained and up to date	Annual updates completed 2022. Met w/VEM in Nov. 2022 to further improve plan.
MA - Update Orange Town Plan before it expires in May 2018 & include a Flood Resiliency element which will identify flood hazards to Orange & will identify goals, policies, and recommendations to mitigate risks to public health & infrastructure. Integrate this 2017 LHMP into the updated Municipal Plan.	Completed 09/07/2018
MA - Complete purchase and installation of Generator at Orange Center School town-wide emergency shelter	Started in 2018. Hazard Mitigation Grant. Completed with FEMA May 2022.
PA - Explore Town of Orange participation in VT Alert system	Completed
PA - Obtain & keep copies available for distribution to local residents of the DEMHS publication booklet, "Family Emergency Preparedness"	Completed
MA -Reservoir Road improvement, realignment, and raising road to mitigate flash flood hazard risk.	Downgraded to low priority due to expense and low capacity.
PA - Initiate school age programs on Emergency Preparedness. Use VEM School Crisis Planning Team resources. Student Tools for Emergency Planning (STEP) is for 4th & 5th grade students & includes a series of videos called "Disaster Dodgers" & subject specific worksheets. Be a Hero includes educator lessons for grades 1-12, Disaster Master & Build a Kit web-based games, & parent aids create a family plan & emergency checklist.	Integrated into update.
MA -Improve road surface, raise road, and improve ditching of Provencher Road to prevent future flooding, and work with the State of VT AOT to solve the problem of chronic flooding at the	Beavers contribute to chronic issues. Action carried over with High priority to 2023 plan.

Table 7: Status of 2017 Local Hazard Mitigation Plan Proposed Mitigation Actions

<i>Mitigation Action</i>	<i>2022 Project Status</i>
bottom of the road across state-owned land, Route 302.	
MA - Develop a Road Inventory Plan for the Town of Orange: perform road surface management inventory which includes connected roads inventory, culverts, bridges , ditches, road surface, road erosion, causes and maintenance. Use plan to identify and prioritize mitigation actions/projects.	Met with Tod Eaton, Local Roads Branch Manager VTrans and began to track road segment maintenance with the Gravel Rd Spreadsheet Tool.
MA - Improve road and replace & upgrade culverts on Emery Road that were damaged by the July 1 -2, 2017 storm. Restore travel.	Action carried over with High priority to 2023 plan.
MA - Consider adopting River Corridor regulations, which will incorporate VT ANR's River Corridor Map. These regulations will help residents and planners know what land is necessary for riparian functions and it will prevent the threat to current and future infrastructure.	Underway with support of CVRPC
MA - Improve Provencher Road and Riddle Pond Road from storm damage of July 1 - 2, 2017; prevent future washout; improve ditching and culverts; restore travel.	Complete. Provencher Lane-CVRPC In kind stone line ditching 2019. Riddle Pond Rd stone line ditching Better Back Roads 2019
MA - Work with Barre City to purchase small piece of land near intersection of Lords Road and Reservoir Road to straighten out the curve, deemed a High Risk Rural Road area; high accidents but undocumented; need to develop a measure to document high accident counts to satisfy eligibility criteria in program. 2017 <i>Conduct a feasibility study to document the issue and design alternative options for consideration.</i>	No land was purchased. This was looked into. No grants have been applied for as it is not high enough on the state list yet. Completed feasibility study and hazards identified. Have not been able to obtain funding. Road has been upgraded to a regional Collector. Resurfacing has been done creating a super elevation on the Lords Rd curve to improve safety.
PA - Work with GMP, Inc. and WEC, Inc. to continue regular tree line trimming & cutting along power lines throughout their service area to ensure clear & maintained utility corridors & to protect all customers, town & utility infrastructure.	Ongoing, last maintenance was performed in summer 2021.

Table 7: Status of 2017 Local Hazard Mitigation Plan Proposed Mitigation Actions	
<i>Mitigation Action</i>	<i>2022 Project Status</i>
PA - Develop one - two additional dry hydrant site in rural area of Town to increase protection from fire for residents and infrastructure.	Discussion in progress with City of Barre for local access. (Lower reservoir/treatment plant, fire vehicles to access water there- formalize this access). Considering mutual aid for water truck.
PA -Gather GIS data points on all dry hydrants for incorporation into Town data set and map productions. This will assist in emergency response and provide an historical record of the dry hydrant system in Town.	Completed
PA - Purchase two-way radios for Orange Town Fire Warden and assistant to enhance communication capabilities and increase efficiency with response in an emergency.	Incomplete, applied but not yet funded, included in updated matrix.
MA -Budget for and Update the 1999 Town Forest Management Plan including incorporation of a silviculture schedule	Due to regional partners' capacity, this will be worked on in 2023 (CVRPC rec plan). Contacted county forester in 2021.
PA - Meet with Dam owners to discuss maintenance, EAP, and evacuation procedures. Add Orange to Notification Contact list and emergency procedures flow chart in EAP for both dams. Open lines of communication between dam owners and the Town.	Completed (ongoing)
PA - Attend trainings and seminars on Dam Safety provided by the state, Army Corp of Engineers and CVRPC, as offered.	Completed (ongoing)

In addition, the following improvements to nine priority sites were identified in the transportation vulnerability analysis that may be considered for mitigation action if funding were available and the town had the capacity to implement the projects. Necessity and severity of need would factor into the prioritization.

Table 8: Mitigation Actions from the 2015 LHMP and 2021 Completed and in progress actions	
<i>Mitigation Action</i>	<i>2022 Project Status</i>
MA - Improve & upsize upgrade culvert on Riddle Pond Road	Incomplete, progress noted and carried over in 2023 table
MA - Improve road side ditching on Warsley Rd.	Better Back Roads Grant awarded. Work begun 08/2022.

Table 8: Mitigation Actions from the 2015 LHMP and 2021 Completed and in progress actions

<i>Mitigation Action</i>	<i>2022 Project Status</i>
MA - Improve road with ditching and swale on Colby Farm Rd.	Road Discontinued
MA - Upgrade and improve crushed culvert on Provencher	Incomplete and project extended and carried over to 2023 update.
MA - Improve & resize culvert on Manning Road	Completed 2018
MA - Improve culvert on Spencer Road	In progress, link project.
MA - Upgrade/upsized culvert on Emery Road	Incomplete, added to 2023 actions.
MA - Upgrade/upsized culvert on Tucker Road	Completed
MA - Improve & upsized upgrade culvert on George Street	Completed

The 2023 Orange Hazard Mitigation Plan was revised to reflect changes in priorities. The 2023 Orange Local Hazard Mitigation Plan reflects changes from the 2017 plan related to the town's vulnerabilities to hazards and how Orange addresses them based on changes in priorities and the effects of the implementation of past mitigation actions and strategies. The implementation of several mitigation actions over the past five years, some not listed because the town considers them to be regular maintenance and program implementation measures, have reduced the town's vulnerability to specific hazards. Orange has benefitted from the collaborative approach to achieving mitigation on the local level, by partnering with Agency of Natural Resources (ANR), Vermont Agency of Transportation VTrans, Agency of Commerce and Community Development (ACCD), Division of Emergency Management and Homeland Security (DEMHS) renamed Vermont Emergency Management (VEM) in 2017, Central Vermont Regional Planning Commission (CVRPC), Federal Emergency Management Administration (FEMA) Region 1 and other agencies, all working together to provide assistance and resources to pursuing mitigation projects and planning initiatives in Orange.

Orange Local Areas of Concern 2022 Map




Figure 11 Local Areas of Concern

4.3 Town Capabilities for Implementing Mitigation Strategy

Services provided by the Orange municipality are overseen by a three member volunteer Selectboard. The three member volunteer Planning Commission is charged with developing the Municipal (Town) Plan, as well as any community land use regulations and plans such as the local Orange Hazard Mitigation Plan and the Inundation Hazard Area Regulations. Orange relies on the Orange County Forester and private consultants for advice and guidance on the Orange Town Forest and the management of it.

The Town employs a handful of staff members to carry out services to its residents on a daily basis including the Town Clerk/Treasurer, Road Foreman and Crew. Volunteer municipal officials also

play a crucial role in carrying out hazard mitigation. Eric Holmgren is the volunteer Emergency Management Director. John Barnes is the local Forest Fire Warden. The Selectboard oversees all municipal & mitigation activities and the Planning Commission ensures long term community planning, including hazards.

The municipal budgeting process occurs on an annual basis, planning for a fiscal year from January to December. The budget is usually developed between early November and early January, and put to voter approval on the first Tuesday in March at Annual Town Meeting Day. The Selectboard is charged with developing and proposing the budget to the voters, including the budget for the Highway Equipment Savings Account. After the budget has been adopted by vote of town residents, the Selectboard has the authority to modify it in cases of extraordinary circumstances; i.e. natural disaster, unexpected equipment/infrastructure failure (i.e., water well, power failure, major bridge/culvert failure). The budget is monitored several times a month by the Selectboard and Town Clerk.

Municipal revenues are generated primarily through levy of taxes on property value. Other major sources are federal & state payments to support the town school, aid (including grants) from the Vermont Agency of Transportation for highways, and payments in lieu of taxes for land owned by the State of Vermont. The municipality also has the authority to incur debt through bonding, although current projects including active FEMA recovery projects severely limit the town's ability to pursue additional or even planning work- this is a significant issue most Central Vermont Region towns are experiencing.

Other Existing Hazard Mitigation Programs, Projects & Activities:

The Town of Orange is currently engaged in the following hazard mitigation programs, projects, and activities that are listed by mitigation strategy. They share and incorporate the overall goals of the local hazard mitigation plan. Orange has the capacity to maintain these programs and initiatives using the staff and volunteers described in the Community Capacities.

Community Preparedness Activities

- Annual update and adoption of Local Emergency Operations Plan – work on plan by town clerk, EMD, and SB. No need to expand on program.
 - last updated and adopted 2023
- School Safety Evacuation Plan – worked on by School District and Principal annually reviewed and practiced. School District has access to VT School Safety Crisis Planning Team. School may utilize educational resources provided by DEMHS for school age children to address emergency preparedness and update school programs of 2008 and 2009 that are no longer in use at the Orange Central School.
- Mutual Aid agreement with surrounding communities. Selectboard reviews agreements annually. No need to expand on program. Town would benefit from having the mutual aid departments report annually on the number and nature of response calls performed on behalf of Orange.
 - Barre Town Fire Department, Washington Fire Department, and Tri Village Fire Department

- Equipment Replacement Plan – Ongoing. Selectboard approval with input from Road Foreman. Town has an established Highway Equipment Savings Account that is part of the Town's budget voted at Town Meeting Day. No need to expand program.
- American Red Cross (ARC) Shelter at Orange Center School (ARC shelter #51755) – ARC will manage shelter if request to activate is provided by duly authorized town official to ARC VT/NH office. Town is in the position to man the shelter for first 72 hours if necessary. The shelter and shelter contact information is incorporated into the Town of Orange LEOP. No need to expand program.
- The Orange Town Emergency Management Director is a voting representative on the Local Emergency Planning Committee #5 which meets bi monthly. The EMD has access to trainings promoted by the CVRPC and DEMHS to assist and support him in his position as EMD.
- Appointment of a Town Forest Warden to serve a five year term. The town forest warden is Fred Byrd. No need to expand program.

Insurance Programs

- Participation in National Flood Insurance Program (NFIP) since 1985. Town has a designated Flood Administrator and up to date regulations. No need to expand program.
- Most current FEMA FIRM maps dated September 1985; Community Panel #500239B, sheets 1-11 and digitized in 2013. FIRMS are in need of updating but town does not have the capacity to do this. Federal government action is required and in progress.
- Adopted new regulations in 2014, *Town of Orange Inundation Hazard Area Regulations*. New regulations are NFIP compliant. No need to expand program.

Land Use Planning/Management

- Orange Town Plan expired in 2018. Planning Commission began update process with support of the CVRPC. Action is ongoing.
- Maintain copies of Emergency Action Plans and Inundation Area maps for the East Barre Dam and the Thurman W. Dix Dam at Town Offices with the Hazard Mitigation Plan. Town Clerk will maintain plans. Participation in annual EAP review is recommended. This action is at the discretion of the Selectboard.
- Update and adopt Orange Hazard Mitigation Plan in 2023, integration with the Town Plan update is in process and there is no need to expand the program. Town Planning Commission and Selectboard are key responsible parties.
- Orange Town Forest Management Plan 1999. Town has maintained the forest with timber harvesting by qualified forestry consultants. Orange Town Forest Management Plan is in need of updating. Town Clerk and Selectboard are key responsible parties.
- Town has been awarded a grant, funded in part by the Federal Highway Administration thru the State Agency of Transportation Municipal Assistance Section, for the study of Rt. 302 in the Orange Town Center that will address highway safety and pedestrian facilities. A request for proposals for engineering services related to the study has been issued and consultant

selection is to take place in early 2024. There will be opportunities for public input and hearings on the study later in 2024.

- Town is actively looking for community support to apply for grants and develop projects related to recreation (increase well being, mobility, and alternative transportation routes), conservation, energy and wastewater disposal which should promote smart growth, reduction of GHG emissions, and access to key infrastructure and services.

Hazard Control and Protection of Critical Infrastructure and Facilities

- Maintenance of 6 Dry Hydrants throughout rural areas in town is ongoing. Selectboard is responsible party with input from the EMD. Town may want to expand program in the future if funding is available. Town desires to capture GIS coordinates on each hydrant location for permanent data base and reproduction on town maps.
- Bridges and culverts inventory, connected roads inventory, and road surface management inventory will be performed under the direction of CVRPC with assistance from the town to maintain up to date records and status.
- Orange Town Highway Consolidated Ordinance adopted 4/4/2014 with State of Vermont minimum road standards. Selectboard approves all road work with input from Road Foreman who implements projects with town road crew.
- Selectboard annually reviews inventories of all roads, bridges, ditches, culverts, which specifies the width and length of roads, condition of all culverts and ditches for the purpose of continuing to improve the roads and develop a road plan. Selectboard is expanding this program with the support of CVRPC and the Vermont Agency of Transportation.
- Selectboard will continue to apply for Bridge Grants each year.
- Selectboard will continue to participate in the culvert replacement program and culvert inventory program. Culvert inventory was last done in 2022.
- Culverts continued to be upsized and ditches stone lined to mitigate storm water runoff impacts on transportation infrastructure (see actions below).
- 2023 Town Annual Report notes the significant impact of July 2023 flooding on the town: 17 roads were affected with minor to severe damage which required the town to contract with trucking companies to haul material. Recovery efforts did result in some deferment of regular maintenance and upkeep although the Highway Crew still completed ditch work on George St, Precht Rd, and Cyr Rd along with mowing and brush cutting, some paving, culvert replacement and so forth (see 2023 and prior Town Reports for details).
- Plan for and Purchase Equipment:
 - Selectboard budgets and plans for vehicle replacement schedules; funds in the town's Equipment Savings Account are used to help pay for purchases.
 - In 2015, the Selectboard purchased culvert thawing equipment which allows them to do the work without having to hire Barre Town. This has been a valuable and time saving piece of equipment to address the impacts from severe and extreme cold winter weather.

- Town continues to use a hydro seeder for the road crew. Use of this equipment will assist in preventing soil erosion along road sides and in road side ditches.
- Trappers are hired annually to implement strategies to reduce the risk of beaver dam failures. This is an ongoing action that does not need to be expanded. This is now part of the town's regular routine maintenance.
- The Town road crew and power companies cut back and maintain trees along the power lines and the road along the Reservoir Road. This is an ongoing program and there is no need to expand it. This is now part of the town's regular routine maintenance and the power utilities line clearing program.

Public Awareness, Training & Education

- Selectboard members maintain ICS 402 or ICS 100 training and certification as needed. Last taken in 2016. As new Selectboard members are appointed they will need to become certified in ICS 402 and or ICS 100.
- Town maintains information on the town website with regard to open burning and provides the contact information for the Town Forest Fire Warden. The websites states the need to obtain a burning permit and details how to go about it.

5. Hazard Identification and Risk Assessment

5.1 Local Vulnerabilities and Risk Assessment

The planning team performed an evaluation of the known hazards to the area and the risks the hazards pose looking at three main questions, 1) what damage can happen given the Town's vulnerabilities, 2) how likely are they to occur, and 3) how damaging can they be. Using a table to show this process, the town was able to then prioritize actions designed to mitigate the effects of each of the disaster types. The Town looked at past occurrences at the town, county and state level for guidance. Although the Town cannot predict the future, recent changes in the climate have made old weather patterns less predictable and Vermont has seen an increase in the number and severity of storms, especially high intensity rainfall events. In response to the changes in the weather patterns, Orange has added severe weather as a top priority.

The following table reflects the hazards Orange feels can be expected, or at least are possible, to occur in Orange. Town expanded on the risk analysis by considering factors such as frequency of occurrence, warning time, and potential community impact modeling the methodology used in the Vermont Statewide Hazard Mitigation Plan. The hazards were ranked based on these factors to determine which hazards posed the greatest risk to Orange and found to be the most significant and feedback was solicited from the community to ensure these analyses was in line with community perspectives (see above).

The process used to rank the hazards and score them was based on that the State of Vermont used in their 2018 statewide hazard mitigation plan. Unlike the state process, the geographic extent focused on Orange, a small rural town and not the entire State of Vermont and therefore did not use the state-wide or region wide extent. See Table 9 for criteria and definitions.

The following natural disasters were discussed and hazards were rated on their probability and potential impact to infrastructure, life, economy, and environment (community vulnerabilities). The impact was then averaged, and multiplied by the probability to develop a score to compare hazard impacts in Orange. See **Table 9** below for ranking criteria, please refer to While low threat hazards may still occur, due to low likelihood of the event and/or the community's vulnerability addressed by an external or existing plan, they are not discussed in detail herein. Additional discussion, information, and strategies can be found in the 2018 State of Vermont's Hazard Mitigation Plan.

Table 9: Hazard Assessment Ranking Criteria

Frequency of Occurrence: Probability of a plausibly significant event		Potential Impact: Severity and extent of damage and disruption to:				
		Infrastructure	Life/Safety	Economy	Environment	Overall
1	Unlikely: <1% probability of occurrence per year	Minor: Localized/Isolated impacts to Infrastructure (Temporary loss of use)	Minor scrapes/injuries	< \$10,000 in damages (Can generally be handled within budget or via insurance)	Negligible: Short term impacts, low clean-up costs for spills	Negligible: Isolated occurrences of minor property and environmental damage, potential for minor injuries, no to minimal economic disruption
2	Occasionally: 1-10% probability of occurrence per year, or at least one change in the next 100 years	Moderate: Neighborhood level impacts (1-2 day loss of use)	Occasional Hospitalization required due to injuries	\$10,000- \$100,000 (May require assistance for the uninsured or large impact on local budget)	Minor: Moderate clean-up costs, temporary redirection of municipal resources	Minor: Isolated occurrences of moderate to severe property and environmental damage, potential for injuries, minor economic disruption
3	Likely: >10% but <75% probability per year, at least 1 chance in next 10 years	Severe: Community-wide impacts (2-5 day Loss of use)	Multiple hospitalizations required and/or fatality	\$100,000- \$1,000,000 (Requests of assistance/FEMA eligible)	Moderate: Extended redirection of local resources/ impacts to normal operations, high clean-up costs	Moderate: severe property and environmental damage on a community scale, injuries or fatalities, short-term economic impact
4	Highly Likely: >75% probability in a year	Disastrous: Regional losses of roads, bridges, homes (Extensive replacement/rebuilt)	Community-wide hospitalizations and/or fatalities	>\$1,000,000- (All resources used, Possible National Guard use)	Major: Long-term recovery efforts (could take years for full recovery or permanent loss of use)	Major: severe property and environmental damage on a community or regional scale, multiple injuries or fatalities, significant economic impact

Table 10: 2022 Orange Hazard Table

Hazard Impact	Probability	Potential Impact						Score*
		Infrastructure	Life	Economy	Environment	Avg.	Key Core discussion points/issues	
Flash Flood/Flood/Fluvial Erosion/Flood Inundation	4	2	1	2	3	2	Emory Rd (to Spencer), Smith, Eastman. Beavers also contribute.	8
Severe Storms (2 or more of the following):								
<i>High Wind</i>	4	2	2	2	1	1.75	trees down in road; threaten energy infrastructure (WEC specifically; issue particularly for isolated elderly residents). Outages anecdote: 3-4/year 2-3 days each	7
<i>Heavy Rain</i>	4	2	1	2	1	1.5		6
<i>Hail Storms</i>	3	1	1	1	1	1		3
<i>Lightning</i>	4	1	2	1	1	1.25		5
Ice	4	2	2	2	2	2	Ice on trees and roads. Trees and power lines down. No ice jams. Vulnerable pops: elderly, residents w/ disabilities, LIC, out of towners, residents struggling with substance abuse	8
Hurricane/Tropical storms	3	2	1	2	2	1.75	Irene costs significant	5.25
Snow	4	2	2	1	1	1.5	Elderly, disabled and low income,	6

Table 10: 2022 Orange Hazard Table

Hazard Impact	Probability	Potential Impact						Score*
							etc. vulnerable. Built into budget and managed well	
Cold	4	2	2	1	1	1.5	same vulnerable pops (ice and snow)	6
Wildfire	3	1	1	2	2	1.5	historically not a concern, 2020 3-4 acre fire, this year given dryness and fuel accumulation nervous and increasingly so year to year	4.5
Heat	4	1	3	1	1	1.5	increasing number of extreme heat days across VT but not much effect yet in Orange, same pops vulnerable + those who work outside	6
Drought	3	2	1	2	2	1.75	All of Orange on wells- increasingly a worry; ponds going dry	5.25
Invasive Species	4	1	1	1	2	1.25	Emerald ash borer- Orange was patient 0 in VT- hotspot was Reservoir rd. Dutch Elm disease, knot weed not much of a problem nor others... Angela outreach to rec/conservation/town forest champion	5
Infectious Disease Outbreak	4	1	3	3	1	2	Orange is very spread out, allows residents to keep distance and prevent spread	8
Dam Failure	1	3	1	3	3	2.5	condition of dams and consult Barre's LHMP; 5+ days re infrastructure. reservoir is	2.5

Table 10: 2022 Orange Hazard Table

Hazard Impact	Probability	Potential Impact					Score*	
							(2017?) little damage. *Lord Rd would not be able to get out though	
Structure Fires	3	1	3	1	1	1.5	risk stems from chimney fires in winter	4.5

*Score = Probability x Average Potential Impact

The Town of Orange identified the following hazards as presenting the worst threat to the community:

- Flooding & Erosion
- Ice
- Infectious Disease Outbreak
- Severe Storms especially High Wind

Two additional issues came up regularly throughout these conversations. First, climate change was identified as major hazard, exacerbating vulnerability, amplifying risks, and increasing the frequency, severity, and unpredictability of most, if not all, of the hazards discussed (directly or indirectly). The hazard profiles thus include discussion of how climate change could indirectly or directly impact hazards. Changes noted since the last Hazard and Risk Assessment include an increased focus in discussion on identifying vulnerable community members by hazard; additionally, the core team notes changes in the trend of events associated with hazards including:

- increased high wind events (and severity),
- severity and variety of invasive species,
- increased number and severity of hot and dry days increases risk of drought, wild fire, and threatens those who work outside, elderly residents, houseless residents, etc.,
- increased microbursts,
- increase in perceived security risks and threats (cyber security, terrorism, civil disturbance)
- COVID-19 pandemic has heightened the awareness of the impacts of infectious diseases
- And the second issue that came up frequently was that mud season(s) is a yearly for Orange with costs to infrastructure, potentially life, etc. and increasingly becoming worse especially due to quick thaw cycles and heavy rain when culverts and roadside ditching is still full of ice/snow.

The second and related issue is that of mud season(s), a yearly issue for Orange with costs to infrastructure, potentially life, etc in the future- increasingly worse due to quick thaw cycles and rain when culverts still full of ice/snow.

The Town is interested in focusing a majority of mitigation efforts into reducing impacts from flooding and erosion particularly on its transportation and dam infrastructure as these are the most severe and/or frequent sources of potential damage to public and private infrastructure. Furthermore, Orange is committed to increasing resilience of not only its residents and infrastructure but also of its environment and ecosystems including focusing on how to manage invasive species and human/animal interactions both of which are exacerbated by development pressure and climate change alike.

Other hazards not identified as worst threat may still occur in Orange, but the Town decided to prioritize the above hazards as they pose a consistent, historical and/or highly probable future threat with a large impact to most Orange residents. The Core planning team decided to group some of the hazards they assessed together focusing on shared impacts despite some differences in extent, severity, and frequency as all are discussed at length in the Vermont State Hazard Mitigation Plan (2018):

- Severe Storms focuses on High Winds but includes Hurricanes, Tropical Storms, etc.,
- Winter Storms and Extreme Cold include a discussion of Ice, and references Ice Jams, Hail, and Snow.

A number of hazards the town did not feel were necessary to include in detail, while they may pose some threat to Orange residents, due to a lack of historical occurrences, future likelihood, and/or low potential impact, these impacts were not discussed although some mitigations actions may still be included. These includes:

- Landslides- compared to Washington and Chittenden Counties, unstable gullies are relatively uncommon in Orange County and landslides are generally in locations that have been failing for a low time and on steep slopes close to streams at sites of active streambank toe erosion according to a 2019 study⁹. While the local planning team considers natural/forested areas and waterways themselves to be valued assets, the lack of asset damage, lack of notable trends/shifting conditions, little topographic variability, low population and development exerting pressure on these natural systems together resulted in this decision. The planning team will reevaluate including this hazard in the risk assessment in the next update; please see the State Hazard Mitigation Plan and reference report for more technical information.
- Earthquakes (unlikely to occur)- it is noted that the State Hazard Mitigation Plan does assess Earthquakes in their Hazard Assessment wherein it receives a significantly lower score than the other hazards discussed; it is also ranked last by in terms of hazard impact across all RPCs. Lastly, review of the State's Hazard Profile for Earthquakes provided a detailed look of earthquake history, trends, and possible future scenarios in Vermont, which point to relatively minor concern and impacts focused proximate to the lake and Middlebury not proximate to Orange. Please see the State HMP for technical review.
- Avalanches (unlikely to form in Town due to the town's topography)
- Tornado ((unlikely to form in Town due to the town's topography)

Previous Hazards:

⁹ <https://dec.vermont.gov/sites/dec/files/geo/HazDocs/OrangeCountyLandslideStudy.pdf>

- Nuclear Power Plant Failure (Vermont Yankee Nuclear Power Plant was permanently shut down in 12/29/2014 and the fuel was removed from the reactor on 1/12/2015. Current negotiations on the decommissioning are taking place with a possible date of 2018; earlier than the previous 2020 date set.)
- Hazardous Materials Spills were removed (in 2017 Plan), concern stemmed from truck traffic moving through town (e.g. curve on State Route 302) however concern not widely shared across core planning team, the authority does not have the authority to take meaningful action, no historical precedent nor potential reason to think there are vulnerabilities particular to Orange that could/should be addressed.

A review of the Vermont State Hazard Mitigation Plan of November 2018 provides a greater explanation of these hazards and possible mitigation strategies to address them. Like the State of Vermont Hazard Mitigation Plan, Orange did not include the following hazards in the risk and vulnerability assessment due to the low occurrence, low vulnerability, and or geographic proximity: coastal erosion, expansive soils, karst topography, sinkholes, tsunami, and volcano.

A discussion of each significant hazard profile is included in the proceeding subsections supported by a series of maps illustrating critical facilities, vulnerable locations, and hazard locations where relevant). Each subsection includes a list of past occurrences based upon County-wide FEMA Disaster Declarations (DR-#) plus information from national databases and local records (including but not limited to the National Oceanic and Atmospheric Administration (NOAA) National Centers for Environmental Information (formally known as the National Climate Data Center, NCDC), reports from the National Weather Service in Burlington, Vermont, the Vermont Forest, Park and Recreation Department, and VT State Hazard Mitigation Plan), a narrative description of the hazard and a hazard matrix containing the following overview information as shown in the chart below. The information identified in the “Extent” and “Likelihood/Probability” columns are based on the hazard ranking methodology as discussed in section 5.1 of this Plan above **Table 9**

Hazard	Location	Vulnerability	Extent	Impact	Likelihood
Type of hazard	General areas within municipality which are vulnerable to the identified hazard.	Vulnerable community members, assets, and infrastructure.	maximum recorded magnitude of the event, measuring things such as numerical measurement (inches rain/snow, flood depth, wind speed, etc.), rating on a scientific scale (i.e. Category 3 Hurricane), speed of onset, or duration of event.	Dollar value or percentage of damages, or the value of the assets that are at risk of damage (if known).	<u>Highly Likely:</u> >75% probability in a year. <u>Likely:</u> >10% but <75% probability per year, at least 1 chance in the next 10 years. <u>Occasionally:</u> 1-10% probability of occurrence per year, or at least one chance in the next 100

<i>Hazard</i>	<i>Location</i>	<i>Vulnerability</i>	<i>Extent</i>	<i>Impact</i>	<i>Likelihood</i>
			Typical magnitudes experienced may also be reported.		years. <u>Unlikely</u> : <1% probability of occurrence per year




Figure 12 Local Areas of Concern 2022 Map used to support Hazard Vulnerability and Risk Assessment

6. Hazards Profiles

Data for these hazards were gathered from several federal resources and are often only available at the county level. As such, information specific to Orange County was used to identify and evaluate the type, frequency and relative impact of past events within the larger Orange region, which could therefore be expected to affect the community in the future. For a detailed description of hazards, the reader should review the Vermont State Hazard Mitigation Plan. Data for these hazards was obtained from several resources within the State of Vermont, FEMA, and the National Oceanic and Atmospheric Administration (NOAA). NOAA compiles storm events data, dating from 1950 to present. These cover “regional” weather events for the larger Orange County

area (National Weather Service Forecast Zone) for periods of cold/wind chill, extreme cold/ wind chill, flash flood, flood, frost/freeze, hail, heat, heavy snow, high wind, strong wind, thunderstorm wind, winter storm, and winter weather.

OVERALL SUMMARY: EVENTS & FEDERAL DISASTER DECLARATIONS ORANGE COUNTY

According to FEMA, there have been 32 federally-declared major disasters for Orange County between 1952 and April 2024 which have become increasingly frequent due to climate change. Not all affect the Town of Orange directly although Orange can often be affected also by declarations in neighboring counties including Washington County. As indicated below, there are clear trends including a spike in flooding disasters June-September (compounded by increased likelihood for hurricanes in August), with a smaller spike in February-March, as well as pretty consistent severe storm baseline throughout the year with spikes in July—September and January&March. Notably, a disaster declaration was issued for the COVID-19 pandemic in 2020.




Figure 13 Summary of FEMA Disasters Declared for Orange County, VT

Source: FEMA Disaster Declarations <https://www.fema.gov/data-visualization/disaster-declarations-states-and-counties>

The NOAA Storms Database for Orange County, Vermont, totals 536 regional severe weather events with 431 of those occurring since 2000 over the past 23 years. This is an average of almost 19 regional storms events a year although the several events can be reported for the same storm system (and often are). Database entries also include general (and inconsistently) estimates of related property and crop damages- totaling over \$51.5 million in property damage, of which 94% was in the last 23 years, over \$4.1 million in crop damages since 2009, and over \$55.6 million over all since 1960 in Orange County (likely an underestimate).

Table 11 NOAA Severe Weather Events Orange County, VT

Event Type	1960-April 2024	1960-1999	2000-2009	2010-2019	2020-April 2024	2000-April 2024
Thunderstorm Wind	126	35	32	45	14	91
Tornado	3	1	2	0	0	2
Hail	35	12	11	11	1	23
Winter Storm	129	24	54	35	16	105
Flood	13	1	4	7	1	12
Dense Fog	1	1	0	0	0	0
Winter Weather	127	16	75	20	16	111
Cold/Wind Chill	14	3	8	1	2	11
Flash Flood	19	7	5	6	1	12
Ice Storm	1	1	0	0	0	0
Heavy Snow	5	2	1	2	0	3
Lightning	7	1	5	1	0	6
High Wind	8	1	5	1	1	7
Funnel Cloud	1	0	1	0	0	1
Heavy Rain	5	0	5	0	0	5
Strong Wind	25	0	8	13	4	25
Frost/Freeze	3	0	1	1	1	3
Heat	6	0	2	3	1	6
Extreme Cold/Wind Chill	8	0	4	1	3	8
Total	536	105	223	147	61	431

Source: NOAA Storm Events Database <https://www.ncdc.noaa.gov/stormevents/>

Table 12 Historic NOAA Severe Weather Events Damages

Event Type	Damage to Property (\$)		Damage to Crops (\$)	Total (\$)
	1960-Present	2000-Present (% of Total)	2009+	
Thunderstorm Wind	2186000	83%	200000	2386000
Tornado	200000	88%	25000	225000
Hail	30000	100%	40000	70000
Winter Storm	2137500	85%	0	2137500
Flood	5818000	96%	1000000	6818000
Dense Fog	5000	0%	0	5000
Winter Weather	625000	79%	0	625000
Flash Flood	38696000	93%	1500000	40196000
Ice Storm	80000	0%	0	80000
Heavy Snow	240000	94%	0	240000
Lightning	165000	91%	0	165000
High Wind	795000	87%	0	795000
Strong Wind	543000	100%	0	543000
Frost/Freeze	0	0	350000	350000
Heat	0	0	1000000	1000000
Total	51520500	93%	4115000	55635500

Source: NOAA Storm Events Database <https://www.ncdc.noaa.gov/stormevents/>

The majority of recorded regional events relate to winter storms and extreme winter weather, although heat and flooding are increasing; while the majority of more localized events are associated with severe thunderstorms (including wind, heavy rain, hail, and flooding). In addition to flooding and flash flooding, storm-related hazards include high winds, with estimated gusts ranging from 35 to 75 knots and hail over 1.75 inches. Hazards related to cold temperatures-including unseasonal frosts, and periods of extreme cold during winter months are more common than heat spells, although communities are less prepared and adapted to extreme heat- especially those with existing health conditions, without air conditioning, elderly and infant residents, those working outside, those living alone, etc. All 6 of the heat-related events reported are since 2006, including those also associated with drought in 2011 and 2012, and increased hospitalizations in 2018 and 2020. More details are provided in the hazard profiles below. As discussed above,




Figure 14 Severe Weather in Orange County by Event Type (2020-April 2024)

Source: NOAA Storm Events Database <https://www.ncdc.noaa.gov/stormevents/>

6.1 Flooding and Erosion

Flood/flash flood/fluvial erosion is Orange's most commonly recurring hazard. Flooding is the overflowing of rivers, streams, drains and lakes due to excessive rain, rapid snow melt or ice. Flash flooding is a rapidly occurring flood event usually from excessive rain. Fluvial erosion is the process of natural stream channel adjustments. Fluvial erosion causes erosion of sediment in some areas, while causing aggradation of sediment in others. Fluvial erosion processes occur more quickly and severely during flood events.

Flooding of land adjoining the normal course of a stream or river has been a natural occurrence since the beginning of time. If these floodplain areas were left in their natural state, floods would not cause significant damage. Development has increased the potential for flooding because rainfall that used to soak into the ground or take several days to reach a body of water now quickly runs off streets, parking lots and rooftops and through human-made channels and pipes.

Past instances of flooding in Orange have included rain and or snow melt events that cause flooding of the major floodplains along the main rivers in town and localized flash flooding from intense rainstorms. Debris and ice build-up can contribute to the failure of infrastructure (culverts

and bridges) during these events. The State of Vermont Hazard Mitigation plan states, "In recent years, flood intensity and severity appear to be increasing." The following chart indicates the history of occurrence with regard to this hazard in Orange. Data is both county-wide and state-wide. Due to the small population of the Town of Orange, specific data is difficult to obtain. Federal declared disaster numbers are noted where applicable. Data on the fluvial erosion damage in number of acres lost was not found for the events. Fluvial erosion extent data is unavailable. Information to complete the history of occurrences was taken from the National Oceanic and Atmospheric Administration (NOAA), National Center for Environmental Information (NCEI), formally the National Climate Data Center, the FEMA Declared Disasters in Vermont data base, the State of Vermont Hazard Mitigation Plan dated November 2013, and town records.

Table 13 Flood/Flash Flood/Fluvial Erosion History of Occurrences:

Date and Disaster Declaration Number if applicable	Event (By FEMA classification)	Location	Extent and impacts
4/15/2014 – 4/18/2014 DR-4178 VT	Severe Storms and Flooding	State-wide County-wide Orange County	Heavy rains & melting snow pack created widespread flooding & release of 4-6 inches of water from snowpack causing many waterways to reach near bankfull conditions across Central Vermont. Damage to roads and bridges occurred.
6/25/2013 – 7/11/2013 DR-4140 VT	Severe Storms/Flash Flooding/and Flooding	State-wide County-wide Orange County	Severe storm caused flooding throughout Central Vermont with impact to roads and bridges. A few Green Mountain Power Customers reported no power. Federal share obligated to Town of Orange was \$2,509.94.
8/26/2011 – 9/2/2011 DR-4022 VT	Tropical Storm *causing mass, severe flooding and flash flooding, and fluvial erosion.	State-wide County-wide Orange County	Montpelier Flood gauge at 19.05 feet (flood stage is at 15 feet); Statewide rainfall of 3-5 inches with 5-7+ inches in Central Vermont. Orange received 3-4 inches of rain resulting in town-wide flooding. Major damage to George Street, Manning Road & Precht Road including replacement of all three culverts estimated @ over \$200,000. Some damage to Eastman Road & Emery Road. WEC, Inc. & GMP customers without power for prolonged period of time (days). Federal share obligated to Town of Orange was \$7,125.58. Fluvial erosion extent data is unavailable.
5/25/2011 - 5/27/2011 DR 1995 VT DR 4001 VT	Flash Flood	Orange, County-Wide	Montpelier flood gauge at 17.59 feet, 3-5" of rain. Federal share obligated to Town of Orange was \$40,307 with 12 projects.
Date and Disaster Declaration Number if applicable	Event (By FEMA classification)	Location	Extent and impacts

10/1/2010	significant flood event	Orange County	\$52,000 property damage in Orange County per SHMP. No specific data for Town of Orange.
7/21/2010	significant flood event	Orange County	Very heavy localized rains; Super cell storms in area. \$140,000 property damage in Orange County per SHMP. No specific data for Town of Orange.
1/25/2010 – 1/26/2010	significant flood event	Orange County	Rainfall through day and night created sharp rises in rivers and streams that crested and lifted ice. Flooding caused by ice jams on Waits River, also Winooski in Montpelier. There was \$10,400 property damage in Orange County per SHMP. No specific data for Town of Orange.
8/21/2009	Flash Flood	Orange County	Thunderstorms produced torrential downpours in the area. Unofficial reports of 4 inches of rain within 2 hours were common. \$371,428.57 in property damage for Orange County per SHMP. Chelsea, Washington, and Corinth hardest hit. Numerous roads, bridges and culverts washed out. No specific data for Town of Orange
7/21/2008 – 8/12/2008 (8/07/2008) DR 1790 VT	Flash Flood	County wide Orange County	Heavy rainfall, a slow moving storm and saturated soils set up conditions for flash flooding across the county. Route 302 flooded. No specific data for Town of Orange. \$52,525.25 and \$26,262.63 in property damage in Orange County per SHMP.
7/11/2007 DR 1715 VT	Flash Flood	County-wide Orange County, Town of Orange	3-6" of rain in 2 hours. Federal share obligated to the Town of Orange was \$86,111.52 with 10 projects. Property damage in Orange County was over \$821,052 (adjusted for inflation) per SHMP.
3/15/2007	significant flood event	Orange County	\$54,736.84 in property damage in Orange County per SHMP. Warm temperatures and rainfall caused significant snow melt resulting in rising water levels and lifting of ice creating localized ice jams and flooding. Specific data for Town of Orange is not available.
1/18/2006 – 1/19/2006	significant flood event	Orange County	\$2,260.87 in property damage in Orange County per SHMP. No specific data for Town of Orange. Warm temperatures created snowmelt with 1.5 – 2.5 inches of rainfall over area causing flooding.
Date and Disaster Declaration Number if	Event (By FEMA classification)	Location	Extent and impacts

applicable			
7/21/2003 – 8/18/2003 DR 1488 VT	Severe Storm and Flooding	Bennington County, Orange County, Windham County and Windsor County.	Flooding in 4 counties as a result of heavy rains in July. No specific data for Town of Orange
4/14/2002	significant flood event	County wide Orange County	1-3" of rain across the county plus snow melt. \$50,120.48 in property damage in Orange County per SHMP.
12/17/2000	Flood	County Wide Orange County	3" of rain, \$1 M in damages
9/16/1999 – 9/21/1999 DR 1307 VT	Tropical Storm Floyd *causing flooding and flash flooding, and fluvial erosion	County Wide, Town of Orange	Montpelier flood gauge at 9.30 feet, 5-7" rain county wide \$27,766.54 federal share obligated to Town of Orange with 6 projects. Fluvial extent data unavailable.
6/27/1998 Part of DR 1228 VT	Flash Flood	County Wide	\$2M in damages, 4-8 inches rain fell across northern portion of county. Several homes and businesses without power and flooded; National Guard called in for relief efforts. Waits River and Ayres Brook experienced massive flooding.
01/08/1998 DR 1201 VT	Flooding/Flash flooding	County wide	Flood damage occurred throughout region. 3 – 5 inches rainfall during week. Waits River flooded
7/15/1997	Flash Flood	County wide	\$500k in damages
1/19/1996 – 1/20/1996	Flood; ice jam	County wide	Montpelier flood gauge at 14.64 feet. Orange County reported 250K in damages. Roads washed out, power outages.
03/1992 DR 938 VT	Flooding	State wide County wide	Flooding occurred throughout the state including Orange County due to heavy rain and ice jams during the winter season. Data for Town of Orange is not available.
8/10/1976	Flood	County wide	Montpelier flood gauge at 12.31 feet
6/28/1973 – 6/30/1973 DR 397 VT	Flooding/ Flash Flood	State wide, County wide	Montpelier flood gauge at 17.55 feet. As much as 6 inches of rain within 24 hours in some areas. Damage estimated at 64 million (1973 dollars). Orange Town specific data not available.
9/22/1938	Flood, Hurricane	County wide	Montpelier flood gauge at 14.11 feet
11/02/1927- 11/04/1927 (Flood of 1927)	Flood	County wide	Montpelier flood gauge at 27.10 feet. One of VT's worst disasters. Heavy rain, 4-9 inches statewide, fell on frozen ground. Damage and loss of life occurred with 84 deaths, over 1,000 bridges taken out, over 600 farms and businesses destroyed, and miles of roads and railways claimed.

A stream gauge is located in East Orange; the East Orange Branch drains into the Waits River. Most flooding in Orange occurs from the Winooski River. The closest Winooski gauge is located in Montpelier – approximately 13 miles downstream. During Tropical Storm Irene, the levels of State flood control dam were 15 feet above normal levels (1147 feet from 1132 feet), while the

Montpelier flood gauge was 4 feet above flood stage. The worst flooding event in Orange's history was the 1927 event; however, exact data from that event is not available. In 1927 event, the Montpelier flood gauge was at 27.10 feet; however, since the 1927 flood a number of flood control dams have been installed in the region to prevent the same flooding extent. Lesser but more regular flooding occurs in Orange, with generally 1 foot of water in areas designated on the hazard analysis map.

As stated in the Orange Town Plan "a major watershed boundary splits the Town on its north-south axis" The eastern slopes drain into the Waits and Well Watershed and the western slopes drain into the Winooski Watershed. Major water ways and bodies of water include the Nate Smith, the Nelson Brook and the Orange Brook, the Thurman W. Dix Reservoir, the Lower Orange Reservoir, the Jail Branch River, Riddle Pond plus numerous tributaries and small ponds and wetlands.

Based on the results of overlaying Orange's current Flood Insurance Rate Maps (FIRM) with the location of E911 points, 21 structures are located within the National Flood Insurance Program's designated 100-year floodplain. The estimated loss for a severe flooding event for all properties located within the Orange's 100-year floodplain is approximately \$2,136,700 (2012 data). As previous events have made clear, however, even areas beyond the NFIP designated 100-year floodplain may be vulnerable to flood related hazards.

The flood of July 11 and 12, 2007 remains one of most significant flooding events in recent town history. Approximately 4-6 inches of rain fell in a 24 hour period between noon on July 11 and July 12, causing the Jail Branch and tributaries to overflow their banks causing significant stream bank erosion, road embankment and shoulder wash, and culverts and bridges to be overtopped and outflanked. Areas of road most significantly affected included US Route 302 (east of the Village), Reservoir Road, Bisson Road, George Street, Eastman Road, Strong Road, Tucker Road, Prechtl Road, Melissa Lane, and Fish Pond Road. According to the Town Clerk the 2007 flood event resulted in the loss on one bridge, severe damage to four 3' – 5' sized culverts and head walls plus the loss of road surface on several roads.

In addition to the July 2011 storm, a second storm proceeded it in May. Orange roads and culverts were flooded during these two events. In the May severe thunderstorm, the following roads were damaged; George St, Clement Rd, Emery Rd, Eastman Rd, Spencer Hill Rd, Provencher Rd, Manning Rd, Prechtl Rd, Bennett's Mill Rd, Lord Rd, and Smith Rd.

After the May storm event Eastman, Bennett's Mill, and Emery Roads were repaired with expanded culverts and stone ditching. The repairs to Bennett's Mill Road cost the Town \$14,000. The Town received \$60,000 from FEMA from the May floods.

On August 28, 2011, Orange received 3-4" of rain from Tropical Storm Irene resulting in town wide flooding. Both Eastman and Emery roads held better during Tropical Storm Irene.

The town applied for and received hazard mitigation grant funding to repair the damages caused by the May and August 2011 storms. Over the past five years the town has mitigated the risk of future damage by installing larger culverts and bridges on George Street, Manning Road, and Prechtl Road.

They have also done major upgrades throughout town on the road ditches. These improvements to the town infrastructure helped to minimize the damage from the federally declared disasters of 2013 (DR 4140 VT) and 2014 (DR-4178 VT) which brought flooding and flash flooding to the state from heavy rains and melting snow pack. Orange received \$2,509.94 in federal grant monies to assist with the repairs to their damaged roads.

The town is currently working under an Agency of Transportation grant in conjunction with the CVRPC Transportation Planner to inventory all the roads and associated infrastructure to develop a Town Road Plan. Orange maintains a culvert inventory with up to date information on size and condition but lacks a data base for tracking the culverts. CVRPC maintains a GIS database that has the coordinates for each culvert and bridge and other road infrastructure. The transportation Vulnerability Assessment Map shows the mapped infrastructure locations based on GIS field coordinates. These tools will help the town prioritize and implement their strategies.

Road Name	Priority				
	Very High	High	Moderate	Low	Total
BENNETS MILL RD			2		2
BISSON RD		1	3	3	7
CLEMENT RD		2	2	1	5
CRAMP RD	3	2	1		6
CUTLER CORNER RD			4	2	6
CYRS RD		1	2	1	4
EASTMAN RD		3	1		4
FISH POND RD	2	15	2	1	20
GEORGE ST	1	1	5	3	10
LORDS RD		1	2		3
MANNING RD				1	1
MELISSA LN			1		1
PRECHTL RD		5	3	4	12
PRESTON RD	1	1		1	3
PROVENCHER LANE		1	5	1	7
RESERVOIR RD			6	7	13
RICHARDSON RD	1		2	1	4
RIDDEL POND RD		1	3	1	5
ROCK PL	2				2
SMITH RD		1	4	3	8
SPENCER RD			1	3	4
STRONG RD				3	3
TH 44			1		1
WARSLEY		6	3	2	11
Total	10	41	48	38	137

*Table 15: High Priority Culvert Inventory – Town of Orange
(Culverts in Critical, Closed, Urgent, and Poor Condition)*

Road	Overall Condition				Total	High Erosion
	Critical	Closed	Urgent	Poor		
ATHERTON RD	2		1		3	
BEARD RD		2			2	
BISSON RD		1		1	2	
CLEMENT RD				1	1	
CUTLER CORNER RD		2		1	3	
E ORANGE RD		2		1	3	1
EASTMAN RD		1			1	
EMERY RD		2			2	1
FISH POND RD		5		1	6	
GEORGE ST	1	2		5	8	
HELGESEN RD		2			2	
MELISSA LN		1		2	3	
NEDDO RD		1			1	
NOTCH END RD		1			1	
PRECHTL RD		1		1	2	
PROVENCHER LN			1		1	
RESERVIOR RD		7		10	17	
RICHARDSON RD				1	1	
RIDDEL POND RD		5		1	6	
SMITH RD		3	1	2	6	
SPENCER RD				1	1	1
TUCKER RD				1	1	
WARSLEY RD		1		2	3	
Total*	3	39	3	31	76	3

*only includes culverts that had a road labeled (several had roads labeled unknown- these will be identified properly in future surveys and data cleaning efforts)

Source: [VTrans Culvert Inventory](#)

Note: there can be a significant lag between municipal work including culverts cleared/replaced and condition updated depending on Bridge&Culvert inventory timing and if local crew is updating VT Bridge & Culverts directly

Historical channel management activities, floodplain encroachments, adjacent land use practices and/or changes in watershed hydrology associated with conversion of land cover and drainage activities, within and beyond the NFIP floodplain, have frequently been documented to have devastating consequences. The Orange Local Hazard Analysis Map 2016 identifies areas that have experienced flooding in the past. The 2014 flood regulations prohibit new construction and fill in the SFHA in an effort to reduce the risk of flood damage and maintain the floodplain area to receive waters.

It is important to note that Vermont has experienced a majority of their flooding in areas along upland streams and in road drainage systems that do not adequately convey the amount of water they are receiving. Flooding in these areas should be expected and planned for. The National Weather Service has seen a trend in recent years of more intense, locally severe storms with high intensity rain and flooding associated with them.

The topography and extent of several streams and tributaries make Orange susceptible to the danger of flash flooding. As noted in the Vermont State Hazard Mitigation Plan, these areas are not shown on the FEMA FIRMs. The Vermont Department of Environmental Conservation River Program is working to provide statewide coverage of fluvial erosion hazard (FEH) areas along the streams and river corridors. The river corridor is in the process of being delineated for the larger streams and rivers and setbacks have been established for the smaller upland streams. This data is due to be released within the next year and will be a valuable tool for Orange in their efforts to help mitigate the risk of flash flooding. Once the statewide river corridor digital map layer is finalized it will facilitate mitigation and river corridor protection planning and prioritization. Orange currently has Interim River Corridor regulations with the adoption of the town of Orange Inundations Hazard Area Regulation of 2014. The town's regulations are avoidance-based flood hazard bylaws that prohibit construction of new structures and fill in the entire Special Flood Hazard Area. Under a Water Quality grant, CVRPC will assist Orange in the development of river corridor regulations that incorporate the Vermont mapped Fluvial Erosion Areas once these maps are released. CVRPC expects to begin work with the town in the fall of 2017. The following matrix provides an overview of the Flood/Flash Flood/Fluvial Erosion hazard:

FLOOD/FLASH FLOOD/FLUVIAL EROSION HAZARD OVERVIEW

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	<p>Likelihood of hazard occurring based on past events:</p> <p><u>Unlikely</u>: <1% probability of occurrence in the next 100 years.</p> <p><u>Occasionally</u>: 1-10% probability of occurrence pre year, or at least one chance in next 100 years.</p> <p><u>Likely</u>: >10% but <100% probability per year, at least 1 chance in next 10 years.</p> <p><u>Highly Likely</u>: 100% probable in a year.</p>

Flood/Flash Flood/ Fluvial Erosion	In most areas where roads cross waterways, including bridges and culverts. Areas of most concern include: Route 302 (east of the Village), George Street, Clement Rd, Emery Rd, Eastman Rd, Spencer Hill Rd, Provencher Rd, Manning Rd, Prechtl Rd, Bennett's Mill Rd, Smith Rd, and Reservoir Road.; upland streams and main rivers of Jail Branch and Waits.	Town road infrastructure: bridges, culverts and low lying roads. Existing 21 Homes in SFHA.	TS Irene - 8/26/2011 - 9/2/2011; Major. water level of Lower Orange Reservoir 1147 (normal 1132 feet). 3-4 inches rain, Montpelier Flood gauge at 19.05 feet (flood stage is at 15 feet); May 2011 - Flash Flood - Major. Montpelier Flood gauge at 17.59 ft., 3-5 inches rain. July 2007 - Flash Flood. Major. 3-6 inches of rain over a 2 hour period. Extent data for fluvial erosion is unavailable.	2007 flood-damages = \$115,163 2011 flood damages = \$300,000	Highly Likely
------------------------------------	--	---	--	--	---------------

6.2 SEVERE WEATHER (THUNDERSTORMS, LIGHTNING, HIGH WINDS, HAIL):

According to NOAA, severe weather is a destructive storm or weather that usually is applied to local, intense, and often damaging storms such as thunderstorms, hail storms, and tornadoes, but it can also describe more widespread events such as tropical systems, blizzards, nor'easters, and derechos. The Town of Orange has defined severe weather as the occurrence of two or more of the following hazards: thunderstorms, lightning, high winds and hail.

Thunderstorms are further defined in the Vermont State Hazard Mitigation Plan as follows, "Thunderstorms range in size and type. An ordinary cell thunderstorm consists of one cell with an updraft and downdraft and produce strong winds, rain, lightning, and even hailstones. Multicell cluster thunderstorms consist of several ordinary cell thunderstorms in the vicinity of each other. Multicell cluster thunderstorms are extremely prone to causing flash flooding. Squall line thunderstorms move in a linear front that can exceed 100 miles in length, with the strongest rains and winds at the front of the storm. Supercell thunderstorms are the largest, longest lasting, and most devastating thunderstorms. Nearly all tornadoes are formed from supercell thunderstorms. Supercell thunderstorms can also form hailstones larger than golf balls. These Supercell storms have a clockwise rotating winds that exacerbate the storm. Lightning, hail, flash flooding, and tornadoes are all associated with this type of thunderstorm." Thunderstorm activity in Orange causes power outages, damaging winds, hail, and transportation and economic disruptions, particularly from blown down trees.

Lightning produces thunder. Lightning is the electrical charges in the atmosphere between clouds, the air, or the ground. In the early stages of development, air acts as an insulator between the positive and negative charges in the cloud and between the cloud and the ground. When the

opposite charges builds up enough, this insulating capacity of the air breaks down and there is a rapid discharge of electricity that we know as lightning (as defined by NOAA). The discharge of electricity produces light (lightning) and sound (thunder). Lightning can kill, cause forest fires, and damage property.

High Winds are usually associated with severe thunderstorms in Vermont. When winds are sustained at 31 to 39 mph for at least an hour or any gusts at 46 to 57 mph, the National Weather Service will issue a wind advisory. If winds reach 58 mph or more, the National Weather Service will issue a High Wind Warning. The National Weather Service has classifications for hurricane and tropical storm winds which can be found in the Saffir-Simpson Scale graphic found later on in this Plan as well as the Beaufort Wind Chart used to estimate wind speeds. High winds cause damage to property and personal safety, and are a concern for the electrical and telecommunication utilities in Orange County and throughout the state due to customer power outages and damage to infrastructure.

Table 16: Beaufort Wind Chart

Beaufort Wind Chart – Estimating Winds Speeds

Beaufort Number	Range	MPH	Average	Terminology	Description
0	0	0	0	Calm	Calm. Smoke rises vertically.
1	1-3	2	2	Light air	Wind motion visible in smoke.
2	4-7	6	6	Light breeze	Wind felt on exposed skin. Leaves rustle.
3	8-12	11	11	Gentle breeze	Leaves and smaller twigs in constant motion.
4	13-18	15	15	Moderate breeze	Dust and loose paper is raised. Small branches begin to move.
5	19-24	22	22	Fresh breeze	Smaller trees sway.
6	25-31	27	27	Strong breeze	Large branches in motion. Whistling heard in overhead wires. Umbrella use becomes difficult.
7	32-38	35	35	Near gale	Whole trees in motion. Some difficulty when walking into the wind.
8	39-46	42	42	Gale	Twigs broken from trees. Cars veer on road.
9	47-54	50	50	Severe gale	Light structure damage.
10	55-63	60	60	Storm	Trees uprooted. Considerable structural damage.
11	64-73	70	70	Violent storm	Widespread structural damage.
12	74-95	90	90	Hurricane	Considerable and widespread damage to structures.

Webpage: <http://www.weather.gov/iwx>

Twitter: @nwsiwx

Facebook: NWSNorthernIndiana



Hail is defined in the Vermont State Hazard Mitigation Plan as, “a form of precipitation composed of spherical lumps of ice. Known as hailstones, these ice balls typically range from 5-50 mm in diameter

on average, with much larger hailstones forming in severe thunderstorms. The size of a hailstone is a direct function of the severity and size of the thunderstorm that produces it." Hail is known to cause devastating crop damage, property damage, and bodily injury if one is struck. NOAA has created a diagram to help visualize the size of hail in relation to common items like a softball or golf ball or coins as depicted below.




Figure 15 Hail Size Comparison Chart

Similar to flooding, the extent of severe weather is not well documented in the Town of Orange. The impact of severe weather is usually flood related. According to the Vermont State Hazard Mitigation Plan, thunderstorms are the most prevalent hazard event occurring in Vermont and "severe summer thunderstorm winds occur more frequently than any other natural hazard incident within Vermont." Precipitation associated with thunderstorms often causes flash flooding due to the large amount of precipitation over a short period of time coupled with the mountainous and steep terrain of Vermont. In Vermont, severe thunderstorms occur most often in the spring and summer. Damage from flooding is covered under that hazard threat of this Plan and can include property and structure damage, erosion, and loss of life. Flash floods cause rapid rises in water levels with little time to prepare but generally recede quickly. The worst flood event was the 1927 storm when the Winooski River in Montpelier was 12 feet above flood stage. Data from Orange is not available. Orange has experienced flash flooding on numerous occasions over the years and has a high likely hood of this

occurrence to continue. Lesser but more regular flooding occurs in Orange, with generally 1 foot of water in areas designated on the areas of concern map during severe weather events. A river monitoring station is located in East Orange.

Severe thunderstorms also produce high winds and hail. Both can damage crops, trees, structures, and property. High winds and hail tend to be localized but can cause significant damage and loss, especially to farmers and woodlot owners who can lose their whole crop in a single event. In Vermont, hail storms have seen hail the size of .75 inches up to 3 inches and hail the size of 1.5 inches is not uncommon. High winds during thunderstorms have been common in recent years in Orange County causing numerous downed trees and power outages. During 2000 – 2010, Orange County was impacted on four different dates by thunderstorms causing more than \$200,000 in damage (Table 4-7 Vermont State Hazard Mitigation Plan 11/2013). In 1999, Tropical Storm Floyd passed through Vermont. The primary impact from Floyd was downed trees and power lines due to high winds. Approximately 3,000 people were without power in the Central Vermont Region. About 7" of rain fell over Orange; however, flood impacts were offset by drought conditions from earlier in the year. There were no high wind impacts associated with the 2011 events of Tropical Storm Irene and the May 28, 2011 storm. The power generation of the two utilities in Orange is based on substations which are not set by jurisdictional lines. As a result, frequency and specific dates of power shortage/failure could not be attained.

As stated in the Orange Town Plan, “Orange is fortunate to have large blocks of timberland” such as the Butterfield Block of Groton State Forest (1,934 acres located in the northeastern quadrant of Orange), the Orange Town Forest (306.4 acres located on the north side of US Route 302), and the Barre City Forest (1,200 acres surrounding the Thurman W. Dix Reservoir and the Lower Orange Reservoir) plus extensive tracts of privately owned timberlands/woodlands. The Orange Land Use Map depicts Orange as mostly forested.

High winds threaten the viability and productivity of this cash crop and can affect the local economy. Downed trees can make transportation corridors impassable and cut power service to town residents and neighboring communities. Lightning, with the potential for strikes to the trees within the forested area, also threatens this resource.

Information to complete the history of occurrences was taken from the National Oceanic and Atmospheric Administration (NOAA), National Center for Environmental Information (NCEI), formally the National Climate Data Center, the FEMA Declared Disasters in Vermont database, the State of Vermont Hazard Mitigation Plan 2018 and 2023, and town records.

Table 17 Severe Weather History of Occurrence

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
2/25/2017	✓		✓		County-wide; Orange County	55kts; heavy rain showers and severe thunderstorms across portions of CT River Valley- downed trees and power lines with structural damage to camps along lake Fairlee; strong to severe winds, damaged roofs, trees and power line; ice jam in Waits River caused flooding.
9/11/2016	✓	✓	✓		County-wide; Orange County	50kts; heavy rain and scattered severe thunderstorms with cloud to ground lightening strikes; ground to cloud lightening strikes; numerous trees down and power outages; historic barn destroyed by fire at Shelburne Farms.
7/23/2016	✓		✓		County-wide; Orange County	55kts-60 kts; intense thunderstorms, Significant and widespread damage occurred with more than 20,000 utility outages. Reports of numerous trees downed or snapped along Interstate 89 between mile markers 50 in Barre to mile marker 25 near Bethel.
7/18/2016	✓		✓	✓	County-wide; Orange County	50 kts, scattered intense thunderstorm with wind damage to trees and utility lines. Scattered Hail 1.5 inches in diameter
2/29/2016	✓		✓		County-wide; Orange County	39 kts; wind gusts in excess of 35 to 40 mph across large portions with a few scattered wind gusts that approached 50 mph. Damage to trees, tree limbs down fell on power lines and accounted for isolated power outages across much of the state but scattered to numerous power outages in the Connecticut River Valley with nearly 20,000 outages reported.
7/19/2015	✓		✓	✓	County-wide; Orange County	scattered thunderstorms with a few containing isolated damaging winds and hail up to one inch in diameter. The greater impact of these storms was the training of storms traveling across the same areas over and over with torrential rainfall that lead to flash flooding in Barre and Plainfield.
5/27/2015	✓		✓		State-wide; Orange County	50 kts; rain and thunderstorm winds damaged trees and power lines.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
10/7/2013	✓		✓		State-wide; Orange County	43 kts; showers and thunderstorms; Several reports of tree branches on utility lines in several communities in Orange county, scattered wind gusts of 50 mph or greater across portions of Vermont; numerous downed trees or tree limbs on utility lines resulting in more than 25,000 customers without power at the peak of the storm.
9/11/2013	✓		✓		State-wide; Orange County	55 kts; thunderstorms produced damaging winds of downed trees and utility lines. Numerous trees down across central and southern Orange County.
6/2/2013	✓		✓	✓	County-wide; Orange County	50kts, 1.5 inch hail; widespread thunderstorms with pockets of damaging winds and large hail. Trees down. At the peak of the event, roughly 20,000 customers had lost power.
1/20/2013			✓	✓	State-wide; Orange County	39 kts; strong winds >50 mph; Scattered reports of tree limbs, tree branches down and power outages across the region (Orange County); statewide ~ 10,000 customers lost power.
10/29/2012			✓		State-wide; Orange County	35-60 mph winds; impact from Sandy Hurricane; a predominant east-northeast wind blew across the region with the strongest winds in northeast Vermont and along some Green Mountain western slope communities. scattered tree and power line damage; total of 35,000 residents without power.
9/8/2012	✓		✓		State-wide; Orange County	50kts; Numerous trees and power lines down by thunderstorm winds.
7/17/2012	✓		✓	✓	County-wide; Orange County	50 kts; numerous thunderstorms with some damaging winds and large hail. Numerous roads impassable due to multiple trees down.
7/4/2012	✓	✓	✓		County-wide; Orange County	50 kts; Several trees down along Route 5. Widespread wind damage and frequent lightning. Wind gusts in Champlain Valley and Lake Champlain 55-65 knots.
6/23/2012	✓	✓			Orange County	isolated thundershowers with lightning. 16 year old male farm worker struck by lightning and died from injury.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
5/29/2012	✓	✓	✓	✓	State-wide; Orange County	50 kts; numerous thunderstorms with heavy rain, damaging lightning and some isolated large hail and strong winds. Some of these thunderstorms deposited up to 2 inches of rainfall in portions of north-central and northeast Vermont. Numerous reports of hail greater than an inch in diameter, damaging winds, along with a confirmed EF0 tornado in West Glover VT.
1/18/2012			✓		State-wide; Orange County	strong, localized damaging west to southwest winds with gusts in excess of 60 mph in elevations above 2000 feet along the Green Mountains with numerous 40 to 50 mph in the valleys. The end result was scattered tree limbs, trees and power lines down along with nearly 2500 customers without power across Vermont.
8/28/2011 - 9/2/2011 *Tropical Storm Irene; DR 4022			✓		State-wide; Orange County	43 kts Orange Cnty; Frequent wind gusts of 35 to 50 mph, especially across exposed higher terrain, along with saturated soils caused widespread downed and uprooted trees.
8/21/2011	✓	✓	✓	✓	County-wide; Orange County	50 kts; Numerous showers and thunderstorms with some containing large hail and damaging winds. Downed trees and power lines; The strongest storm was in Rutland county near North Pawlet, where a microburst produced straight line winds estimated, by a NWS Storm Damage team, between 70 and 90 mph. Hundreds of trees were snapped or uprooted as well as downed power lines and damage to vehicles. In addition, a corn field was flattened by these damaging winds.
6/9/2011	✓		✓	✓	County-wide; Orange County	50 kts; scattered thunderstorms, a few isolated reports of damaging winds and large hail. Numerous trees downed by thunderstorm winds.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
5/26/2011 - 5/27/2011 DR 4001	✓		✓	✓	County-wide; Orange County	Severe weather over two days; 1- 2.5 inch hail; 50 kts wind; scattered severe thunderstorms and localized flash flooding in central and eastern Vermont. Quarter size hail reported. Numerous reports of damaging winds and very large hail. Some 25,000+ customers lost power. Several trees down within Allis State Park. 3 to 5+ inches of rainfall and severe flash flooding and resultant river flooding as well.
4/16/2011			✓		County-wide; Orange County	43 kts, strong winds; numerous reports of trees downed by high winds, reports of trees down and scattered power outages along elevated hillsides within the county.
2/18/2011			✓		State-wide; Orange County	40 kts; A strong cold front; scattered power outages and tree damage across the state with more than 10,000 customers without power. Some reported measured wind gusts included; 49 mph at Rutland airport in Clarendon (Rutland county), 45 mph in Middlebury (Addison county), Montpelier airport in Berlin (Washington county) and Springfield (Windsor county), 44 mph in Ludlow (Windsor county), 41 mph at the NWS office in South Burlington (Chittenden county).
7/21/2010	✓		✓	✓	State wide; Orange County	50 - 75 kts; .75 - 2 inch diameter hail. Thunderstorms developed rapidly, intensified and maintained longevity; scattered & numerous. Several storms strengthened into Super-cells producing widespread wind damage to trees, power poles and structures; large hail in excess of golf ball size in diameter. Winds damaged a farm along Route 5 in Orange County, including flattening one barn and severely damaging others. This thunderstorm caused more than \$200,000 in damages in Orange County to crops and property.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
2/25/2010 2/27/2010			✓		County wide; Orange County	50 kts; Strong easterly winds of 80 to 100 mph along the peaks of the Vermont's Green Mountains and New Hampshire's White Mountains flowed downward across exposed higher terrain and western slope valleys with 45 to 60+ mph wind gusts. Numerous communities witnessed downed tree limbs, branches and some trees that resulted in downed power lines and power outages. Power outages in Vermont ranged from 20,000 to 40,000 customers.
11/28/2009			✓		County wide; Orange County	brisk to strong wind gusts in excess of 40 mph ushered in colder air during the early morning hours of the 28th and caused scattered power outages that affected nearly 8000 people.
8/21/2009	✓		✓		Orange County	50 kts; thunderstorm winds microburst; trees and power lines reported down by thunderstorm winds in and around Chelsea.
7/16/2009	✓	✓	✓	✓	County-wide; Orange County	50 kts; 1 - 3.3 inch hail; Numerous thunderstorms across Vermont, including a few super-cell thunderstorms producing hail up to 3.3 inches in diameter with numerous reports of damage to vehicles, homes, crop and livestock. A brief EF-0 tornado along the Williamstown-Chelsea town line (Orange county). Quarter size hail in Brookfield. The 3.3 inch hail in Westford, had a circumference of 6.8 inches and is the largest recorded hail stone in Vermont.(NOAA)
5/31/2009			✓	✓	County-wide; Orange County	A strong cold front moved across Vermont during the afternoon and resulted in a brief period of strong winds with gusts of 40 to 55 mph along with a 20 degree temperature plunge. These strong winds accounted for numerous reports of fallen trees, scattered power outages throughout Vermont, as well as some accompanied property damage due to fallen trees. There were also numerous reports of pea size hail throughout the afternoon with the arrival of colder air and heavier rain showers.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
5/9/2009	✓		✓	✓	County-wide; Orange County	50 kts; Severe thunderstorms and a developing squall line produced large hail up to an inch in diameter as well as damaging winds that knocked down trees and power lines to portions of central Vermont. In addition, an EF1 tornado developed and briefly touched down in advance of the squall line in the town of Washington (Orange county). Some structural damage occurred to an apartment roof, school awning and destroyed a 60 foot hoop barn made of fabric and steel tubing.
12/24/2008			✓		State wide; Orange County	43 kts; strong winds, Scattered reports of tree limbs, power outages and torn roof shingles were reported across Vermont.
7/21/2008 - 8/12/2008 DR1790 VT	✓		✓		County-wide; Orange County	Severe storms and flooding across Orange County and surrounding counties; power outages.
8/7/2008	✓			✓	Orange County	numerous rounds of showers and thunderstorms. A few of these thunderstorms produced hail ranging from marble (half inch diameter) to quarter size (inch diameter). Damage to vehicles reported.
7/18/2008	✓		✓	✓	State wide; Orange County	50 kts; Severe thunderstorms across state with varying intensity and a tornadic storm with two very brief touchdown with EF0 and EF1 damage in Lamoille County. Another area of thunderstorms moved across central Vermont with pockets of significant damage across Addison, Washington and Orange counties. Tree and power line damage.
6/27/2008	✓		✓	✓	County-wide; Orange County	50 kts winds; Scattered thunderstorms across south central VT; damaging winds and power outages; some large hail in Addison and Rutland Counties.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
6/8/2008 - 6/10/2008	✓		✓		County-wide; Orange County	65 -50 kts; thunderstorm winds in Orange County; two rounds of widespread severe thunderstorms took place in AM and PM. Hundreds to thousands of trees were damaged, downed or uprooted; downed power lines; structural damage to numerous buildings and vehicles. Tens of thousands of customers lost power, with some outages lasting several days. Thunderstorm caused more than \$200,000 in damages to crops and property in Orange County.
8/30/2007	✓			✓	County-wide; Orange County	widely scattered thunderstorms moved across the region with some isolated reports of large hail. Nickel size hail was reported in Wells River (Orange county) with quarter size hail reported in Benson (Rutland county).
8/25/2007	✓	✓	✓		County-wide; Orange County	55 kts; severe thunderstorms; widespread damaging winds; some large hail across central, southern and eastern Vermont. Lightning strikes in Chelsea destroyed a hay barn; Numerous trees downed by thunderstorm winds throughout Brookfield and immediate vicinity; downed power lines and blocked roads. Hay barn destroyed by thunderstorm winds. Thunderstorm caused more than \$200,000 in damages to Orange County.
7/9/2007 - 7/11/2007 DR 1715 VT	✓	✓	✓	✓	County-wide; Orange County	Numerous areas of thunderstorms occurred across the region with a wide variety of weather conditions, which included very large hail, damaging winds and several structures struck by lightning. Baseball size hail was reported in Duxbury (Washington county). Lightning struck a house in Barre (Washington county), destroyed a barn in Bakersfield (Franklin county) as well as destroyed one camp and severely damaged another camp in Randolph (Orange county). Numerous trees and limbs downed.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
6/2/2007	✓	✓	✓	✓	County-wide; Orange County	55 - 60 kts; locally severe thunderstorms; damaging winds that knocked down numerous trees and power lines. A tin barn was collapsed by thunderstorm winds in Bradford (Orange county). Severe storms produced large hail 3/4 inch in diameter or greater, in surrounding counties.
4/16/2007 DR 1698 VT (4/15 - 4/21)			✓		County-wide; Orange County	45 kts; high winds combined with winter storm caused scattered damage in the form of trees or large limbs knocked down and scattered power outages throughout the state.
10/16/2005			✓		Orange County; Orange Town specific	40 kts; high winds from ocean storm system; Countywide tree damage was reported. In the Town of Orange trees were reported blown down on power lines. Power outages were reported across this areas.
9/29/2005	✓		✓		County wide; Orange County; Orange Town specific	35 kts; Showers and thunderstorms with large scale damaging winds. Trees and power lines were blown down countywide across the counties of Orange and Windsor, with numerous power outages. Winds were generally sustained at an estimated 35 to 45 mph with higher gusts. A few specific reports were trees and wires down in the Orange county towns of Bradford, Orange, Tunbridge, Williamstown and Corinth. In Randolph, a tree was blown down on a house with some damage.
8/1/2005			✓	✓	County-wide; Orange County, Town of Orange	55 kts; 1" hail; Severe thunderstorms across eastern Vermont. In Orange county, numerous trees were blown down on cars, especially in the Randolph area. Power was out with power wires blown down. Small hail was reported with the storm. This thunderstorm caused more than \$200,000 in crop and property damage in Orange County.
6/10/2005	✓	✓			Orange County	severe thunderstorm and lightning; lightning strikes killed 17 cows in Stafford
6/29/2003	✓	✓			Orange County	thunderstorm with numerous lightning strikes causes tree fires in Randolph and Braintree in Orange County.

SEVERE WEATHER DATE	EVENT				LOCATION	EXTENT
and FEMA declaration # if applicable	Thunderstorm	Lightning	High Winds	Hail		
8/24/1998	✓		✓	✓	County-wide; Orange County	1.75" hail; Orange county, numerous trees and power lines were blown down in Chelsea and Randolph, while strong thunderstorm winds damaged a barn in Tunbridge. In Bradford, a swath of hundreds of trees and power lines were blown down by strong thunderstorm winds with golf ball size hail. In addition, a tree and a sign was blown down in Randolph.
5/29/1998	✓		✓	✓	County-wide; Orange County	50 kts; high winds, heavy rain, thunderstorm, downed trees and power lines
7/31/1964				✓	County-wide; Orange County	1.5 inch hail.

In Orange, flooding, tree damage, crop and forest product damage, downed power lines and power outages are caused by the hazard of severe weather. The frequency and intensity of the severe weather experienced over the past five years is highly likely to continue into the future. Orange recognized this hazard as one of the top priorities for the community.

At the writing of this Plan, Orange experienced a severe storm on July 1, 2017 through July 2, 2017 which brought heavy rains (up to 4 inches) to already saturated soils, high winds, and thunderstorms. The preliminary damage estimate is \$25,000. The Emery Road closed on July 1 due to damages caused by the failure and washout of three culverts. Failure of one of these culverts resulted in the loss of a residential driveway. Portions of Richardson Road were also damaged as the water crossed over Richardson Road from Emery Rd. Provencher and Riddle Pond Road were damaged as well. The town is in the process of assessing damages and taking action to open the town roads again. By July 2 the resident driveway was restored and the culvert fixed in that location.

SEVERE WEATHER HAZARD OVERVIEW

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	Likelihood of hazard occurring based on past events: <u>Unlikely</u> : <1% probability of occurrence in the next 100 years. <u>Occasionally</u> : 1-10% probability of occurrence per year, or at least one chance in next 100 years. <u>Likely</u> : >10% but <100% probability per year, at least 1 chance in next 10 years. <u>Highly Likely</u> : 100% probable in a year.
Severe Weather (Thunderstorm, Lightning, High Winds, and Hail)	In most areas where roads cross waterways, including bridges and culverts. Areas of most concern include: Route 302 (east of the Village), George Street, Clement Rd, Emery Rd, Eastman Rd, Spencer Hill Rd, Provencher Rd, Manning Rd, Prechtl Rd, Bennett's Mill Rd, Smith Rd, and Reservoir Road.; upland streams and main rivers of Jail Branch and Waits. Forested areas including the Orange Town Forest, Groton State Forest, Barre City Forest and private landowner woodlots. Power lines and poles - town wide	Town road infrastructure: bridges, culverts and low lying roads. Existing 21 Homes in SFHA. Vulnerable populations such as elderly and medically dependent persons. Farmers and loggers who earn livelihood from forest products and crops. Business Utility Companies, GMP and WEC, and town utilities.	TS Irene - 8/26/2011 - 9/2/2011; Major. Water level of Lower Orange Reservoir 1147 (normal 1132 feet). 3-4 inches rain, Montpelier Flood gauge at 19.05 feet (flood stage is at 15 feet); May 2011 - Flash Flood - Major. Montpelier Flood gauge at 17.59 ft., 3-5 inches rain. July 2007 - Flash Flood . Major. 3-6 inches of rain over a 2 hour period. ----- Winds up to 55 knots; hail up to 1.75 inches; numerous trees blown down onto power lines causing power outages. ----- Over 17,280 acres of forested land	2007 flood-damages =\$115,163 2011 flood damages = \$300,000 ----- Thunderstorms costing more than \$200,000 in crop and property damages in Orange County in 7/21/2010, 6/8/2008, 8/25/2007, and 8/1/2005. Specific cost of power outages in the Town of Orange is unknown. ----- Data gap exists;	Highly Likely

6.3 Infectious Disease

The Vermont State Hazard Mitigation Plan states:

“an epidemic emerges when an infectious disease occurs suddenly in numbers that are in excess of normal expectancy. Infectious disease outbreaks put a strain on the healthcare system and may cause continuity issues for local businesses. These outbreak incidents are a

danger to emergency responders, healthcare providers, schools, and the public. This can include influenza (e.g. H1N1), pertussis, West Nile virus, and many other diseases.” The World Health Organization defines pandemic as “an epidemic occurring worldwide, or over a very wide area, crossing international boundaries and usually affecting a large number of people”¹⁰.

The novel coronavirus (SARS-CoV-2) was first detected in China at the end of 2019 and by 2020 became a global pandemic. The disease the virus causes has been named “coronavirus disease 2019” (abbreviated “COVID-19”).

Major dates in the COVID-19 pandemic include:

- December 2019: First human cases of COVID-19 reported by officials in Wuhan, China
- January 21, 2020: U.S. Centers for Disease Control (CDC) confirms first case of COVID-19
- February 2020: United States declares public health emergency due to COVID-19 outbreak.
- March 7, 2020: Health officials announce first case of novel coronavirus in Vermont
- March 11, 2020: State Emergency Operations Center (SEOC) partially activates in response to COVID-19
- March 11, 2020: World Health Organization (WHO) confirms COVID-19 is now a pandemic
- March 13, 2020: COVID-19 is declared a national emergency
- March 13, 2020: Governor Phil Scott declares a state of emergency in Vermont, The Orange Town Office closed shortly thereafter to the public. Work was continued remotely and in the field, while meetings were established remotely.
- March 24, 2020: Governor Scott enacts a ‘Stay Home, Stay Safe’ order directing closure of in-person operations for all non-essential businesses, requiring remote work if possible, and directing residents to reduce trips outside the home to limit human-to-human contact.
- April 10, 2020: Stay Home, Stay Safe order extended to last until May 15, 2020.
- April 17, 2020: Governor Scott issues phased “restart” plan
- January 27, 2021: Vaccinations begin for Vermonters age 75+
- April 6, 2021: Governor Scott releases Vermont Forward Plan- phased reopening guide
- April 19, 2021: Vaccinations for all Vermonters age 16+ open
- June 15, 2021: State of Emergency expires and is not renewed.
- February 26, 2022: The Mask Rule is lifted for the Town of Orange

As of March 23rd, 2023 there have been:

- Statewide: 148,173 cases, 889 deaths (with 3,304 cases and 21 deaths pending validation respectively)
- Orange County: 5,173 cases; 22 deaths

¹⁰ <https://www.who.int/bulletin/volumes/89/7/11-088815/en/#:~:text=A%20pandemic%20is%20defined%20as,are%20not%20considered%20pandemics.>

- Orange: town level data not available

As shown in **Figure 18**, cases in Orange County increased sharply in November and December 2021, plateauing in April 2021, and beginning to climb again in Summer 2021, resulting in a massive spike in early 2022. Individuals 60+ are especially vulnerable to pandemics including COVID-19., while Vermonters of color, Vermonters working in Food Processing, Food Manufacturing, Agriculture Workplaces, those living in long term care facilities, correctional and detention facilities, etc. (VT State Health Department, Data Briefs and Published Articles).




Figure 16 Orange County, Vermont COVID-19 Cases Tracker (NYTimes)

As shown in **Figure 17**, 54% (1067) of COVID-19 cases in Washington County have been in residents age 40 or younger, while 47% of cases have been in residents age 40 or older (as of 2021, the dashboard is no longer operable, so the Washington County results are standing in for Orange County as the overall trends shown in Figure 6 are consistent across the two counties, it is however likely that the cases by age in the Town of Orange skew much more to residents aged 40 or older given the demographic makeup of the town and death records in the annual reports)

To mitigate impacts from COVID-19, the Town implemented several policies and procedures including:

Resident Socioeconomic Support

- Connected residents to resources including hosting links to the [Vermont COVID-19 Resource List](#) and [CARE Program](#) (Citizen Assistance Registration for Emergencies) on the main page of the Town website.
- Town Clerk and leadership supported local community, organizations, managed volunteers and helped establish an emergency management chain of command.

Changes to Town Services

- Closed the Town Office as needed, adapted to provide remote and hybrid meeting options, developed emergency protocols for town meetings, elections, staff, etc.
- Purchased Zoom license to allow Boards, Commissions, and Committees to meet remotely
- Upgraded the Town website, provided updates and resources on Front Porch Forum and via a town email listserv weekly or as often as needed (Emergency Management Director)
- Coordinate on site vaccinations for residents
- Improved digital access to Town records to allow virtual handling of record requests and eliminating need for direct contact with Town Office staff
- Installed Wi-Fi hotspot to provide residents with point of access for telehealth and remote learning
- Attended Governor Scott's bi-weekly press conferences, weekly State Emergency Operations Center (SEOC) briefings, and providing updates to residents via the Town website on the current health and safety guidance from the Vermont Department of Health and the Governor
- Sanitized Town Garage and implemented health and safety protocols for Road Crew

The scale and complexity of COVID-19 has not been seen in this country since the 1918 Spanish Flu. With a major pandemic, the hazard to Orange is its effect on individuals, vulnerable populations, the medical system, and the economy. The current evolving situation makes it impossible at this time to fully understand and capture short and long term impacts in this LHMP. Some impacts noted by the LHMP Planning Team include:

- **Food insecurity – in addition to some proximate grocery stores offering curbside pickup, neighborhoods coordinated shopping trips amongst themselves. Additionally, mutual aid networks and non-profit organizations have delivered food and supplies to multiple households.**
- **Changes/reduction in Town services due to social distancing and health and safety requirements, as noted above (furloughed Road Crew staff for example)**
- **Potential impacts on town revenue due to loss of income - unknown at this time.**

Figure 17 SEQ Figure * ARABIC
8:COVID-19 Cases in Washington County by Age Group. Source: [VDH](#)




Table 16: Pandemic Hazard Risk Assessment

Hazard	Location	Vulnerability	Extent	Impact	Probability
Pandemic	Town wide, County wide, state wide	Seniors, housebound residents, low-income population (more likely to experience food insecurity)	Severe <u>Statewide:</u> 148,173+ cases, 889+ deaths <u>Orange County:</u> 5,173 cases; 22 deaths	Unknown at this time; may impact tax revenues in FY22 and FY23.	Unknown; may reoccur seasonally

6.4 Dam Failure

Manmade and natural dams exist in the Town of Orange. The two manmade dams of concern are the Thurman W. Dix Reservoir Dam (State of VT Dam # 147.01) and the East Barre Dam (State of VT Dam #14.02). Barre City owns the Thurman W. Dix Reservoir Dam. The reservoir serves as the municipal water supply for the city. The dam structure and water reservoirs are located in the Town of Orange. The State of Vermont owns the East Barre Dam with operation by the Department of Environmental Conservation (DEC). It serves as a flood control dam. The dam structure is located in Barre Town and a significant portion of the flood reservoir is located in the Town of Orange. Beaver dams occur throughout the Town of Orange.

The Thurman W. Dix Reservoir Dam is located in the northwest quadrant of town. The Agency of Natural Resources (ANR) Dam Safety Program identifies it as a “high hazard dam”. The Thurman W. Dix Reservoir has three dams located on it – top, middle and spillway. The spillway is a dam of concern, which received damage in the May 2011 rain event. Barre City has since repaired the spillway. The spillway is an earthen dam and has had several slow leaks repaired over the years to prevent leaks onto the road below the dam. It is important to note, when water levels in the reservoir are high, inlet culverts to the reservoir become flooded. It is not well documented; however, high water levels and leakage from the dam and reservoir have impacted the town roads and infrastructure.

The Thurman W. Dix Reservoir Dam #147.01 Emergency Action Plan (EAP) provides information on the potential impacted area and the people and businesses at risk of flooding if the dam should fail and provides the estimated time for the flood wave to travel from the dam to the impacted locations. The EAP identifies one home, one business, and four roads (with the extent of overtopping that will occur), if dam failure should happen. The notification process outlined in the EAP does not specifically mention the Town of Orange or provide a specific Town of Orange contact name and method of contact for use when activating an emergency notification. The lack of communication with the Town of Orange by the dam owner is a big concern for the elected officials and the community. The Town of Orange would like to be better informed on the procedures and evacuation that are identified in the EAP if an event were to occur. In addition, the EAP misidentifies one of the impacted roads, which the Planning Team discovered while reviewing the EAP document as part of updating this Plan. Had the Town been involved and participated in the EAP development process this oversight could have been corrected.

Information taken from the dams EAP dated 1/29/2009, summarizes the Thurman W. Dix Dam description.

Height: 48 ft.	Drainage Area: 9.1 mi ²
Built: 1950	Hazard Classification: High
Legal Description: Not Applicable	Dam Operator: City of Barre
Latitude: 44.18082	Major Property Owner: N/A
Longitude: 72.42586	Dam Designer: City of Barre
National Inventory of Dams No: VT00069	

The East Barre Dam is located in the Town of Barre on the Jail Branch approximately 4.4 miles up from the confluence with the Stevens Branch at the City of Barre. A significant portion of the flood reservoir is in the Town of Orange. Looking from VT Route 110 and US Route 302 the dam and

reservoir are visible. The dam was primarily constructed for flood control but also has a small conservation pool maintained for recreational use and hydropower. The State of Vermont owns the dam and the DEC operates it. As noted in the EAP prepared by DuBois & King, Inc., the East Barre Dam “consists of a rolled earth embankment, having a maximum height of 65 feet and an embankment length of 1,460 feet, exclusive of the spillway. The spillway consists of a concrete overflow-section. The concrete over-flow section has an effective crest length of 174 feet. The low-level outlet at the dam consists of a reinforced concrete rectangular conduit 4.0 feet wide by 7.0 feet high...” It too is categorized by the State of Vermont as a “high hazard” dam.

The EAP for East Barre Dam was last updated in 2012. Like the Thurman W. Dix Reservoir Dam, of concern is the lack of communication by the dam owner and operator with the Town of Orange. Again, the Town of Orange is not listed in the Contact list or Emergency Notification Chart and procedures. Although the majority of damage and risk is to the surrounding communities downstream of the dam with minimal risk of damage to the Town of Orange, Orange would like to be better informed on the procedures and evacuation that are identified in the EAP if an event were to occur. The *Impact of Breach*, detailed in Appendix B of the 2012 EAP, identifies the populations and major transportation corridors, as well as the level of water rise and inundation expected in the event of a dam failure.

Table 17 East Barre Dam Basic Data (2012 East Barre Dam EAP of 2012)

EAST BARRE DAM
BASIC DATA

DESCRIPTION	DATA	COMMENT
Drainage Area	38.7 sq. mi.	At East Barre Dam
Dam Height	65 feet	Top of dam at maximum height
Surface Area at Conservation pool	20 acres	Water level at the conservation pool elevation is 1124.9
Storage at Conservation pool	40 acre-feet	Water level at the conservation pool elevation is 1124.9
Distance from fixed concrete spillway to top of dam	20.0 feet	Elevation of spillway 1165.0 Elevation of top of dam 1185.0

The ranking as a “high hazard” dam is based on DEMHS classification, “according to the dam’s potential for causing loss of life and property damage in the area downstream of the dam if it were to fail” and uses a Downstream Hazard Classification system like that used by the U.S. Army Corps of Engineers as found in Table 4-24 in the Vermont State Hazard Mitigation Plan, November 2013 on page 4-95 and as shown below. The ANR Dam Safety Program inventory has 1240 dams of which 61 are high hazard dams. Of the 61 high hazard dams, ANR has jurisdiction for 40 of them including the Thurman W. Dix Reservoir Dam and the East Barre Dam. According to the State Hazard Mitigation Plan, none of the ANR regulated dams are in imminent danger of failure.

Table 4-24
Downstream Hazard Classification of Dams

Class	Hazard Category	Potential Loss of Life	Potential Economic Loss
3	Low	None expected (No permanent structures for human habitation)	Minimal (Undeveloped to occasional structure or agriculture)
2	Significant	Few (No urban developments and no more than a small number of inhabitable structures)	Appreciable (Notable agriculture, industry, or structures)
1	High	More than few	Excessive (Extensive community, industry, agriculture)

Since the adoption of the 2017 Town of Orange Hazard Mitigation Plan, the ANR Dam Safety Program has updated and performed studies on the various dams throughout the state and has made available the EAP and inundation area maps to the communities and posted them on their website. Josh Cox, Critical Infrastructure Planner at DEMHS and Steven Hanna, Dam Safety Engineer with ANR DEC provided the EAPs and inundation area maps to the Town of Orange as part of this Plan update process. The inundation area map for the Thurman W. Dix Reservoir Dam is an attachment to this Plan. Because the East Barre Dam inundation area in the event of failure has minimal risk to the Town of Orange is it not attached to this Plan. The EAPs and the inundation area maps for each dam are now located in the Town Offices and available in hard copy and electronically by asking the Town Clerk for assistance.

Breached beaver dams also present the potential of flooding. According to Vermont Fish & Wildlife Department's website, "beaver populations in Vermont increased by more than 130% from 1980 to 1990, as a result of less trapping pressure." This increase also indicates an increase in beaver activity. In Orange, one beaver dam existed at the eastern end of Riddle Pond, located adjacent to Route 302, east of the village. This dam was removed to prevent flooding. In addition to the dam at Riddle Pond, the Town Plan states that "there exist numerous small ponds scattered throughout the Town," and "in many cases beaver dams have created these smaller ponds." To address this hazard, the Town hires trappers to control the beaver populations on a regular basis and this has become part of the routine maintenance to protect town roads. There currently exists no history of dam failure in regards to the manmade or beaver dams, but the potential exists. The following matrix provides an overview of the hazard.

DAM FAILURE OVERVIEW

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	Likelihood of hazard occurring based on past events: <u>Unlikely</u> : <1% probability of occurrence in the next 100 years. <u>Occasionally</u> : 1-10% probability of occurrence per year, or at least one chance in next 100 years. <u>Likely</u> : >10% but <100% probability per year, at least 1 chance in next 10 years. <u>Highly Likely</u> : 100% probable in a year.
Dam Failure	Thurman W. Dix Reservoir Dam mapped Inundation Area: includes Lord Road, Reservoir Road, Town Highway 14, US Route 302, Jail Branch, area streams and residences within the vicinity.	Thurman W. Dix Reservoir, Lord Road, Reservoir Road, Town Highway 14, US Route 302, one household, one business, public infrastructure including Barre City water treatment facility structures; fluvial erosion of Jail Branch and area streams, town roads, private property;	No notable events have occurred. The potential if failure occurs is the overtopping of the Lord Road by 16.5 ft.; Reservoir Road by 13.5 ft.; Town Highway 14 by 25 ft. at the intersection with Reservoir Road; and US Route 302 by 11 ft.; Most notable event is minimal leakage; no minor or major failure has occurred to date.	Dollar value or percentage unknown. No known dam failure recorded occurrences.	Occasionally
Dam Failure	East Barre Dam mapped Inundation Area: includes area populations in Barre City, Barre Town, Montpelier, Middlesex, and Moretown; public and private infrastructure, roads, residences, businesses, natural features, rivers; historic structures;	Failure will impact communities downstream with minimal impact to Orange; In Orange - flooding of private and public lands adjacent to the flood reservoir as it rises. Appendix B <i>Impact of Breach</i> , found in the East Barre Dam EAP dated 2012 provides detail of the vulnerabilities as well as the extent.	No known event. Major if failure happened with loss of life and property probable.	Dollar value or percentage unknown. No known dam failure recorded occurrences.	Unlikely
Dam Failure	beaver ponds in natural environment in rural areas of town; upland streams; culverts	town wide roads, driveways, culverts	Minimal - Annual trapping performed to reduce risk as part of routine road maintenance	8 beavers trapped in 2016 at a town cost of \$500; contract between trapper and town.	Occasionally - Likely

6.5 Hurricane/Tropical Storms

Hurricanes and tropical storms are violent rainstorms with strong winds that have large amounts of rainfall and can reach speeds up to 200 mph. The Vermont State Hazard Mitigation Plan further defines a hurricane as, “a tropical cyclone with sustained winds that have reached speed of 74 mph or higher. A storm reaches hurricane status only after strengthening over a period of days or even weeks.” In contrast, “a tropical storm has a maximum sustained one-minute wind speed of 39-73

mph. The National Weather Service names a tropical cyclone (hurricane) once it reaches the status of a tropical storm. Many hurricanes are downgraded to tropical storms before they reach Vermont. Hurricanes and tropical storms bring the additional hazards of flooding, high winds, heavy precipitation, and fluvial erosion. According to the Vermont State Hazard Mitigation Plan, severe hurricanes are not considered likely nor pose a recurring threat to Vermont but tropical storms do.

In Vermont, the storm season is between the months of June and November. These types of storms originate in the warm waters of the Caribbean and move up the Eastern seaboard where they lose speed in the cooler waters of the North Atlantic. Severe storm events can occur late spring and early summer as temperatures increase in the summer season. The frequency and intensity of hurricanes and tropical storms is expected to increase with climate change.

The Saffir-Simpson Hurricane Wind Scale is used to determine the rating of a hurricane based on sustained wind speed. There are five categories used to classify a hurricane based on the potential for significant loss of life and property damage. Category 1 is very dangerous, Category 2 is extremely dangerous, Category 3 is devastating (major), Category 4 is catastrophic (major), and Category 5, the worst, is catastrophic (major). For further detail on the types of damage due to hurricane winds go to the table 4-15 in the VT State Hazard Mitigation Plan.

Table 18 Hurricane and Tropical Cyclone Classifications

Saffir-Simpson Scale for Hurricane Classification				
Strength	Wind Speed (Kts)	Wind Speed (MPH)	Pressure (Millibars)	Pressure
Category 1	64-82 kts	74-95 mph	>980 mb	28.94 "Hg
Category 2	83-95 kts	96-110 mph	965-979 mb	28.50 - 28.91 "Hg
Category 3	96-113 kts	111-130 mph	945-964 mb	27.91 - 28.47 "Hg
Category 4	114-135 kts	131-155 mph	920-944 mb	27.17 - 27.88 "Hg
Category 5	>135 kts	>155 mph	919 mb	27.16 "Hg
Tropical Cyclone Classification				
Tropical Depression	20-34 kts			
Tropical Storm	35-63 kts			
Hurricane	64+ kts or 74+ mph			

Information to complete the history of occurrences was taken from the National Oceanic and Atmospheric Administration (NOAA), National Center for Environmental Information (NCEI), formally the National Climate Data Center, the FEMA Declared Disasters in Vermont database, the State of Vermont Hazard Mitigation Plan 2018 and 2023 and town records.

Hurricane/Tropical Storm History of Occurrence

Hurricane / Tropical Storm Date and DR #	EVENT	LOCATION	EXTENT
8/27/2011 - 9/2/2011 (DR 3338 VT) (DR 4022 VT)	Hurricane Irene Tropical Storm Irene	State-wide	5-7 inches rain across Orange County; 3-4 inches of rain in Town of Orange; flash flooding, fluvial erosion; power outages; downed trees; property and crop damage; significant damage to roads and bridges. Winds 43 knots. Montpelier flood gauge at 19.05 feet (flood stage is at 15 feet). Town of Orange federal share obligated \$7,125.58. This flood event will likely rank second to the November 1927 flood in the scope of meteorological and hydrological conditions/impacts as well as loss of life (84 in 1927), but likely first in monetary damage ((approx. \$500. million statewide vs. \$350. million (1927 in 2010 dollars)). There were nearly 2400 roads, 800 homes/businesses, 300 bridges and a half dozen railroad tracks destroyed or damaged from the flooding caused by Irene.
9/16/1999 - 9/21/1999 (DR 1307 VT)	Tropical Storm Floyd	State-wide	3 - 6 inches of rain state-wide; 5 1/2 to 6 1/2 County-wide. Montpelier flood gauge at 9.3 feet. High winds, 51 knots reported in Orange County. Town of Orange federal share obligated was \$27,766.54. Strong winds combined with saturated soils from heavy rain resulted in many trees and power lines being blown down. A death occurred when a tree fell on a mobile camper in Randolph. Power outages were reported, especially in Randolph, Bradford and Wells River. Schools were closed in Bradford and Wells River. The annual "World's Fair", held in Tunbridge, Vermont was closed due to weather and power outages.
8/9/1976	Hurricane Belle	State-wide County-wide	intense rains over much of the state, numerous power outages. Detailed rainfall and power outage data are unknown for this event. Montpelier flood gauge at 12.31 feet.
9/22/1938	Hurricane ("Long Island Express")	State-wide	The Great New England Hurricane hit Vermont as a Category 1 storm. High winds severely damaged trees, power lines and buildings. Montpelier flood gauge at 14.11 feet. Detailed rainfall and power outage data are unknown for this event.

Perhaps the most well-known tropical storm to reach Vermont was Tropical Storm Irene in August of 2011. A federally declared disaster resulted (DR 4022 VT). The state saw up to 11 inches of rain with the heaviest rainfall occurring in the mountains of central and southern Vermont. The town of Orange received 3-4 inches of rain on August 28 and overall during the storm 7.4 inches of rain fell on Orange. The Orange reservoir was 15 feet above normal levels. The Montpelier flood gauge was at 19.05 feet; flood stage is at 15 feet. Town-wide flooding, fluvial erosion, and flash floods resulted. Winds of 43 knots were reported in Orange County. This tropical storm caused major damage statewide with catastrophic flooding and fluvial erosion causing state and local roads to be devastated, washed out and closed with massive damage to the entire transportation network including bridges and railroads. Major property damage to the public and private sector with the destruction and damage to homes and businesses, infrastructure, and crops. Three deaths resulted from the storm with many people injured. Orange County received over 5 million dollars of damages. The federal share obligated to the Town of Orange was \$7,125.58. Additional hazard mitigation grant funds were awarded to upgrade and expand the box culverts on George Street, Manning Rd, and Precht Rd and the work has been completed. See flood hazard section for further details.

In September of 1999, Vermont was hit with Tropical Storm Floyd and a federally declared disaster resulted (DR 1307 VT). This storm caused flooding and wind damage state-wide. Approximately 3,000 people were without power in the Central Vermont Region. About 7" of rain fell over Orange; however, flood impacts were offset by drought conditions from earlier in the year. The Montpelier

flood gauge was at 9.3 feet. The federal share obligated to the Town of Orange was \$27,766.54. There was one fatality during this storm (not in Orange).

Hurricane Belle brought intense rains to the state in 1976 resulting in numerous power outages. The Montpelier flood gauge was at 12.31 feet. In 1938, the hurricane known as the “Long Island Express” hit Vermont with devastating winds and up to 4 inches of rain. It was a fast moving hurricane that caused severe flooding, took out power lines, downed trees, and destroyed buildings. The Montpelier flood gauge was at 14.11 feet.

HURRICANE / TROPICAL STORMS OVERVIEW

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	<p>Likelihood of hazard occurring based on past events:</p> <p><u>Unlikely</u>: <1% probability of occurrence in the next 100 years.</p> <p><u>Occasionally</u>: 1-10% probability of occurrence per year, or at least one chance in next 100 years.</p> <p><u>Likely</u>: >10% but <100% probability per year, at least 1 chance in next 10 years.</p> <p><u>Highly Likely</u>: 100% probable in a year.</p>
Hurricane/ Tropical/ Severe Storms	Town Wide - Route 302 (east of the Village), George Street, Clement Rd, Emery Rd, Eastman Rd, Spencer Hill Rd, Provencher Rd, Manning	Large trees, power lines, culverts/bridges, forested areas in town, crops, roads, tall buildings, steeples.	Irene - 7.4" rain, Lower Orange Reservoir – 1147 feet (normal 1132 feet), significant road/ culvert damage, power outages. Floyd – Wind gusts recorded at 31 mph, 7" of rain, Montpelier	2011 damages in Orange County over 5 million in property damages. In Town of Orange: Irene – Federal share obligated \$7,125.58 w/4 projects as well as HMGF funds. Floyd – Federal share obligated \$27,766.54 w/6	Likely

Rd, Prechtl Rd, Bennett's Mill Rd, Smith Rd, Town Forest, Groton State Forest, Barre City Forest, reservoirs		flood gauge at 14.11 feet	projects	
---	--	------------------------------	----------	--

6.6 EXTREME COLD/WINTER STORM / ICE STORM

Vermont is known for its cold snowy winters and Vermont towns and their residents are generally equipped to handle this weather. It is when the winter weather becomes extreme that a hazard is created. Severe winter storms bring heavy snow loads, ice, damaging winds, dangerous wind chills, below zero temperatures, power outages, downed trees and power lines, collapsed roofs and buildings, stranded motorists and vehicles, and school closings.

A winter storm is defined as a storm that generates sufficient quantities of snow, ice or sleet to result in hazardous conditions and/or property damage. Ice storms are sometimes incorrectly referred to as sleet storms. Sleet is similar to hail only smaller and can be easily identified as frozen rain drops (ice pellets) that bounce when hitting the ground or other objects. Sleet does not stick to wires or trees, but in sufficient depth, can cause hazardous driving conditions. Ice storms are the result of cold rain that freezes on contact with the surfaces coating the ground, trees, buildings, overhead wires and other exposed objects with ice, sometimes causing extensive damage. Periods of extreme cold tend to occur with these events.

One of the major problems associated with ice storms is the loss of electrical power. Major electric utility companies have active, ongoing programs to improve system reliability and protect facilities from damage by ice, severe winds and other hazards. Typically, these programs focus on trimming trees to prevent encroachment of overhead lines, strengthening vulnerable system components, protecting equipment from lightning strikes and placing new distribution lines underground.

Wind chills can be life threatening. The wind chill temperature is how cold a person or animal feels when outside. Wind chill is based on the rate of heat loss from exposed skin caused by wind and cold. As wind increases, it draws the heat from the body through exposed skin and reduces the body's skin temperature and eventually the body's core temperature. Often times exposed skin can freeze within minutes of exposure.

Orange experiences frequent occurrences of severe winter weather, extreme cold temperatures, and ice storms. The chart of historical occurrences in this Plan identifies some of the more significant events from 1998 to the present. Information to complete the history of occurrences was taken from the NOAA NCEI, FEMA Declared Disasters in Vermont database, the State of Vermont Hazard Mitigation Plan dated November 2018, and town records.

Table 19 Extreme Cold/ Winter Storm/Ice Storm Historical Occurrences

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
3/31/2017	Winter Storm	County-wide Orange County	6 to 12 inches of a heavy, wet snow fell across the region. Significant snowfall accumulations above 1000-1200 feet. Scattered power outages and numerous vehicle mishaps.
3/14/2017 - 3/15/2017	Winter Storm	State-wide; Orange County	A major nor'easter with heavy intense snowfall. Total snowfall across Vermont was 12 to 36+ inches with northwest Vermont experiencing the heaviest snowfall. Snowfall totals across Orange County were largely 12 to 18 inches. Blizzard to near blizzard conditions in areas. Numerous schools, businesses and local government offices closed for March 14th and 15th with numerous vehicle accidents and stranded vehicles
2/12/2017 - 2/13/2017	Winter Storm	State-wide; Orange County	6 to 12 inches of snow statewide with some localized higher amounts. Impacts were largely travel related with nearly all school districts closed on the 13th.
12/29/2016	Winter Storm	County-wide Orange County	6 to 12 inches of snow was observed in Orange County.
11/29/2016	Ice Storm	County-wide Orange County	Precipitation in the form of freezing rain moved into central and eastern VT around daybreak and lasted for several hours with less than one tenth ice accretion. Dozens of vehicle accidents and thousands of commuters stranded/impacted as state roads and Interstates 89/91 were closed or impassable in spots.
2/2/2015	Winter Storm/ Extreme Cold	State-wide; Orange County	Snowfall across Orange county was 6 to 12 inches. Cold temperatures only near zero degrees.
2/1/2015 - 2/28/2015	Winter Storm/ Extreme Cold	State-wide; Orange County	February 2015 record cold for much of VT. Recorded 15 to 20+ days below zero and on several days, dangerously cold wind chills of 30 below zero or colder occurred. Many communities witnessing the coldest month since December 1989 or January 1994. The average departure was 13 to 17 degrees below normal. Damage to infrastructure, frozen water mains, etc. totaled at least \$1 million.
1/7/2015 - 1/8/2015	Extreme Cold	State-wide; Orange County; Town of Orange	Plummeting temperatures and brisk, strong winds (15 to 30+ mph) caused dangerously cold wind chills of 25 to 40 degrees below zero during the evening of January 7th into the morning hours of January 8th. Observed wind chills in the mountains ranged from 40 to 70 below zero. School closings and 2 hour delays. Actual morning low temperatures on January 8th were 15 below to 25 below zero in Orange county, including 25 degrees below zero at Corinth, 23 below zero in Brookfield, 22 below zero in Newbury and Orange , 19 below zero in Randolph and Thetford and 18 below zero in Union Village.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
12/9/2014 - 12/12/2014 DR 4207 VT	Winter Storm	County-wide; Orange County	This storm was comprised of three phases. Phase 1 - (12/9/14) rain and wet snow changing to a heavy, wet snow; Phase 2 - (12/10/14) moderate snowfall in central and northern Vermont; and Phase 3 -(12/11 - 12/12 /2014) - scattered snow showers .Snow to water ratios of 8:1 or less accounted for snow-loaded trees that resulted in more than 175,000 power outages and numerous vehicular accidents. This was the 2nd most power outages due to weather in the state of Vermont. Orange County: Heavy, wet snowfall totals across Orange county ranged from 4 to 18 inches.
11/26/2014 - 11/27/2014	Winter Storm	County-wide; Orange County	Snowfall totals of 8 to 12 inches were common with 12 inches in Braintree, 11 inches in Randolph Center and 10 inches in Corinth. With holiday commuters, numerous vehicle accidents across the state.
3/12/2014 - 3/13/2014	Winter Storm	State-wide; Orange County	Heavy snow fall accumulation over two days with strong wind gusts up to 35-40 mph, considerable blowing and drifting of the snow. Snow mixed or changed to sleet and rain in southern Vermont. Numerous motor vehicle accidents, and school and business closures. Snowfall totals across Orange County: were generally 15 to 20+ inches.
2/13/2014 - 2/14/2014	Winter Storm	State-wide; Orange County	Two bands of heavy snowfall; snowfall rates of 1-2 plus inches an hour. Total snowfall ranged from 15 to 24 inches in central and eastern Vermont with the heaviest across the southern Green Mountains. Snowfall across Orange County was 12 to 18 inches. Hazardous travel, school closings
2/5/2014	Winter Storm	State-wide; Orange County	8 - 12 inches of snow fell across Orange county. Snowfall was at its peak during both the morning and afternoon/evening commutes causing hazardous travel.
12/29/2013	Winter Storm	County-wide; Orange County	Orange County received 5 to 10 inches of wet heavy snow, especially in the higher terrain.
12/14/2013 - 12/14/2013	Winter Storm	State-wide; Orange County	A widespread 10 to 15 inches of snow fell across Orange county. Numerous vehicle accidents
3/19/2013	Winter Storm	County-wide; Orange County	6-12 inches of snow fell across the county, the lower amounts in the valleys and higher amounts above 1000 feet. There were an unusual high amount of vehicle accidents involving tractor trailers across portions of Vermont.
2/8/2013 - 2/9/2013	Winter Storm	State-wide; Orange County	This snowfall event was a two-part system across Vermont. The second event was a large, powerful Nor'easter. 6 - 15 inches of snow fell across Orange County with the higher totals across southern sections.
12/26/2012 - 12/28/2012	Winter Storm	State-wide; Orange County	This was the first widespread snowfall of more than 6 inches since March 2011.Snow fell heavily at times (snowfall rate of 1-2 inches per hour). Snowfall accumulations of 12 to 18 inches were common with 6 - 15 inches observed in Orange County.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
11/23/2011	Winter Storm	County-wide; Orange County	Snow mixed with freezing rain and rain at times, accounting for a heavy, wet accumulation. Snowfall accumulations in Vermont ranged from several inches in the Champlain Valley to 6 to 12 inches across central and eastern Vermont. Orange County: 5-10 inches observed. Numerous vehicle accidents during the morning commute. Isolated to scattered power outages w/ downed lines; bent and broken tree limbs.
3/6/2011 - 3/7/2011	Winter Storm Ice Storm	State-wide; Orange County	Mixed storm- rain to sleet to snow. Orange County snowfall amounts of 6 to 12 inches were reported as well as 1/4 inch of ice, especially Connecticut River valley. Most roads were impassable with numerous accidents and stuck vehicles with portions of Interstate 89 closed multiple times. Burlington Int'l Airport was closed from midday on the 6th to midday on the 7th. Nearly 10,000 customers lost electrical power, nearly all school districts were closed on the 7th along with local/state governments. Slightly more than a dozen dairy farms lost milk production due to trucks unable to reach farms and production facilities. Rapid snow melt and heavy rainfall accounted for ice-covered rivers to swell and cause ice flows. There were several reports of ice jams and flooding related problems in the Passumpsic, Missisquoi and Winooski river valleys.
2/25/2011	Winter Storm	County-wide; Orange County	Snowfall amounts of 6 to 10 inches were observed in Orange county.
2/5/2011 - 2/6/2011	Winter Storm Ice Storm	State-wide; Orange County	State-wide: quick-hit storm; snowfall rates up to 3 inches per hour. A heavy wet snowfall (8:1 snow/water ratios) of 6 to 12 inches occurred across the northern third of Vermont, 4 to 8 inches of snow and sleet with some freezing rain across the central third of Vermont and primarily sleet and freezing rain with a few inches of snow across southern Vermont. Orange County 6-9 inches snowfall accumulations. Several organized lines of thunderstorms containing snow, sleet or freezing rain that moved across the entire state between 830 and 10 pm EST. Snow depths (and Snow water equivalents) after this storm were generally 18 to 30 inches (4 to 6 inches in the valleys with 36 inches or greater (6+ inches) across the higher terrain. This resulted in heavy snow loads and nearly a dozen structure failures of garages, barns and carports. A few of these barn collapses injured or killed livestock
2/2/2011	Winter Storm/ Extreme Cold	State-wide; Orange County	Snowfall totals across Orange county = 10 to 15 inches. Snowfall rates in excess of 2 inches per hour at times, before ending during the evening. Snowfall totals of 10 to 20 inches were common across Vermont.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
12/26/2010 - 12/27/2010	Winter Storm	State-wide; Orange County	In Orange County snowfall totals of 6 to 15 inches with localized higher amounts, north winds of 15 to 25 mph with gusts approaching 40 mph caused blowing and drifting snow. Numerous vehicle accidents and some isolated to scattered power outages were witnessed.
2/23/2010 - 2/24/2010	Winter Storm	County-wide; Orange County	A heavy wet snow fell across Vermont that resulted in snowfall accumulations of 6 to 30 inches with the higher amounts in the higher terrain of central and southern Vermont. The weight of the heavy snow accounted for widespread power outages across the region that resulted in upwards of 50,000 customers without power. Some specific snowfall totals for Orange County include; 26 inches in Randolph Center and Brookfield
2/22/2009 - 2/23/2009	Winter Storm	State-wide; Orange County	Widespread heavy snows. Snow fall of 10 to 18 inches across much of central and eastern Vermont. Brisk northwest winds 10 to 20 mph with gusts to 30 mph resulting in considerable blowing and drifting of the snow which impacted travel across the region.
1/28/2009	Winter Storm	County-wide; Orange County	Snowfall accumulations generally 8 to 14 inches in Vermont with the higher amounts across the hilly terrain of central and eastern Vermont. Reported high snowfall amounts in Orange County of 13 - 17 inches. There were numerous reports of motor vehicle accidents throughout Vermont.
1/14/2009 - 1/16/2009	Extreme Cold	County-wide; Orange County	Temperatures dropped over 20 degrees within several hours. Temperatures averaged 20 to 25 degrees below normal values, which were already at climatological winter minimums. Surrounding communities got down to 29 below zero as recorded in Plainfield. Record cold daily temperatures were set on January 16th for the following sites; Morrisville-Stowe Airport with 32 degrees below zero, St. Johnsbury Fairbanks Museum with 30 degrees below zero, Montpelier-Barre Airport at 26 degrees below zero and Burlington International Airport at 21 degrees below zero. These extremely cold temperatures led to numerous cold weather related problems including numerous dead vehicle batteries and broken home/business water pipes.
1/7/2009	Winter Storm Ice Storm	County-wide; Orange County	Total snowfall accumulations were 6 to 10 inches in northern Vermont with no ice accretion and 4 to 7 inches in central and southern Vermont with up to 1/4 inch of ice accumulation. These wintry conditions led to numerous motor vehicle accidents as the storm occurred both during the morning and evening commutes.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
12/19/2008 - 12/21/2008	Winter Storm Ice Storm	County-wide; Orange County	12/19 & 12/20 Snowfall in the region reached 12 inches then a second significant snowfall accumulation of 6 to 10 inches across western Vermont with 10 to 18 inches across central and eastern Vermont occurred, leaving total snowfall of 2 - 2.5 feet. Vehicle accidents and snow removal resources were exhausted. Snowfall totals in excess of 24 inches within 36 hours led to blocked ventilation pipes, carbon monoxide injuries, and collapsed small farm structures due to the weight of the snow.
12/11/2008 - 12/12/2008	Ice Storm/ Winter storm mix	County-wide; Orange County	Freezing rain, freezing drizzle, and sleet across central and northern Vermont before it changed back to a brief period of snow. Combined snow and sleet accumulation in central and northern Vermont ranged from 5 to 9 inches along with a glaze coating of ice. Ice accumulation across southern Vermont ranged from one quarter to one half an inch. This storm caused hazardous driving conditions, numerous school closings, civic and government closings, and power outages.
12/8/2008	Extreme Cold	State-wide	Frigid temperatures of 5 above to 10 below zero along with brisk northwest winds of 10 to 20 mph with higher gusts at times. Wind chill readings during the early to mid-morning hours were 15 to 25 below zero across Vermont.
3/4/2008 -3/5/2008	Ice Storm	State-wide	Snow and sleet changing to freezing rain . Freezing rain accumulated around 1/4 of an inch across portions of Vermont. Strong winds which gusted to near 50 mph combined with accumulated ice on trees that resulted in scattered downed tree branches and limbs. School cancellations, scattered power outages and numerous vehicle accidents resulted from the very hazardous conditions.
2/26/2008 - 2/27/2008	Winter Storm	County-wide; Orange County	Snowfall accumulations across Vermont were 6 to 12 inches with localized amounts around 15 inches in favored northwest slopes. In addition, brisk northwest winds of 15 to 25 mph with higher gusts created blowing and drifting snow.
2/6/2008 - 2/7/2008	Winter Storm	County-wide; Orange County	Storm total snowfall across much of Vermont 10 to 16 inches with 6 to 10 inches closer to the Canadian border and 4 to 8 inches with some sleet and freezing rain along southern Rutland and southern Windsor counties. Snowfall amounts and intensity caused numerous vehicle accidents and school cancellations.
2/1/2008 - 2/2/2008	Winter Storm mix / Ice Storm	County-wide; Orange County	Significant wintry mix of snow, sleet and freezing rain across portions of north central and northeast Vermont with combined snow and sleet accumulations of 3 to 7 inches along with accumulating ice between 1/4 to < 1/2 inch. Hazardous road conditions, numerous vehicle accidents and multiple school, civic and government closings

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
12/16/2007 - 12/17/2007	Winter Storm	County-wide; Orange County	Storm total snowfall accumulations across Vermont were 8 to 18 inches. Regional high snowfall totals included 14 - 18 inches. Winds of 15 to 25 mph with stronger gusts accompanied the steadier snowfall that resulted in considerable blowing and drifting of the snow with greatly reduced visibilities.
12/2/2007 - 12/4/2007	Winter Storm mix snow/sleet/freezing rain	County-wide; Orange County	A mixture of snow, sleet and freezing rain. Wide-spread snowfall accumulations 6 to 12 inches across Vermont with localized higher amounts in favored upslope regions of the western slopes of the Green Mountains and higher elevations of northern Vermont. 16 inches reported in Orange County. Numerous vehicle accidents as well as cancellations of schools, businesses and civic organizations.
3/16/2007 - 3/17/2007	Winter Storm	County-wide; Orange County	Snowfall totals were generally 9 to 13 inches across Vermont.
3/9/2007	Extreme Cold	County-wide	Frigid temperatures 10 to 34 degrees below zero, which included record lows at the following three sites; Burlington, Montpelier and St. Johnsbury. Regional lows recorded 19 - 22 below zero.
3/6/2007 - 3/7/2007	Extreme Cold	State-wide; Orange County	Frigid temperatures along with blustery winds. Temperatures 5 to 30 degrees below zero. Winds 15 to 30 mph, dangerously cold wind chills of 20 to 40 degrees below zero. Regional lows reported 12 - 25 degrees below zero.
3/2/2007	Winter Storm mix	County-wide; Orange County	Combined snow and sleet accumulations across central and eastern Vermont 6 to 8 inches in the valleys, over 12 inches in upslope regions of higher terrain. Heavy wet snow and mixed precipitation created treacherous road conditions causing numerous vehicle accidents.
2/14/2007	Winter Storm/ Extreme Cold	State-wide	Heavy snow 15-35 inches across the state. Deep snow drifts 4 to 6 plus feet. Snowfall rates of 2 to 4 inches per hour and brisk winds of 15 to 25 mph with wind chill values of 10 degrees below zero or colder. Whiteout conditions at times, along with considerable blowing and drifting of the snow, making roads nearly impassable. The National Weather Service office in South Burlington set an all-time record 24 hour snowfall of 25.3 inches. Orange County recorded snowfalls of 21 - 31 inches. Numerous problems: blocked heat vents causing carbon monoxide poisoning sending dozens of people seeking treatment at area hospitals, vehicle accidents, cardiac arrests due to overexertion during snow removal, partial or total collapse of 20 or more barn roofs and the deaths of more than 100 cattle. Snow removal operations took several days and up to a week in some urban communities.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
1/25/2007 - 1/29/2007	Extreme Cold	State-wide	Extended period of extreme cold temperatures and wind chill factor. Temperatures 0 - minus 30 below zero with winds 10 - 15 mph creating wind chill factor of 25 - 40 degrees below zero.
1/15/2007	Winter Storm / Ice Storm	Orange and Windsor County	Snow mixed with sleet as it transitioned to freezing rain. Ice accumulation ranged from 3/8 to slightly over 1/2 of an inch. Snow and sleet accumulations were around 2 inches. Numerous vehicle accidents, and downed trees and power lines throughout the two counties.
1/1/2007	Ice Storm	State-wide	Freezing rain accumulated to between 1/4 to 3/8 of an inch across Vermont, resulting in slick roads and several vehicle accidents.
2/27/2006	Extreme Cold	State-wide	A combination of brisk winds and very cold temperatures produced wind chills of 15 to 30 degrees below zero.
1/15/2004 - 1/16/2004	Extreme Cold	State-wide	Wind chills during this period were generally between 25 and 45 below zero. Temperatures around state at -6 to -11 and -24 at the summit Mount Mansfield. Some sprinkler systems froze and burst in several area locations. One location on the University of Vermont campus resulted in 100,000 dollars of damage. Temperatures broke VT records.
1/13/2004 - 1/14/2004	Extreme Cold	State-wide	Wind chills were generally between 25 and 45 below zero.
12/15/2003	Winter Storm	Orange and Washington Counties	Heavy snowfall. Across both counties snowfall accumulations were generally 10 to 20 inches. Minor traffic accidents were reported.
12/06/2003 - 12/07/2003	Winter Storm	Orange and Windsor Counties	Steady heavy snow over two days. Snow accumulations were generally: between 12 and 20 inches in both Windsor and Orange counties.
1/4/2003	Winter Storm	Orange, Windsor, and Rutland Counties	Accumulations were generally between 10 and 20 inches. Brookfield (Orange county) reported 13 inches. Roads were treacherous. A few power outages were reported in Windsor county.
12/25/2002 - 12/26/2002	Winter Storm	Orange, Windsor, and Rutland Counties	Total accumulations ranged from 10 to 20 inches, with the heaviest amounts in the mountains. In Orange county, Thetford reported 14 inches. Local travel was difficult.
3/30/2001	Winter Storm	Orange, Washington, and Windsor Counties	Significant heavy wet snow fell across the area, especially across the elevated terrain with lesser amounts in the valleys. In general between 10 and 20 inches of snow fell. In Orange County, Brookfield reported 19 inches. Power outages and slippery roads with some accidents.
3/22/2001 - 3/23/2001	Winter Storm	County-wide; Orange County	Significant snow fell across the area. The snow was heavy and wet with power outages reported and a number of accidents. Snowfall was generally 10 to 30 inches with the greatest amounts in the mountains. In Orange County, Brookfield reported 23 inches.

Winter Storm/Extreme Cold/Ice Storms Date and DR #	EVENT	LOCATION	EXTENT
3/5/2001 - 3/6/2001	Winter Storm	County-wide; Orange County	Generally, between 15 and 30 inches of snow fell. Many schools were closed and many towns postponed their Town meeting day. A number of accidents were reported including some on I-89
2/5/2001 - 2/6/2001	Winter Storm	Orange, Orleans, Caledonia Counties	Across the counties, generally 10 to 14 inches of snow fell, minor automobile accidents; barn roofs collapsed in the Orleans county due to the weight of the snow.
12/31/2000	Winter Storm	County-wide; Orange County	Storm total accumulations generally ranged from 7 to 12 inches.
3/21/1998	Winter Storm	County-wide; Orange County	Snow accumulations 12 to 20 inches. Numerous traffic accidents and brief power outages.
1/6/1998 DR 1201 VT	Ice Storm	County-wide; Orange County	Significant icing was generally restricted between elevations of 1500 and 2500 ft. Ice accumulations 3/4 of an inch or less. Regional impact: ice accumulations damaging tens of thousands of trees; downed power lines, several thousands with out power; farmers who lost electricity were unable to milk cows suffering loss of income and damage to cows. Automobile travel was negatively impacted due to road closures from ice and fallen trees. There were numerous traffic accidents. Indirect injuries were reported from carbon monoxide poisoning while improperly using generators. Falling tree limbs and other debris was a significant hazard during and after the storm .

During the many winter storms, ice storms, and extreme cold, Orange has experienced school closings, increased road maintenance, pressure on the town highway budget, power outages (from downed lines and extreme cold), downed trees and tree limbs, increase medical needs due to over exertion with clean up and snow removal, falls often with broken bones due to icy surfaces, vehicular accidents, collapsed structures from heavy snow and ice loads, frozen culverts and more.

To lessen the impact of snow, ice and sleet, and below freezing temperatures on the Town of Orange and its residents it is important that the community observe winter storm watches and warnings and take adequate preparations. The Town and State are well equipped and experienced to deal with winter conditions and snow/ice removal. Providing for the mass care and sheltering of residents left without heat or electricity for an extended time and mobilizing sufficient resources to clear broken tree limbs from roads, are the primary challenges facing community officials. The town successfully applied for a generator grant and was awarded federal dollars to purchase and install a generator at the Orange Center School to upgrade its capacity as the town's emergency shelter. The purchase and installation was completed. The Town encourages residents who are in remote locations to be equipped with generators and backup fuel, water, food, and medical supplies in the event of prolonged power outages and travel restrictions. In the event of an extended power outage, the Town is in the position to open its emergency shelter. Often, residents without power will seek family and friends to stay with during the duration of an outage. Integrating distributed renewable energy generation and storage projects with the capacity to function as micro-grids could also help the community build resilience and reliability in a more sustainable, and by drawing down federal and state incentives, a more affordable in the long term manner.

Green Mountain Power and Washington Electric Coop, Inc. follow a regular tree-trimming schedule and line-clearing program that has reduced the number and severity of power outages in the community. The lack of power and telecommunications throughout the town is especially concerning for the most vulnerable populations; the elderly, disabled and medically dependent. Lack of access to power and telecommunication services can hinder response efforts.

The Town of Orange recently purchased a thawing machine to increase its capacity to handle frozen culverts and other town infrastructure. The Town equipment (trucks, plows, etc.) is maintained on a regular schedule and the Selectboard with the input from the Road Foreman, budget for equipment replacement.

Many of the impacts from these hazards can be reduced by using common sense and practicing preparedness measures such as staying off the snow and ice covered roads until they are cleared, having vehicles equipped with proper winter gear and snow tires, using moderation and resting when removing snow and cleaning up from a storm, keeping heating pipes cleared and well ventilated, keeping roofs clean of heavy snow/ice loads, checking on and helping the elderly and disabled residents of the community, and listening to the local weather forecast for storm updates.

Participating in the free VTAlert system is highly encouraged and an important resource in emergency preparedness.

Extreme Cold/ Winter Storm/Ice Storm Overview of Hazard

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/ Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	Likelihood of hazard occurring based on past events: <u>Unlikely</u> : <1% probability of occurrence in the next 100 years. <u>Occasionally</u> : 1-10% probability of occurrence pre year, or at least one chance in next 100 years. <u>Likely</u> : >10% but <100% probability per year, at least 1 chance in next 10 years. <u>Highly Likely</u> : 100% probability of occurrence in a year.
Winter Storm	Town-wide, 83% of all roads, utility poles and lines, Town Forest, Private woodlots/timber stands, Groton State	Elderly & handicapped populations, remote structures, old/under insulated	12/9/2014 - 12/12/2014 <u>DR 4207 VT</u> 18 inches very wet heavy snow; <u>3/2011 event</u> 12+” of snow;	12/9/2014 -12/12/2014 DR 4207 VT: statewide 175,000 power outages, roads closed, numerous accidents, schools closed, and building collapses. Feb. 2007 event: property damages for	Highly Likely

	Forest, Barre City Forest, private residences and businesses.	structures, public infrastructure and utilities, telecommunications, trees, school system.	<u>Feb. 14, 2007 event</u> overall snow totals 18", wind chill 10° below zero;	Orange county at \$237,192.99.; <u>severe winter storms impact-</u> sheltering, travel, schools, plowing, highway budget, emergency services, power, and communications.	
Ice Storm	Town-wide, 83% of all roads, utility poles and lines, Town Forest, Private woodlots/timber stands, Groton State Forest, Barre City Forest, private residences and businesses.	Elderly & handicapped populations, remote structures, old/under insulated structures, public infrastructure and utilities, telecommunications, trees, school system	<u>1/15/2007 – 3/8</u> " – ½" ice accumulation, 2" sleet and snow accumulation. <u>1998 DR 1201 VT</u> <u>¾ inch ice accumulation</u>	<u>1/15/2007</u> power outages, downed trees & power lines, vehicle accidents; <u>1998 DR 1201 VT - 6 counties including Orange county, <\$6M damages, tens of thousands of trees damaged, economic losses to timber and dairy economy, power lines downs and thousands without power, road closures, CO poisoning, structural damages.</u>	Highly Likely
Extreme Cold	Town-wide, 83% of all roads, utility poles and lines, Town Forest, Private woodlots/timber stands, Groton State Forest, Barre City Forest, private residences and businesses	Elderly & handicapped populations, remote structures, old/under insulated structures, public infrastructure and utilities, telecommunications, trees, school system	<u>February 2015 – 15 – 20 days</u> below zero with wind chill of -30 ° below zero. <u>1/7/2015 –</u> reported -22° below zero in Town of Orange; <u>1/15/2004 – 1/16/2004</u> – extreme cold statewide with -6° to -11° temps with wind chills at -25° to -45° below zero	<u>February 2015 – \$1M</u> statewide property damage frozen infrastructure. frozen culverts <u>1/15/2004 – 1/16/2004</u> frozen pipes bursting waterlines and water related systems Data gap exists	Highly Likely

6.7 STRUCTURE FIRE

Structure fires are not entirely uncommon in Vermont, although the dispersed nature of the Town of Orange does significantly reduce the likelihood of a rapid spread. Despite mechanisms to prevent and alert occupants to a fire hazard, many structures are without working fire alarm systems or carbon monoxide detectors. Some, simply because the batteries have not been changed. The 2014 Braintree Hazard Mitigation Plan describes a structure fire in simple terms and it is included here. "Structure fires may occur at any point, and are typically initiated within a single fuel object. Smoke produced by the burning object forms a smoke plume and rises, creating a layer of smoke while also transporting heat to the smoke layer. Fire then spreads quickly by radiation from the flames, or from the smoke layer. Once other objects are engulfed, more smoke plumes are formed and heat radiates to other objects. Fire burns and moves across different materials depending on the material's composition, orientation, surface to mass ratio and air supply in the structure/room." Orange is most likely to have a residential structure fire since it is a bedroom community with a majority of housing structures

present, thus consistent community outreach and education is a key approach to mitigate this hazard.

Orange relies on mutual aid from the fire departments of Barre Town, Washington, and Tri-Village on an as needed basis. The three surrounding fire departments offer the best coverage and fire protection to the Town of Orange based on Orange's topography and development patterns. Barre Town Fire Department provides service coverage to the western portion of Orange. The Washington Fire Department provides service coverage to the section of Town along Route 110. The Tri-Village Fire Department covers East Orange Village and much of the eastern portion of Town. The Town owns six dry hydrants. The Town does not have the capacity to support and operate their own department. The monetary cost and work force necessary to run a fire department is prohibitive. There is a lack of data on the actual number of calls and structure fires that have occurred in the Town of Orange. Barre Town is currently in the process of tracking calls by the towns they serve and will be able to provide data in the future that is specific to the Town of Orange. The nature of the majority of calls has not changed and remains as fire related incidents – chimney fires, smoke alarms, and carbon monoxide alarms.

Although many structures in Orange are less than 100 years old, many residents heat their homes with wood or pellet burning stoves (approximately 20% of housing units use wood as their primary fuel source according to the 2022 ACS 5-Year Average Form B25117). This coupled with the remote location of the majority of structures in the community and its rural character, increases the likelihood for property loss versus property damage. The reliance on providers outside of the community increases response time. All these factors leave Orange vulnerable to the impacts of structure fires. To date, there have been no large structure fires in the Town of Orange. The Town recently captured and mapped the six dry hydrant locations to be integrated into future town maps. The town has explored the potential for future dry hydrant locations but developing new locations will be dependent upon site accessibility and securing grant funding. Currently there are no plans to develop additional dry hydrants.

Structural Fire Overview of Hazard

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	Likelihood of hazard occurring based on past events: <u>Unlikely</u> : <1% probability of occurrence in the next 100 years. <u>Occasionally</u> : 1-10% probability of occurrence pre year, or at least one chance in next 100 years. <u>Likely</u> : >10% but <100% probability per year, at least 1 chance in next 10

					years. <u>Highly Likely:</u> 100% probability of occurrence in a year.
Structure Fires	Town Wide, increased risk in village areas	Town and privately owned structures, especially 100 plus years old and of wooden construction; increased risk in structures that heat with wood or pellet burning stoves.	Data gap	\$150, 000 per home based on Median grand list value (2012 figures); dependent upon structure and extend of damage and or loss.	Likely


6.7 WILDFIRE/FOREST FIRE

The definition of a wildfire is the uncontrolled burning of woodlands, brush, or grasslands. FEMA classifies wildfires into four categories:

1. Wildfires – fueled by natural vegetation; typically occur in national forests and parks, where federal agencies are responsible for fire management and suppression.
2. Interface or Intermix Fires – Urban wildfires in which vegetation and built environment provide fuel.
3. Firestorms – Events of such an extreme intensity that effective suppression is virtually impossible; occur during extreme weather and generally burn until conditions change or the available fuel is exhausted.
4. Prescribed Fires and Prescribed Natural Fires – Fires that are intentionally set or selected natural fires that are allowed to burn for beneficial purposes.


Wildfires burn as a surface fire, ground fire, or crown fire. Surface fires burn slowly along the forest floor, killing and damaging trees. Ground fires burn on or below the forest floor and are usually caused by lightning strikes. Crown fires occur in the treetops or crown of the trees and spread quickly and effortlessly through the treetops. Crown fires are aided by wind. Wildfire causes can be natural (lightning, drought, extreme heat) or man-made (campfires, spark from a railroad track, smoking, arson, equipment).

In Vermont, wildfires are not a common occurrence. The Vermont State Hazard Mitigation Plan states there has not been a major wildfire in Vermont in the last 50 years. According to the Northeast Wildfire Organization, Vermont averages 200 - 400 fires a year with an average size of 1.5 to 2 acres. Back in 1908, the average fire size was 150 acres. The area of acres burned in Vermont has consistently gone down each year. The table to the right shows this decline and was taken from the Northeast Wildfire Organization website, <http://www.northeastwildfire.org/vermont>.



According to the Vermont Forest Parks and Recreation, burning debris is the most common cause of wildfires in Vermont. In Vermont, wildfires are most prevalent in the spring and late summer and early fall when conditions are most favorable. Drought conditions also increase the threat of wildfires. In 1903, Vermont experienced a devastating fire season, which prompted the state to pass legislation creating a town forest fire warden program. The forest fire warden program focuses on fire prevention, suppression, and fire safety at the local level. In 1939, an amendment to the law required the use of burning permits, issued by the local fire warden. In Vermont, forest fire wardens issue 20,000 burning permits annually. In 1966, 1999, 2000, and 2005 the state issued statewide bans on open burning due to the extreme vulnerability to the wildfire/forest fire hazard. In March of 2012, the threat of fire was severe due to the low humidity, warm temperatures, and strong winds prevalent in Vermont. The low occurrence of wildfires in Vermont is attributable to the local forest fire warden program, early detection measures, trained and equipped fire departments, and public education and outreach. The fires that do ignite tend to be small.

Figure 18 Vermont Wildland Fire Causes 1980-2010



Source: Reproduced from <http://www.northeastwildfire.org/vermont>

The Town of Orange actively participates in the Forest Fire Warden program under the VT Division of Forestry. The Commissioner of Forest, Parks, and Recreation appoints the Forest Fire Warden with the approval of the Selectboard for a five-year term, with unlimited reappointments possible. Orange Forest Fire Warden is John Barnes, previously F. Byrd. The area fire departments provide fire suppression services when needed. As the local fire warden, John Barnes has total authority and jurisdiction over wildland fire suppression activities in Orange. He issues burning permits, "Permits to Kindle Fire," when conditions are safe to do so, monitors the daily fire danger level, and educates Orange residents on safe burning practices. On average, he issues 10 burning permits annually. He

also has the authority to ban open burning in town when fire danger is high or when conditions are hazardous. The Division of Forestry offers annual training opportunities on the latest methods, technologies and trends in wildland fire. The state also provides John Barnes with all the materials he needs to promote fire prevention and safe burning in the Town of Orange. The National Weather Service in Burlington VT posts daily fire danger levels and alerts. The fire warden program is instrumental in helping reduce and prevent the risk of forest fires in Orange, a heavily forested community. The town of Orange maintains a page on their website dedicated to the forest fire warden with information on safe open burning and the permitting procedure for residents in Orange. The fire warden contact information is posted there too. The Town of Orange does not have a Community Wildfire Protection Plan (CWPP).

The Orange Land Use map from the Town Plan indicates the majority of the town is forest land. There are over 17,280 acres of forested land in Orange. The forest is very dense and said to contain dense undergrowth, making it susceptible to lightning strikes. Given the volume of the Town's forested landscape in conjunction with dry and windy weather, and the potential for lightning strikes, Orange is vulnerable to wildfires and forest fires that can rapidly spread creating hazardous situations. Stress caused by disease, insect infestation, and changes in climate affect the health of the forest and can lead to die off, adding more fuel availability which can increase the risk, extent, duration, and severity of a wildfire or forest fire. Although Orange has no large or small scale developments planned in the future, encroachment on forestlands presents greater threats of forest fire. As noted in the Municipal Plan, a buffer between future residential development and forest land should be maintained to reduce the threat of forest fire and also protect important watershed areas.

While a dry hydrant system does exist in Orange, much of the forestland is unreachable by road limiting firefighting measures. Private residences and timber related businesses are all located within forested areas. Additional impacts include loss of wildlife habitat and recreational amenities including hiking and snowmobiling trails. All impacting the local tourist economy and resident's quality of life.

Table 20 VERMONT SPRING WILDFIRE STATISTICS		
10-year Average 2005 - 2014		
Official reports - reports have been verified by warden & VT FPR		
Month	# Fires	# Acres
March	9	29
April	62	142
May	19	30
TOTAL	90	201
Vermont Dept. Forest, Parks, & Recreation - 2015 Spring Fire Season Summary		

Table 20 documents average wildfire occurrences over a recent 10-year period for the State of Vermont. Orange is identified in the 2010 Vermont Forest Resources Plan as a Town at Low to Moderate Risk for wildfire (Map 32: Vermont Wildfire Risk Assessment, May 26, 2010). Data on the magnitude of forest fires affecting Orange is not available. A data gap exists.

The State Forest Management Plan includes several goals regarding forest fire prevention. The Plan states that although the risk of forest fire is low in the State of Vermont, that the State still performs controlled burns on a small scale during the spring season. To help prevent local forest fires, the State works with local planning commissions to develop Community Wildfire Protection Plans (CWPP). These plans help towns to identify and mitigate wildfire risk. A common mitigation measure

prescribed in the plan is through the use of controlled burns with onsite State support. A limited number of towns have a CWPP in the state. Orange does not.

Based on proximity, Vermont towns are also increasingly experiencing air quality and pollution impacts from larger wildfires in North America particularly in the summer. Residents with heart or lung disease, older adults, children, and those who work outside are particularly at risk for negative health impacts from smoke. The Vermont Department of Health has extensive resources on air quality and air quality linked to wildfires, as well as other aspects of how climate change is impacting public health on their website: <https://www.healthvermont.gov/environment/climate-health/air-quality-alerts-wildfires-your-health>. Integrating these resources, as well as relevant data into plans for local emergency management, community spaces (built infrastructure) and services (shelters) will strengthen the community's and particularly "sensitive groups" ability to adapt to future conditions and mitigate negative and last health impacts.

Wildfire/Forest Fire Overview of Hazard

Hazard	Location	Vulnerability	Extent	Observed Impact	Likelihood/Probability
Type of hazard	General areas in community that may be vulnerable to the hazard	Community Structures, systems, populations, or other assets as defined by the community that are susceptible to damage and loss from hazard event	Strength or magnitude and general details of the most notable event(s)	Dollar value or percentage of damages	Likelihood of hazard occurring based on past events: <u>Unlikely</u> : <1% probability of occurrence in the next 100 years. <u>Occasionally</u> : 1-10% probability of occurrence pre year, or at least one chance in next 100 years. <u>Likely</u> : >10% but <100% probability per year, at least 1 chance in next 10 years. <u>Highly Likely</u> : 100% probability of occurrence in a year.
Wildfire/Forest Fire	Town Wide - Groton State Forest, Orange Town Forest, and Barre City Forest, private landowners.	Private homes on urban/forest interface, timber companies, recreational trails, and state, public and private forestland	potential - Over 17,280 acres of wooded area; To date #acres damaged or lost is unknown. Wooded area includes 306.4 acres of Orange Town Forest, 1,200 acres Barre City Forest, and 1,934 acres in	data gap exists	Likely

			Orange of the total 25,645 acres of the Groton State Forest, plus all private woodlands/ forestlands.		
--	--	--	---	--	--

7. Mitigation

7.1 Hazard Mitigation Goals and Strategies

The goal of this Plan is to update the local mitigation strategy that makes Orange more disaster resistant and reduces its risk from natural hazards. Further, it is the goal of this Plan to take actions to reduce or eliminate the long-term risk to human life and property from:

1. the natural hazard of flash flooding/flooding/fluvial erosion;
2. the natural hazard of severe weather (thunderstorms, lightning, high winds, and hail);
3. the natural hazard of extreme cold/winter storm/ice storm;
4. the natural hazard of hurricanes and tropical storms;
5. the natural hazard and man-made hazard of dam failure (Thurman W. Dix Reservoir Dam, East Barre Dam, beaver dams);
6. the natural hazard and man-made hazard of structure fire; and
7. the natural hazard and man-made hazard of wildfire/forest fire.

7.2 Proposed Hazard Mitigation Programs, Projects & Activities

The state emphasizes a collaborative approach to achieving mitigation on the local level, by partnering with ANR, VTrans, ACCD, Regional Planning Commissions, FEMA Region 1 and other agencies, all working together to provide assistance and resources to towns interested in pursuing mitigation projects and planning initiatives.

The mitigation strategies identified by the Town are listed in regards to local leadership, possible resources, implementation tools, and prioritization. Prioritization was based upon the economic impact of the action, the feasibility of the action, the Community's need to address the issue and its capacity to address the issue, the action's cost, and the availability of potential funding. The planning team used a mitigation action matrix worksheet to help evaluate and prioritize each mitigation action being considered. The template is attached to this plan. In evaluating potential benefit and or likelihood of successful implementation the team ranked each criteria as to being highly effective or feasible, neutral, or ineffective or not feasible. The Team considered each prioritization in the scope of the other projects, LHMP priorities and overall community priorities.

A High prioritization denotes that the action is either critical or potential funding is readily available and should have a timeframe of implementation of less than two years. A Medium prioritization is warranted where the action is less critical or the potential funding is not readily available and has a timeframe for implementation of more than two years but less than four. A Low prioritization indicates that the timeframe for implementation of the action, given the action's cost, availability of

funding, and the community's need to address the issue, is more than four years. Highest priority projects also enjoyed strong community support and staff capacity was available to carry them out. Lowest priority projects were of lower risk to the community, had solutions that did not mitigate very much of the problem, or were extremely expensive or with no financial assistance available. Projects for which there was little community support or available staff capacity would also be low priority.

Orange understands that in order to apply for FEMA funding for mitigation projects that a project must meet FEMA benefit cost criteria. Noted in the priority column is a score for estimated cost bracket, providing a basic "cost bucket" to allow costs to be considered along with feasibility, urgency, community support, and balanced with other community benefits such as coordinating complementary projects (dig once principles), taking advantage of available programs for funding and/or technical assistance, collaboration with key partners and building community capacity, etc. (1 = \$0 to \$1000, 2= \$1000 to \$10,000 and, 3 = \$10,000 to \$100,000+). Note, cost does not dictate prioritization but is a major consideration- thus the number for the corresponding cost "bucket" is included next to it's overall priority.

Table 21 : 2023 to 2028 Mitigation Actions					
<i>Hazard(s) Mitigated</i>	<i>Mitigation Action</i>	<i>Lead Partners</i>	<i>Possible Resources¹¹</i>	<i>Time Frame</i>	<i>Priority</i>
General					
Infectious Disease	<p>Formalize ad hoc standing committee as response team, review and integrate best practices learned from COVID 19 response into LEMP:</p> <ul style="list-style-type: none"> • EMD coordination with both state and regional partners to provide not only response but coordinate public education and outreach • Front Porch Forum and neighborhood email lists <p>Standing committee EMD, Town Clerk, Selectboard, and town health officer</p>	<p>EMD, SB, Town Clerk</p> <p>Neighboring EMDs and Health Officers, State and regional health offices</p>	<p>Front Porch Forum, neighborhood email lists, community champions</p>	Continuous	High (1)

¹¹ HMGP – Hazard Mitigation Grant Program, EMGP – Emergency Management Grant Program, PSIC/NTIA – National Telecommunications and Information Administration, USDA – United States Dept. of Agriculture

Table 21 : 2023 to 2028 Mitigation Actions

<i>Hazard(s) Mitigated</i>	<i>Mitigation Action</i>	<i>Lead Partners</i>	<i>Possible Resources¹¹</i>	<i>Time Frame</i>	<i>Priority</i>
Extreme Temperatures (Cold and Heat; Ice)	Consider hot and cold extreme temperature preparedness: Including <ul style="list-style-type: none"> • establishing a cooling and warming center, • residential weatherization and preparedness outreach and education 	EMD, Clerk's office Library, American Red Cross Shelter (Waitsfield)	VT Department of Health Hot weather preparedness and technical assistance (CVRPC), EOC, MERGP, BGS Community Facilities	2023-2024	Med (2-3)
Town Planning & Land Use Regulations					
Flash Flood/Flood/ Fluvial Erosion; Hurricane/Tropical Storm; Severe Weather	MA - Consider adopting River Corridor regulations, which will incorporate VT ANR's River Corridor Map. These regulations will help residents and planners know what land is necessary for riparian functions and it will prevent the threat to current and future infrastructure.	Selectboard, Planning Commission, with input from Road Foreman, and EMC.	Local resources, CVRPC Water Quality grant award, Ned Swanberg CFM, ANR River Corridor Program	Town plan states will but have not; 2014 adoption inundation hazard area regs included initial river corridor req; interim river corridor; need update within two years of ANR publishing statewide river corridor map updated to include existing phase 2 stream geomorphic assessment (SGA) data—Bylaw updates upon FEMA (currently updating Flood insurance rate maps)	High (1)

Table 21 : 2023 to 2028 Mitigation Actions					
Hazard(s) Mitigated	Mitigation Action	Lead Partners	Possible Resources ¹¹	Time Frame	Priority
High Wind	Consider establishing standards for all utilities regarding tree pruning around power lines; incorporate inspection and management of hazardous trees into drainage system maintenance process, and incorporate public outreach and education around infrastructure transportation and public safety risks of high wind.	Selectboard, Planning Commission, Road Commissioner, Foreman, and Crew	Utilities (Med (1)
Flash Flood/Flood/ Fluvial Erosion; Hurricane/Tropical Storm; Severe Weather	Update Flood Bylaws ahead of FEMA FIRM Mapping Updates to maintain NFIP participation	Selectboard, Planning Commission, Town Clerk	CVRPC, Ned Swanberg, CFM, FloodReady VT	Make a plan and timeline with CVRPC Fall 2023 to ensure timely process ahead of 2025/2026 release.	High (2)
Forest Resources					
Wildfire/Forest Fire	MA -Budget for and Update the 1999 Town Forest Management Plan including incorporation of a silviculture schedule	Selectboard, Town Clerk	local resources, FPR UVM Extension Service, Orange County Forester (David Paganelli)	2023-2025 with support of CVRPC	Low (capacity but initiated) (2-3)
Drought	Provide regular and up to date information on town website about springs and wells (including situational briefings, reminders re use, etc) (public education and coordination use)	Town Clerk	ANR and VDH	2023	High (1)
Transportation Network & Infrastructure					

Table 21 : 2023 to 2028 Mitigation Actions

<i>Hazard(s) Mitigated</i>	<i>Mitigation Action</i>	<i>Lead Partners</i>	<i>Possible Resources¹¹</i>	<i>Time Frame</i>	<i>Priority</i>
Flood/ Fluvial Erosion, Severe Storms	Mitigation highway drainage structural improvements as prioritized by Road Foreman & Commissioner including upgrading undersized culverts and stone-lining ditches:	Road Foreman AOT, DEMHS, Friends of Mad River	MRGP, Town Budget, AOT District, Better Roads, HMGP (unless otherwise noted)	Continuous	High (3)
	1. Energy Road (damage 2017 and 2023 storms)	Road Foreman & Town Clerk	FEMA PA, AOT Emergency funds, town funds, (damage estimate \$25,000+ 2017)	Continuous	High
	2. Richardson Rd at intersection with 302 3. George Rd (see Inventory and priorities above)	Road Foreman & Town Clerk			
Flood/ Fluvial Erosion, Severe Storms (including Tropical Storms, Hurricanes, Winter & Ice Storms)	Develop a Road Inventory Plan for the Town of Orange: perform road surface management inventory which includes connected roads, culverts, bridges, ditches, road surface, road erosion, causes, and maintenance. Use plan to identify and prioritize mitigation actions/projects (MA).	Town Clerk & Road Foreman	CVRPC, VTrans,; Better Roads Grant, Category A; Municipal Roads General Permit; Ditch Maintenance Program ADT, Tod Eaton Local Branch Manager; Gravel Rd Tool	FY 2024-2026	High (2)

Table 21 : 2023 to 2028 Mitigation Actions					
Hazard(s) Mitigated	Mitigation Action	Lead Partners	Possible Resources ¹¹	Time Frame	Priority
Flash Flood/Flood/ Fluvial Erosion; Hurricane/Tropical Storm; Severe Weather	MA -Improve road surface, raise road, and improve ditching of Provencher Road to prevent future flooding, and work with the State of VT AOT to solve the problem of chronic flooding at the bottom of the road across state-owned land, Route 302;	Road Foreman and Town Clerk	FEMA PA, AOT emergency Funds, AOT state road funds, Resilient Communities	FY 2024+	High (3)
Flash Flood/Flood/ Fluvial Erosion; Hurricane/Tropical Storm; Severe Weather	Implement Riddel Pond Bridge and Lord Rd projects (in queue for year)	Town Clerk and selectboard	New grant committee, CVRPC, AOT, Resilient Communities	2024	Med (3)
Extreme weather (cascading impact of storm events, flooding, and even ice/thaw cycles is Mud Seasons)	Explore approach to budgeting and implementation re resource procurement and road treatment (mud seasons): pilots on Cutler, George, East Orange, Prectal and Richardson Roads	Town Clerk and Road Foreman	AOT, CVRPC, VEM Resilient Communities, Health Equity Technical Assistance (VDH)	FY 2025+	Med (2-3)
Other					

Table 21 : 2023 to 2028 Mitigation Actions					
Hazard(s) Mitigated	Mitigation Action	Lead Partners	Possible Resources ¹¹	Time Frame	Priority
Wildfire/ Forest Fire	PA - Purchase two-way radios for Orange Town Fire Warden and assistant to enhance communication capabilities and increase efficiency with response in an emergency	Selectboard, Orange Town Fire Warden, Town Clerk	local resources, VT Association of Conservation Districts, George Aiken Resource Conservation & Development Grants, HEMG, Rural Fire / Wildfire Protection grants NFS	2024-205	High (2)
Dam Failure	PA - Meet with Dam owners to discuss maintenance, EAP, and evacuation procedures. Add Orange to Notification Contact list and emergency procedures flow chart in EAP for both dams. Open lines of communication between dam owners and the Town	Orange Town Selectboard, EMC, Town Clerk, Road Foreman, School Principal	Local resources, CVRPC, ANR Dam Safety Program, VEM Critical Infrastructure Planner, Barre Cit	At each update of EAP public participation process?	High (1)
Structure Fire	Identify gaps in Dry hydrant coverage and install new dry hydrant	Road Foreman & Town Clerk	Rural Conservation District, Rural Fire Program, etc.	FY 2024	Med (2)
Cybersecurity	Attend Cybersecurity educational opportunities provided (VMCTA, NEACTC, VLCT, etc)	Town Staff	VMCTA, NEACTC, VLCT	Ongoing (annually)	Low (1)

7.3 Orange Town Plan Goals & Recommendations that Support Local Hazard Mitigation

The Orange Town Plan has a five-year life span and the 2018 plan was currently under review for a 2023 update and adoption during the drafting of this plan, at the time of adoption of this LHMP a new

town plan has no yet been adopted. Town Plan updates will be incorporated at an annual LHMP review.

Section 1: Introduction to Orange Town Plan, Hazard Mitigation Plan, page 5.

The Orange Local Hazard Mitigation Plan Update as adopted and all subsequent adopted hazard mitigation plans are and shall be incorporated by reference and shall become a part of the Orange Town Plan.

Section 2: Orange Planning Goals,

Overall Goals and Objectives, p. 6.

The people of Orange desire to maintain the rural character of the community as much as possible while encouraging the economic well-being of its residents...The rural character is exemplified by ... the vast amount of wooded and undeveloped areas, streams, ponds, and abundant wildlife; low volume of traffic; mixture of residential, agricultural, and small business uses...Growth that is good for the Town enhances the social, environmental, cultural, and economic values of our rural community. Growth and development shall not create a burden on the taxpayers' ability to support the Town.

Goal 1: To ensure development that maintains the rural atmosphere of the community and historic settlement pattern of compact village centers separated by rural countryside. p. 6.

Objectives:

3. Development that occurs in rural areas shall not have a negative impact on natural, cultural, and aesthetic resources. p. 6.
4. Business and industrial growth shall occur in areas adjacent to where business and industry now exist and/or where Town water and sewer are available or become available. p. 6.
5. Public investments, including the construction or expansion of the infrastructure, shall reinforce the general character and planned growth patterns of the area. p. 6.

Goal 4: Promote and maintain a safe, convenient, economic, and energy-efficient transportation network that respects the integrity of the natural environment, as well as the historical and esthetic value of the existing roads. p.7.

Objectives:

1. Improvement or expansion of public utilities and transportation shall occur in existing corridors to encourage desired development patterns. p.7.

Goal 5: To protect important natural and historic features of the Orange landscape, including woodland, wetlands, scenic sites, significant architecture, villages, wildlife habitats, view sheds, and agricultural land. p.8.

Objectives:

3. Develop additional policies and plans for the long-term protection of significant scenic roads and highways, waterways, and views; cultural and historic resources; and important resources and recreation lands. p. 8.
4. Development shall be prevented within floodplains that will cause damage to natural or manmade resources. p. 8.
5. Inventory and update the resources. p. 8.

Goal 6: To maintain and improve the quality of air, water, wildlife, and land resources. p. 9.

Objectives:

1. Insure that development in areas of natural, cultural, and scenic significance is not detrimental to the resources of the town. p. 9.

2. Protect and improve the water quality of the Town's rivers, lakes, ponds, streams, groundwater, and drinking water supplies. p. 9.

Goal 7: To promote the efficient use of energy through conservation and encourage the use of renewable energy resources, such as solar, wind, hydro and biomass. p. 8

Objectives:

2. Ensure that the design, location, and maintenance of existing and future transportation systems are consistent with the land use patterns recommended in this Plan. p. 9.
3. Promote alternative & energy efficient resources with residential development. p. 9.
4. Encourage the concentration of energy-intensive facilities, housing, and other uses to avoid the expense of distributing energy over large geographic areas. p. 9.

Goal 9: To strengthen agricultural and forest industries. p. 9.

Objectives:

1. Support the Current Use Program for agricultural and forest lands. p.9.
4. Encourage businesses and industries that add value to locally produce agricultural or forestry products. p.9.

Goal 11: To plan for, finance, and provide an efficient system of public facilities and services to meet present and future needs. p. 10.

Objectives:

1. Analyze current facilities and assess future needs to determine potential demands of infrastructure. p. 10.
2. Enact a Capital Program and Budget Plan for public utilities and facilities. p. 10.

Concluding statement paragraphs: p. 10.

"Successful implementation of the goals, policies and recommendations outlined in this Plan depends on the combined efforts of Town residents and local officials, as well as the resources of the Central Vermont Regional Planning Commission, and other regional, state, federal and private entities involved in land use planning activities.

At the state and federal levels, the Plan can be used to justify and prioritize the use of federal funds for community development, transportation improvements, natural resource protection and management, hazard mitigation, and other investments. In addition, Act 250 requires that developers shall show that projects conform to local and regional plans.

At the regional level, the Regional Planning Commission can review the Town Plan for compliance with the requirements of Act 200. Act 200 approval makes the Town eligible to apply for implementation funding from the State in the form of Municipal Planning Grants."

Some specific recommendations in the Orange Town Plan that support local hazard mitigation are noted below.

- Maintenance and efficient use of the Orange Center School facility is imperative as it serves as the town emergency shelter. p. 26.
- Development on slopes >25% is discouraged. p. 27.

- Flooding prevents Winooski soils from being compatible with development. The Hadley-Winooski-Limerick association located along the Jail Branch and the Merrimac-Agawam-Windsor-Winooski soils located along the Waits River are subject to flooding and these too are not suitable for development. pp. 27-28.
- The Mapped Wetlands in Orange included on the National Wetlands Inventory Maps provide many benefits including flood regulation and storage and act as filters for sediment. Orange recommends the continued use of state and federal regulations to restrict activities in these areas. p. 29.
- Naturally vegetated buffer strips of at least 50-100 feet shall be left next to all rivers, lakes, and ponds, and at least 50 feet next to streams and wetlands, so as to filter pollution, prevent erosion, and protect fisheries and wildlife habitat. p. 30.
- Floodplains – p.30. –Flooding is capable of inflicting damage on inappropriately sited development in the mapped floodplains within Orange as depicted on the FEMA Flood Insurance Rate Maps but smaller unmapped tributaries are also at risk for flooding and are capable of inflicting damage on inappropriately sited development.

Policies:

1. Development plans for lands subject to periodic flooding must comply with local, state and federal flood hazard regulations in order to protect the health, safety and welfare of the public.

Recommendations:

1. Continually update and readopt the Orange Local Hazard Mitigation Plan (adopted 2011).

- The town recommends the use of cluster development and limited driveway length in the contiguous forested areas in an effort to minimize habitat fragmentation and parcelization in these large blocks of forested lands. p. 31.
- The town recommends the use of resource sensitive site design, clustering of development, landowner participation in the Land Use Value Appraisal program, promotion of value added industries, Land Trusts activities, and adherence to best acceptable management practices for the forested lands under private ownership to help protect them. p. 33.
- Development in the Forested areas, which is the majority of the undeveloped lands in Orange, “shall be undertaken in ways that protect their value and ensure the continued presence of healthy forest ecosystems in the Town, Cluster development shall be incorporated in these areas for the maximization of forest preservation. p. 43.
- Special Considerations p.43. – the town identifies special resources including floodplains, wetlands, and vegetated areas next to surface waters where development shall be avoided and negative impacts minimized. Also the areas of high elevations (>1,800 feet in elevation) with steep slopes (>25%) shall be protected from any development that will cause soil erosion. pp. 43 - 44.
- With regard to the “Pace of Growth,” it is recommended to have policies that support necessary transportation improvements, especially road and bridge maintenance ...to utilize existing infrastructure. Also, to mitigate with buffer strips, development adjacent to significant natural resources (waterways, large forested area,...). p. 45.
- The town recommends energy education and outreach to residents to reduce energy consumption in their homes, be more efficient, and promote methods for weatherization. p. 48.
- The town recognizes the importance of an efficient and safe road network to its residents, especially when emergency services are needed to reach residents. It recommends local roads be improved for negotiability in winter, protected from washout and economy of maintenance. It also recommends the placement of any new lines relocated to the road side be placed underground. p. 50. The town policy is to encourage the installation of underground utility lines for new construction. p. 53.
- Under Fire Protection, the town shall encourage landowners to install fire hydrants in newly constructed ponds. p. 60.

- The Planning Commission at the direction of the Selectboard shall prepare and present bylaws and other regulations necessary for the implementation of the Orange Town Plan. p. 60.

7.4 Process for Incorporating Plan Requirements into Other Planning Mechanisms

For Orange to succeed in reducing long-term risks, the information and recommendations of the Local Hazard Mitigation Plan should be integrated throughout government operations.

The following are specific examples of how information and recommendations from the 2023 plan update will be incorporated into other plans, programs, and procedures:

- The Selectboard will incorporate risk assessment and hazard mitigation goals into capital planning efforts and improvement programs.
- The Planning Commission will integrate the hazard mitigation goals for disaster resiliency, including NFIP compliance, into the goals and objectives of the next updates to the Town Plan and Land Use Bylaws.
- The Road Foreman will implement several mitigation infrastructure projects (e.g., upsize perennial and drainage culverts in flood-prone areas, install/re-work roadside ditches including stone linings, etc.) through existing plans and tools (Road Erosion Inventory and Report for hydrologically-connected road segments, Stormwater Master Plans).
- Town Leadership will update the 1999 Town Forest Management Plan, incorporating priorities included herein and ensuring resulting implementation actions are complementary.
- The next Local Emergency Management Plan (LEMP) (2024) will be updated to reflect the hazards identified in the Local Hazard Mitigation Plan and any updates resulting from annual reviews by the Selectboard of the LHMP; the LEOP will also include updates to new officers, areas of concern, vulnerable populations and assets, Tier II sites and shelters, etc.
- The Town Clerk will ensure the NFIP information materials are available at the Town Office and on the Town's website—including promotion of flood insurance, public safety information, and development regulations.
- The Town Clerk will work with town leadership and CVRPC to undertake bylaw updates associated with forthcoming updated FEMA mapping.
- The Town Clerk will participate in regular NFIP-related trainings.

8. Plan Maintenance

Monitoring of plan progress, implementation, and the five-year update process will be undertaken by the Town Clerk and Selectboard. Monitoring updates may include changes in community mitigation strategies; new town bylaws, land use and planning strategies; progress of implementation of initiatives and projects; effectiveness of implemented projects or initiatives; and evaluation of challenges and opportunities. This includes annual review, ad hoc (post disaster) tracking, and the 5th-year update.

The Orange Local Hazard Mitigation Plan will be revisited, including review of implementation progress and hazard events and their impact over that previous year, annually at a Select Board meeting during the months of March through May. The Local Emergency Operations Plan is reviewed and updated annually during this same time period.

Updates and evaluation by the Selectboard will also occur within three months after every federal disaster declaration and as updates to town land use regulations, ordinances, yearly budgets, and plans come into effect. The plan will be reviewed by the Selectboard, Planning Commission, Town Clerk, and the public at the above mentioned Selectboard meetings as warned by the the Selectboard. CVRPC will help with updates.

Individual staff or volunteer officials responsible for each project will report at this annual September meeting to the Selectboard on the status of the project(s) and their evaluation of the effectiveness of the project at achieving Orange's hazard mitigation goals. This status and evaluation will be noted in the meeting minutes, and a copy of the minutes filed with the Local Hazard Mitigation Plan by the Town Clerk. CVRPC provides a template to track implementation of 2023 mitigations actions that can be used throughout the year as well as during these annual reviews (see below). This template can also be used to track hazard events and their impact on the Town of Orange community.

Orange will consider moving the review to the September Select Board meeting. This would allow the Selectboard to determine the status of mitigation projects before developing the next fiscal year budget over the course of the fall. The Selectboard will note projects to be continued or started during the next fiscal year. The Capital Budget is also updated over the fall in preparation for March Town Meeting. Looking ahead at the timing of mitigation projects, the Selectboard will also be able to plan ahead for them by adding any appropriate projects into the Capital Budget.

Furthermore, review and evaluation by the Select Board will also occur within three months after every federal disaster declaration and as updates to town plan and river corridor plans and bylaws/regulations come into effect. This and the annual process of monitoring and evaluating the plan will include continued public participation through public notices posted on the municipal website and notice in the municipal building inviting the public to the scheduled Select Board (or specially scheduled) meeting(s) to give feedback. Also invited in the future will be the VT Agency of Natural Resources (VT ANR), as they are able to provide assistance with NFIP outreach activities, models for stricter floodplain bylaws, delineation of fluvial erosion hazard or River Corridor areas, and other applicable initiatives. These efforts will be coordinated by the Town Clerk.

In order to maintain a current up to date unexpired Plan, not later than one and a half years of this Plan expiration date, the plan update process with FEMA should begin. For the next Plan update, CVRPC will assist and support the Town of Orange at their request provided there is funding and staffing available for CVRPC to do so. If CVRPC is unable to assist the Town of Orange, then the Town will update the plan using the Planning Commission as the lead or the Selectboard will update the plan or the Selectboard may appoint a committee of interested citizens and key stakeholders with the Emergency Management Director and Planning Commission Chair serving

on this committee to draft changes. The Town of Orange is responsible for the update and maintenance of this Plan.

If priorities for mitigation projects change or new actions are identified in the five year interim period, this can be noted in Selectboard minutes and attached to the Plan for future reference and incorporation into the next updated plan (along with the annual tracker report). During the 5 year period with an approved unexpired plan, the plan can be amended by the Selectboard without FEMA approval. Prior to the expiration of this plan, the plan will be submitted for re-adoption following the update process outlined in the schematic below.

Orange will incorporate the goals and objectives of the hazard mitigation plan into their long-term land use and development planning documents, the Municipal Plan, and into annual budget process. It is recommended the Town review and incorporate elements of the Local Hazard Mitigation Plan when updating the municipal plan, road plan, and inundation hazard and river corridor regulations. The Town may consider reviewing any future CVRPC planning documents and studies for ideas on future mitigation projects and hazard areas.


In 2013, the Vermont Legislature passed a law requiring all towns to incorporate a flood resiliency element into their Municipal Plan as of July 2014. As part of meeting this requirement, Orange committed to identifying flood hazard and fluvial erosion hazards, strategies, and recommendations to mitigate risks to public safety, critical infrastructure, historic structures, and public investments. The 2017 LHMP helped Orange comply with the new community flood resilience requirements and assisted the Planning Commission in their work as they update the existing and due to expire Orange Municipal Plan. This update will help inform flood by-law updates associated with FEMA updating the Flood Insurance Rate Maps (FIRMS) for the National Flood Insurance Program (NFIP) (this will be the first map update for many towns since the 70's and 80's). This update process¹² is critical to ensure residents can continue to purchase and renew flood insurance through NFIP, and to ensure the town qualifies for 92.5% disaster funding through the Emergency Relief and Assistance Fund (ERAF) (an additional 10% of public disaster recover costs that the state will cover instead of local taxpayers)

Figure 19 5-Year Plan Review and Maintenance Workflow

¹² (<https://floodtraining.vermont.gov/protection-tools/get-ready-new-fema-flood-insurance-rate-maps>).



After Plan Adoption – Annually Implement and Evaluate



Fifth Year, and After Major Disaster - Evaluate and Revise



Annual Mitigation Action Progress and Hazard Event Tracker

This Mitigation Action Tracker will be utilized by the Town of Fayston as part of their Local Hazard Mitigation Plan Maintenance. Annually, the Selectboard and Town Clerk will convene to review their progress in regards to their Mitigation Actions outlined in their LHMP (annually in September). This not only supports ongoing planning efforts but also the next plan update; towns are encouraged to customize this template to include a section with potential future mitigation action steps, hazard events, etc..

Current Plan **Year**
 Annual Review (or Update) **Date**
 Participants

Action	Information in Hazard Mitigation Plan				Current Status				Notes: barriers, change in needs, community outreach, etc.	Date(s) edited
	Responsible Party	Timeframe for Completion	Funding Source	Project Priority	Date Began	Current Status	Completion Timeframe	Completion Goal		

Hazard/Event Tracker											
Incident/Event/Hazard	Date	Location	Extent	Damages	Costs	Description	Actions Taken	Potential Mitigation Actions			

Attachments

Hazard Analysis Map: Areas of Concern
Town of Orange Culvert Inventory Map 2023
Transportation Vulnerability Assessment Map 2016
Dam Inundation Area Map – Thurman W. Dix Reservoir Dam
Emergency Relief & Assistance Fund Eligibility Criteria
Further Documentation of Public Input Opportunities (examples)
Town Resolution Adopting the Plan

Orange Hazard Analysis Map 2016

A large version of this map is on display in the Orange Town Office

Legend

- Structures in the Special Flood Hazard Area
- Hazardous Materials (Tier II)

Sites 2015

SITETYPE

- Commercial
- Cultural
- Fire Station
- Government
- House of Worship
- Industrial
- Public Gathering Place
- Residential
- School
- Utility
- Dams



■ River Corridors
■ Rivers, Lakes, and Ponds
— Streams

Roads

- Class 1-4
- Legal Trail
- Private Roads
- VT State Highway
- US Highway

Floodplain
 Wellhead Protection Areas
 Orange Town Forest
 Barre City Forest
 Vermont Land Trust Conserved Lands
 VT State Lands

0 0.5 1 2 Miles




This map is for planning purposes only.
Data is very accurate at the original sources.
This map may contain errors or omissions.

Map Created by CVRPC 3/2016



Orange Culvert Inventory



Legend

Culverts by Condition

- Good (blue dot)
- Fair (green dot)
- Poor (orange dot)
- Closed (red dot)

Roads

- Class 1-3 (blue line)
- Class 4 (red line)
- Legal Trail (purple line)
- Private Roads (light blue line)
- State Highway (dark blue line)
- US Highway (green line)
- Interstate (red line)
- Discontinued Road (grey line)




0 0.5 1 2 3 Miles



Map created 6/22/10 by CVRPC.
N:\\Town\\Orange\\Culverts\\Culverts.mxd

Data is only as accurate as the original sources.
This map is for planning purposes only.
This map may contain errors and omissions.

Transportation Vulnerability Assessment Map (Larger version is available at Orange Town Office)



Legend		
GPS Sites for Potential Flood Resiliency Improvements	Roads	Forest Roads and Private
Install Cross Culverts	Class 1-3	VT State, US and Interstate

Comment	Road	photos
0 undersized culvert	Riddle Pond Rd	9215, 9216
1 crushed	Wardsley Rd	9217, 9218
2 ditching on side rd	Wardsley Rd	9220, 9221, 9222
3 ditching and swale	Colby Farm Rd	9225, 9226, 9227
4 culvert crushed	Provencher Lane	9228, 9229, 9230, 9231
5 culvert to shear rd	Manning Rd	9232, 9233
6 crushed and plastic	Spicer Rd	9234, 9235
7 undersized culvert	Emery Rd	9237, 9238
8 undersized culvert	Tucker Rd	9239, 9240
9 replace and undersized culvert	George Street	9241, 9242

This map is available in a larger version at the Orange Town Office.




The map is for planning purposes only.
Data is not necessarily current or accurate.
This map may contain errors and/or omissions.
Document Path: C:\ProgramData\MapInfo\Pro\10.0\Map\Orange\Orange2016.mxd


The following Inundation Maps for the Thurman W. Dix Dam were taken from the Emergency Action Plan dated 1/28/09 prepared by DuBois & King, Inc. and are available at the Orange Town Office.

Emergency Action Plan (EAP)


Thurman W. Dix Dam
State of Vermont Dam # 147.01
Orange County, Vermont
City of Barre
Prepared by
DuBois & King, Inc.
Randolph, VT



LARGER VERSION OF INUNDATION MAPS AVAILABLE AT ORANGE TOWN OFFICES AS PART OF THE DAM'S EMERGENCY ACTION PLAN (EAP).



LARGER VERSION OF INUNDATION MAPS AVAILABLE AT ORANGE TOWN OFFICES AS PART OF THE DAM'S EMERGENCY ACTION PLAN (EAP).



Emergency Relief & Assistance Fund Eligibility Criteria

Municipality	Orange	View Report
1 of 1 Find Next		

Expanded Community Report for Orange

8/13/2023
5:41:51 AM

Emergency Relief and Assistance Fund (ERAF) - State Post-Disaster Funding

Flood Hazard Mitigation Actions	Action Dates	Responsible	ERAF Status
1. Road and Bridge Standards	07/08/2019	Orange	Yes
2. Local Emergency Management Plan	07/24/2023	Orange	Yes
3. National Flood Insurance Program	09/18/1985	Orange	Yes
4. Local Hazard Mitigation Plan	Expired	Orange	No
5. River Corridor Protection		Interim	Yes
ERAF Rate for Actions 1 - 4: 12.5%,	Actions 1 - 5: 17.5%	ERAF Rate for: Orange	7.5%

21	Buildings in the Special Flood Hazard Area (SFHA) (estimated from e911 sites).
2	Flood Insurance Policies in SFHA (Zone A, AE, AO, A 1- 30)
10%	Percent of buildings in the SFHA with flood insurance in force.
0	Critical or public structures in SFHA or 0.2% flood hazard area (est. from e911 sites.)
4%	Percent of buildings in the SFHA.
09/18/1985	National Flood Insurance Program (NFIP) (Enrollment Date)
Vector	Flood Insurance Rate Map Standard (Digital FIRM (DFIRM), Rough Digital, Paper)
Orange	NFIP Status: Regular Program
0	Community Rating System (CRS) Class
Yes	Local Emergency Management Plan (LEMP) ERAF Status valid for Orange?
07/24/2023	LEMP - annual update after Town Meeting and before May 1.
No	Local Hazard Mitigation Plan (LHMP) ERAF Status valid for Orange?
11/17/2017	LHMP - Valid for 5 years from FEMA final approval date
FEMA Formal Approval	LHMP - Status of review (Plans currently in review are valid for ERAF),
Yes	River Corridor Protection in Orange?
Interim	River Corridor Interim Protection Status for ERAF valid for Orange?
09/07/2018	Municipal Plan - Valid for 8 years from adoption date
	Zoning Adoption / Amendment Date
07/14/2014	Hazard Area Regulation Adoption / Amendment Date
Yes	Road and Bridge Standards
38.250	Town Highway Mileage in Orange
07/08/2019	Orange Road and Bridge Standards and Adoption Date
2/9/2021	Orange Certificate of Compliance with Road and Bridge Standards and Date
	Town Highway Network Inventory Date
80%	Town Highway Structures Grant Rate (State match 80% or 90%)
70%	Class 2 Roadways Grant Rate (State match 70% or 80%)
District 6	Project Manager email for VTrans Maintenance District 6

Note: if you have updated information - please let us know:

1. Road Standards and Certificates - contact your VTrans District Project Manager: [District 6](#)
2. Local Emergency Management Plans or Local Hazard Mitigation Plans contact your [Regional Planner](#)
3. For other questions please contact [VT DEC](#) [Flood Ready Atlas](#)- River Corridor and Flood Hazard Maps

FLOOD READY VERMONT

Documentation of Public Input Opportunities (examples)

Link to survey: <https://forms.gle/obcMkVBsC5WpUuXR7>

Which Hazards Concern You?

The Town of Orange is looking for help identifying Orange's priorities in addressing local safety hazards to assist in updating the Local Hazard Mitigation Plan (LHMP)!

Mitigation means making long-term investments to protect people, property, infrastructure, natural resources and the economy from harsh weather and other natural disaster events. This is accomplished by identifying risks and vulnerabilities associated with natural and other disasters and developing long-term strategies for protecting people and property from future hazard events.

Hazard mitigation is most effective when implemented through a strategic, comprehensive, and long-term Hazard Mitigation Plan (LHMP), which is reviewed and updated every 5 years. The Town of Orange in collaboration with the Central Vermont Regional Planning Commission, is well underway with the LHMP update process and is looking for additional input from Orange residents to assess the identified hazards that impact the Town.

Here is a [3 question survey](#) to let us know what you think and/or come on in to the Town Hall for a hard copy! If you'd like to tell us more, please feel free to respond here or email Sam Lash via lash@cvregion.com

Thank you for sharing your response with us and other Front Porch Forum readers. You can view the 2017 Local Hazard Mitigation Plan [here](#).

Stay tuned! We will share the plan and the projects it recommends for your additional feedback in December 2022.

Figure 4 October 2022 Outreach Front Porch Forum

LHMP Agendas posted <https://orangevt.org/committees/agendas-minutes/>

Town of Orange Local Hazard Mitigation Plan Update



CVRPC October 24, 2022 Sam Lash, Central Vermont Regional Planning Commission

Review: What's in it?

A Local Hazard Mitigation Plan has two main components:

- Hazard Profiles
 - Answers questions like: How often has this happened in the past?
 - What/who is vulnerable to this hazard?
 - How likely is this to happen in the future?
- Mitigation Actions
 - How can we prevent the hazards identified from turning into disasters?
 - How do we reduce our risk/be more resilient?

Hazards: events or physical conditions that have the *potential* to cause fatalities, injuries, damage to property, infrastructure, the environment, agricultural loss, interruption of business, or other types of harm or loss* (different than a disaster!)

Mitigation: long term actions to reduce or eliminate long-term risk to life, property, and the environment from hazards (cost-effective measures to reduce potential for damage to communities)



Review: What does it do?

- Minimizes downtime and accelerates recovery of communities after disasters
 - Reduce the cost of disaster response and recovery and the exposure to cascading risk
 - Directs mitigation resources to where they are need most
 - Increases awareness of hazards and identifies actions for risk reduction
- Helps accomplish other community priorities like leveraging capital improvements, infrastructure protection, open space preservation, and community resiliency (social, economic, environmental, etc)
- Reduces long term costs
 - For every \$1 saves \$6 in losses are avoided according to the [Natural Hazard Mitigation Saves: 2019 Report](#) from the National Institute of Building Sciences
- Required to qualify for additional post-disaster funding through the Emergency Relief Assistance Fund (and other programs)

Why are we here?

Process is as important as the plan itself, your core Local Hazard Mitigation Planning Update team has been meeting and reviewing:

- progress made since the last plan (2017),
- changes in trends, town priorities, etc.
- Re-evaluating top hazards, vulnerabilities, and mitigation actions

Let's brainstorm together, let us know your ideas, observations, etc!

Future opportunities to participate include:

- comment on the draft of the updated plan (will be circulated),
- come into the town clerk office and add locations and thoughts to the map about past hazard occurrences, vulnerable people, infrastructure, or environments, or ideas for mitigation actions,
- email Sam Lash at lash@cvregion.com.


Top Hazards



Flooding



Severe Winter Weather



Infectious Disease



Severe Storm



Heat and Drought

Hazard Occurrences since last plan update (2017-2022):

- Strong Wind: 8
- Winter Storm/Extreme Cold: 40
- Severe Storm and Flooding (FEMA Declared Disasters): 8
 - July 2021
 - Tropical Storm Henri August 2021
 - April; Oct/Nov 2019
 - May 2018
 - Early June, June/July, Oct 2017
- Infectious Disease: 1

Other Hazards

Invasive Species (Emerald Ash Borer, Dutch Elm Disease, others?)

Wildfire (Historically not a concern, but with increasingly dry conditions a lot of fuel accumulation)

Dam Failure

Hazardous Material Spills

Structure Fires (chimney fires)

Activity- Dot Voting

Mitigation Actions

There are mitigation actions (MA) and preparedness actions (PA):

- Mitigation actions: prevent future emergencies or minimize their effects
 - Planning: floodplain protection, river corridors
 - Property acquisition, relocation, adaptation
 - Public outreach projects
- Preparedness actions: improve emergency response or operational procedures
 - Warning systems, communication systems, etc
 - Emergency response training

Previous Mitigation Actions (examples)

All Hazards:

- Ensure Local Emergency Operations Plan is maintained and up to date (PA)
- Update Orange Town Plan before it expires in May 2018 & include a Flood Resiliency element which will identify flood hazards to Orange & will identify goals, policies, and recommendations to mitigate risks to public health & infrastructure. Integrate this 2017 LHMP into updated Municipal Plan. (MA)
- Complete purchase and installation of Generator at Orange Center School town-wide emergency shelter (MA)

Flooding

- Improve road improvement, realignment, and raising road to mitigate flash flood hazard risk. (MA)
- Improve road surface, raise road, and improve ditching of Provencher Road to prevent future flooding, and work with the State of VT ADT to solve the problem of chronic flooding at the bottom of the road across state-owned land, Route 302. (MA)
- Develop a Road Inventory Plan for the Town of Orange (MA)
- Improve road and replace & upgrade culverts on Emery Road that were damaged by the July 1-2, 2017 storm. Restore travel. (MA)

Others:

- Improve and upslope culverts, roadside ditching, etc (specific grants to address specific hazards including flooding and erosion, severe weather and storms, etc)
- Meet with Dam owners to discuss maintenance etc (PA)- Dam Failure
- Update 1999 Town Forest Management Plan (silviculture schedule, budget)- Wildfire (MA)
- Tree maintenance along powerlines (PA)- Severe weather, storms, etc

Planning for Hazards in Orange Survey Open 2022-2023- in person versions and questions were out in the town clerk's office and were much more successful than the online survey in this case. Then Town Clerk, Angela Eastman, ensured that at town potlucks, community meetings including a monthly meeting hosting a group of the town's elderly residents, and during day-to-day business folks engaged with materials and town staff to shape the plan throughout the planning process.

Planning for Hazards

Hazard mitigation is most effective when implemented through a strategic, comprehensive, and long-term Hazard Mitigation Plan (LHMP), which is reviewed and updated every 5 years. The Town of Orange in collaboration with the Central Vermont Regional Planning Commission, is well underway with the LHMP update process and is looking for additional input from Orange residents to assess the identified hazards that impact the Town.

A Local Hazard Mitigation Plan has two main components:

1. Hazard Profiles

- Answers questions like: How often has this happened in the past?
- What/who is vulnerable to this hazard?
- How likely is this to happen in the future?

2. Mitigation Actions

- How can we prevent the hazards identified from turning into disasters?
- How do we reduce our risk/be more resilient?

Hazards: events or physical conditions that have the *potential* to cause fatalities, injuries, damage to property, infrastructure, the environment, agricultural loss, interruption of business, or other types of harm or loss* (different than a disaster!)

Mitigation: long term actions to reduce or eliminate long-term risk to life, property, and the environment from hazards (cost-effective measures to reduce potential for damage to communities)

Answering this 2 question survey will help your local team as they review the draft of the updated plan. The draft will be open for public comment shortly (December 2022) so stayed tuned! If you'd like to tell us more feel free to reach out to Sam Lash at lash@cvregion.com or come into the Town Clerk's Office and submit your feedback!

1. Email *

3. If you answered "other" above please include below:

4. How and/or where do these hazards affect you most as an Orange Resident?

Mitigation Actions

Do you have ideas for actions the town could take (or continue to take) to address the Hazards you identified?

Previous Mitigation Actions have included:

- Develop a Road Inventory Plan- conduct road surface management inventory (connected roads, culverts, bridges, ditches, surface, erosion causes and maintenance) and identify actions/projects.
- Update Town Plan to include Flood Resilience element (identifies flood hazards, goals, policies, and recommendations to mitigate risks to public health and infrastructure).
- Coordinate regularly with utilities to optimize and prioritize tree maintenance along power lines to reduce infrastructure damage during high winds, storms, etc.
- Conduct studies, apply for grants, or implement projects to improve transportation network and infrastructure (e.g. upsize culverts, decrease landslide risk by addressing slumps, etc.).
- Initiate school age programs on Emergency Preparedness.

You can view the 2017 Local Hazard Mitigation Plan [here](#) and find the previous Mitigation Actions on page 77

2. Top Hazards

Natural Hazards:

Which are the Most Important for Orange to Plan For?



Flooding Road and Stream Drainage	Severe Winter Weather Heavy Snow, Extreme Cold, Ice Storm	Infectious Disease Outbreak Resident diagnosed a lot of space between cases	Write In Is a different hazard more important? Please add it below!
Severe Storm Downbursts, Tornadoes, Lightning, Heavy Rain, Hail, etc.	Heat and Drought	Other Hazards Invasive Species (invasive non-native, Dutch Elm Disease, others?) Watershed (watershed not a concern, but catchments already dry contribute a lot of soil accumulation) Dam Failure Hazardous Material Spills Stratified Frost (thawing frost)	Ideas Locations of hazard risk for project/ actions to reduce impacts?

Mark only one oval per row.

	Flooding/Erosion	Severe Winter Weather	Infectious Disease	Severe Storms	Heat and Drought	Other (write in below)
Top Hazard 1	<input type="radio"/>					
Top Hazard 2	<input type="radio"/>					
Top Hazard 3	<input type="radio"/>					

5. Please include your ideas below for Mitigation Actions

This content is neither created nor endorsed by Google.

Google Forms

CERTIFICATE OF ADOPTION
May 13, 2024
Town of Orange, Vermont Selectboard

A resolution adopting the Town of Orange, Vermont 2024 Local Hazard Mitigation Plan

WHEREAS, the Town of Orange has historically experienced severe damage from natural hazards and it continues to be vulnerable to the effects of the hazards profiled in the 2024 Orange, Vermont Local Hazard Mitigation Plan, which result in loss of property and life, economic hardship, and threats to public health and safety; and

WHEREAS, the Town of Orange has developed and received conditional approval from the Federal Emergency Management Agency (FEMA) for its 2024 Orange, Vermont Local Hazard Mitigation Plan (Plan) under the requirements of 44 CFR 201.6; and

WHEREAS, the Plan specifically addresses hazard mitigation strategies, and Plan maintenance procedures for the Town of Orange; and


WHEREAS, the Plan recommends several hazard mitigation actions (projects) that will provide mitigation for specific natural hazards that impact the Town of Orange with the effect of protecting people and property from loss associated with those hazards; and

WHEREAS, adoption of this Plan will make the Town of Orange eligible for funding to alleviate the impacts of future hazards; now therefore be it

RESOLVED by Town of Orange Selectboard:

1. The 2024 Orange, Vermont Local Hazard Mitigation Plan is hereby adopted as an official plan of the Town of Orange. While content related to Orange may require revisions to meet the plan approval requirements, changes occurring after adoption will not require Orange to re-adopt any further iterations of the plan. Subsequent plan updates following the approval period for this plan will require separate adoption resolutions.
2. The respective officials identified in the mitigation action plan of the Plan are hereby directed to pursue implementation of the recommended actions assigned to them;
3. Future revisions and Plan maintenance required by 44 CFR 201.6 and FEMA are hereby adopted as part of this resolution for a period of five (5) years from the date of this resolution; and
4. An annual report on the process of the implementation elements of the Plan will be presented to the Selectboard by the Emergency Management Director or Coordinator.

IN WITHNESS WHEREOF, the undersigned have affixed their signature and the corporate seal of the Town of Orange on this the 13 of May 2024.




Steve Simpson

Steve Simpson, Chair




W. W. Dill



W. B. H.

ATTEST



Ginny Raboin

Ginny Raboin, Orange Town Clerk